

2013 South Carolina Youth Tobacco Survey Results

Division of Tobacco Prevention and Control
South Carolina Department of Health and Environment Control



Table of Contents

Table HS-1: Percentage of high school students who report ever ¹ using any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	3
Table HS-2: Percentage of high school students who report current use ¹ of any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	4
Table HS-3: Percentage of high school current smokers who report to smoke Menthol cigarettes by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	5
Table HS-4: Percentage of high school current smokers who report ever use of emerging tobacco products or current use of emerging tobacco products– Results from 2013 South Carolina Youth Tobacco Survey.....	6
Table HS-5: Percentage of high school current smokers who report smoking a whole cigarette before age 11, who report smoking at least 100 cigarettes in their lifetime, who report frequent use ¹ of cigarettes and who report heavy smoking ² by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	7
Table HS-6: Percentage of high school current smokers who report their usual source of cigarettes by commercial sources, social sources and other sources– Results from 2013 South Carolina Youth Tobacco Survey.	8
Table HS-7: Percentage of high school current smokers who report quit intentions, quit attempts and length of last quit attempt by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	9
Table HS-8: Percentage of high school current smokers who report living in houses or riding in vehicles with strict no-smoking rules (smoking not allowed anywhere / at all) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	10
Table HS-9: Percentage of high school students who report living in the same room or riding in the same car with someone who was smoking cigarettes in the past seven days by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.	11
Table HS-10: Percentage of high school students who report exposure to pro- and anti-smoking advertising by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	12
Table HS-11: Percentage of high school students who report smokers have more friends and smoking makes people look cool or fit in by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.	13
Table HS-12: Percentage of high school students reporting their beliefs about light smoking by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.....	14

Table MS-1: Percentage of middle school students who report ever ¹ using any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	15
Table MS-2: Percentage of middle school students who report current use ¹ of any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	16
Table MS-3: Percentage of middle school current smokers who report they smoke Menthol cigarettes by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	17
Table MS-4: Percentage of middle school current smokers who report ever use of emerging tobacco products or current use of emerging tobacco products– Results from 2013 South Carolina Youth Tobacco Survey.....	18
Table MS-5: Percentage of middle school current smokers who report smoking a whole cigarette before age 11, who report smoking at least 100 cigarettes in their lifetime, who report frequent use ¹ of cigarettes and who report heavy smoking ² by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	19
Table MS-6: Percentage of middle school current smokers who report their usual source of cigarettes by commercial sources, social sources and other sources – Results from 2013 South Carolina Youth Tobacco Survey.	20
Table MS-7: Percentage of middle school current smokers who report quit intentions, quit attempts and length of last quit attempt by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	21
Table MS-8: Percentage of middle school current smokers who report living in houses or riding in vehicles with strict no-smoking rules (smoking not allowed anywhere / at all) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.	22
Table MS-9: Percentage of middle school students who report living in the same room or riding in the same car with someone who was smoking cigarettes in the past seven days by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.	23
Table MS-10: Percentage of middle school students who report exposure to pro- and anti-smoking advertising by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.....	24
Table MS-11: Percentage of middle school students who report smokers have more friends and smoking makes people look cool or fit in by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.	25
Table MS-12: Percentage of middle school students reporting their beliefs about light smoking by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.	26

Table HS-1: Percentage of high school students who report ever¹ using any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Any Tobacco		Cigarette		Smokeless Tobacco		Cigars		Bidis / Kreteks	
	%	(95% CI) ²	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender										
Male	60.5	(±4.4)	48.3	(±4.2)	32.4	(±5.2)	39.4	(±4.7)	8.0	(±2.8)
Female	57.3	(±4.9)	49.0	(±5.4)	12.8	(±2.3)	32.1	(±4.2)	4.3	(±1.5)
Race / Ethnicity										
White	60.0	(±4.7)	51.2	(±5.6)	30.0	(±3.0)	35.8	(±3.8)	6.1	(±2.2)
Black	57.4	(±5.1)	44.1	(±5.9)	12.4	(±2.5)	33.4	(±5.0)	5.5	(±2.1)
Hispanic	49.3	(±9.2)	38.0	(±11.0)	16.1	(±5.7)	30.1	(±9.8)	5.2	(±3.5)
Grade										
9	50.8	(±4.3)	41.7	(±5.9)	21.1	(±4.9)	26.6	(±3.1)	6.7	(±2.7)
10	57.2	(±9.3)	46.1	(±9.4)	24.2	(±4.7)	33.6	(±6.2)	2.7	(±2.0)
11	67.1	(±5.6)	58.0	(±6.5)	24.5	(±8.5)	43.3	(±6.6)	6.8	(±2.1)
12	63.7	(±9.5)	51.3	(±9.4)	21.2	(±6.7)	43.9	(±9.7)	9.1	(±4.8)
Total	59.0	(±3.9)	48.7	(±4.5)	22.8	(±2.9)	36.0	(±3.7)	6.2	(±1.7)

1 - To determine the ever use of tobacco, students were asked “Have you ever tried cigarette smoking, even one or two puffs?” “Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?”, “Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?” , “Have you ever tried smoking any of the following” with an option for “I have tried both bidis and kreteks.”

2 - Ninety-five percent confidence interval.

Table HS-2: Percentage of high school students who report current use¹ of any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Any Tobacco		Cigarette		Smokeless Tobacco		Cigars		Pipes		Bidis	
	%	(95% CI) ²	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender												
Male	32.1	(±3.7)	15.9	(±3.2)	15.3	(±3.3)	16.5	(±3.0)	7.3	(±2.5)	2.5	(±1.2)
Female	21.9	(±3.9)	14.7	(±4.0)	2.3	(±0.9)	11.2	(±3.1)	4.0	(±1.6)	1.2	(±0.7)
Race / Ethnicity												
White	31.4	(±3.7)	20.1	(±3.7)	12.6	(±2.2)	13.6	(±2.3)	5.6	(±1.6)	1.6	(±0.8)
Black	20.9	(±3.4)	8.2	(±2.4)	3.7	(±1.3)	14.0	(±3.2)	4.3	(±1.7)	1.7	(±0.9)
Hispanic	20.0	(±5.6)	10.9	(±4.7)	5.3	(±3.0)	9.3	(±4.9)	8.9	(±5.2)	5.7	(±4.4)
Grade												
9	23.6	(±4.8)	14.1	(±5.2)	10.6	(±3.0)	10.1	(±2.5)	5.6	(±2.1)	2.1	(±1.0)
10	26.0	(±7.4)	16.1	(±5.9)	7.6	(±3.3)	12.5	(±3.7)	4.1	(±2.3)	1.7	(±1.4)
11	26.4	(±5.5)	13.2	(±4.2)	8.4	(±3.7)	14.8	(±2.8)	4.3	(±2.1)	1.5	(±1.1)
12	34.2	(±6.9)	18.7	(±5.9)	9.0	(±4.2)	19.8	(±5.3)	9.7	(±3.5)	2.6	(±1.9)
Total	27.2	(±2.7)	15.4	(±2.9)	9.0	(±1.7)	14.0	(±2.1)	5.8	(±5.8)	1.9	(±0.6)

1 - Current use is defined as having used the product on one or more days in the past 30 days prior.

2 - Ninety-five percent confidence interval.

Table HS-3: Percentage of high school current smokers who report to smoke Menthol cigarettes by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Usually Smokes Menthol Cigarettes	
	%	(95% CI) ¹
Gender		
Male	45.2	(±7.4)
Female	57.2	(±13.7)
Race / Ethnicity		
White	58.8	(±8.7)
Black	34.7	(±14.0)
Hispanic	51.4	(±27.9)
Grade		
9	41.7	(±14.7)
10	54.1	(±12.6)
11	46.7	(±14.0)
12	60.5	(±20.9)
Total	51.2	(±8.3)

1 - Ninety-five percent confidence interval.

Table HS-4: Percentage of high school current smokers who report ever use of emerging tobacco products or current use of emerging tobacco products– Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Ever use		Current use	
	% ²	(95% CI) ¹	% ²	(95% CI)
Roll-Your-Own Cigarette	12.4	(±1.9)	6.8	(±1.3)
Flavored Cigarettes	16.4	(±2.2)	5.9	(±1.3)
Clove Cigars	2.6	(±0.8)	1.6	(±0.7)
Flavored little cigars	13.0	(±1.9)	5.3	(±1.2)
Hookah / water pipe	8.3	(±1.6)	4.0	(±1.0)
Snus	7.2	(±1.5)	1.8	(±0.7)
Dissolvable	1.6	(±1.0)	0.6	(±0.4)
Electronic Cigarette	11.7	(±1.8)	3.7	(±1.0)
Other new product	6.5	(±1.5)	3.4	(±0.9)
Percent of current smoker using at least one of the above products	84.8	(±4.7)	72.7	(±6.2)

1 - Ninety-five percent confidence interval

2 - Students had an option to choose more than one source, Hence the total is more than 100%.

Table HS-5: Percentage of high school current smokers who report smoking a whole cigarette before age 11, who report smoking at least 100 cigarettes in their lifetime, who report frequent use¹ of cigarettes and who report heavy smoking² by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Ever Smokers who smoked first whole cigarette before age 11		Ever Smokers who smoked at least 100 cigarettes in their lifetime		Frequent Smoking		Heavy Smoking	
	%	(95% CI) ³	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	22.8	(±5.7)	18.4	(±4.8)	4.8	(±1.5)	13.8	(±5.9)
Female	14.5	(±4.3)	16.2	(±4.5)	5.1	(±2.1)	14.8	(±8.1)
Race / Ethnicity								
White	18.4	(±4.0)	24.4	(±3.5)	6.8	(±2.0)	13.9	(±5.0)
Black	19.0	(±5.7)	6.5	(±3.7)	2.4	(±1.9)	16.2	(±9.8)
Hispanic	30.5	(±12.0)	13.5	(±7.0)	3.4	(±2.7)	21.0	(±19.6)
Grade								
9	21.6	(±5.7)	13.4	(±4.7)	3.8	(±2.0)	23.5	(±7.7)
10	23.1	(±7.3)	18.9	(±5.9)	4.9	(±2.7)	7.8	(±7.5)
11	15.4	(±8.9)	13.8	(±4.8)	5.1	(±1.7)	9.8	(±9.5)
12	14.0	(±6.7)	24.5	(±8.0)	6.5	(±3.8)	15.1	(±9.5)
Total	18.6	(±3.9)	17.3	(±3.2)	4.9	(±1.6)	14.7	(±4.4)

1 - Ever smokers who smoked on 20 or more days in past 30 days.

2 - Ever smokers who smoke 6 or more cigarettes on the days they smoke.

3 - Ninety-five percent confidence interval.

Table HS-6: Percentage of high school current smokers who report their usual source of cigarettes by commercial sources, social sources and other sources– Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	% ¹	Current smoker (95% CI) ²
Commercial Sources		
Bought them in a store	22.9	(±5.8)
Bought them from a vending machine	1.3	(±1.6)
Social Sources		
Giving someone else money to buy	35.0	(±6.6)
borrowing	27.3	(±6.1)
Getting them from an adult	11.5	(±4.2)
Taking them from a store or family member	7.4	(±4.4)
Other sources such as Internet	10.2	(±4.3)

1 - Students had an option to choose more than one source, Hence the total is more than 100%.

2 - Ninety-five percent confidence interval.

Table HS-7: Percentage of high school current smokers who report quit intentions, quit attempts and length of last quit attempt by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Who want to stop smoking cigarettes		Tried to quit at least once in the past 12 months		Stayed off cigarettes for less than 30 days during their quit attempt	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)
Gender						
Male	34.3	(±10.6)	53.5	(±7.5)	34.7	(±8.8)
Female	48.2	(±9.8)	63.4	(±9.5)	33.4	(±10.3)
Race / Ethnicity						
White	38.2	(±5.5)	56.2	(±7.2)	34.9	(±8.1)
Black	46.3	(±13.5)	67.1	(±19.1)	30.2	(±15.8)
Hispanic	20.8	(±21.7)	26.1	(±18.1)	11.7	(±16.2)
Grade						
9	39.5	(±9.0)	61.7	(±12.5)	44.4	(±14.7)
10	41.0	(±11.3)	55.8	(±14.6)	20.6	(±11.1)
11	46.7	(±17.1)	62.0	(±11.1)	51.5	(±12.5)
12	36.6	(±13.8)	52.8	(±13.0)	26.3	(±15.4)
Total	41.0	(±5.1)	58.1	(±5.5)	34.1	(±7.5)

1 - Ninety-five percent confidence interval.

Table HS-8: Percentage of high school current smokers who report living in houses or riding in vehicles with strict no-smoking rules (smoking not allowed anywhere / at all) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Home smoke-free rules		Vehicle Smoke-free rules	
	%	(95% CI) ¹	%	(95% CI)
Gender				
Male	72.2	(±3.3)	63.7	(±3.6)
Female	69.7	(±3.5)	59.8	(±3.7)
Race / Ethnicity				
White	71.2	(±3.2)	57.7	(±3.5)
Black	71.4	(±3.9)	67.1	(±4.1)
Hispanic	79.6	(±7.0)	76.0	(±7.3)
Grade				
9	69.8	(±4.2)	63.1	(±4.4)
10	71.5	(±4.9)	63.1	(±5.1)
11	70.3	(±5.5)	58.9	(±5.9)
12	73.0	(±5.1)	61.9	(±5.6)
Total	71.0	(±2.5)	61.8	(±2.6)

1 - Ninety-five percent confidence interval.

Table HS-9: Percentage of high school students who report living in the same room or riding in the same car with someone who was smoking cigarettes in the past seven days by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Vehicle Exposure				Home Exposure			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	59.3	12.2	16.4	3.6	51.1	(±8.4)	11.7	(±3.0)
Female	85.3	7.6	21.4	3.3	69.9	(±7.8)	19.6	(±2.9)
Race / Ethnicity								
White	72.3	9.5	22.9	3.5	62.5	(±8.3)	19.4	(±2.8)
Black	70.8	10.3	15.2	3.1	58.4	(±16.1)	11.6	(±3.4)
Hispanic	67.6	33.0	20.7	10.1	24.9	(±19.8)	16.2	(±9.3)
Grade								
9	67.0	9.9	20.2	4.9	66.7	(±10.4)	15.9	(±4.8)
10	73.1	11.4	16.6	4.9	64.0	(±10.1)	15.6	(±4.8)
11	72.3	13.7	17.9	5.2	56.9	(±15.2)	16.6	(±6.0)
12	73.8	16.1	20.7	5.2	50.7	(±16.8)	14.5	(±5.1)
Total	71.7	7.9	18.8	2.4	59.9	(±7.0)	15.6	(±2.1)

1 - Ninety-five percent confidence interval.

Table HS-10: Percentage of high school students who report exposure to pro- and anti-smoking advertising by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Saw ads for tobacco products at convenience store, gas station or super market (Always, most or some of the times)		Among those use internet, saw internet ads for tobacco products (Always, most or some of the times)		Among those read newspaper or magazine, saw ads for tobacco products (Always, most or some of the times)	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender						
Male	81.9	(±2.9)	30.5	(±3.4)	34.8	(±3.5)
Female	88.5	(±2.6)	39.6	(±3.6)	36.8	(±3.5)
Race / Ethnicity						
White	90.5	(±2.1)	34.5	(±3.3)	35.5	(±3.3)
Black	81.2	(±3.3)	39.5	(±4.2)	38.3	(±4.2)
Hispanic	75.4	(±7.7)	32.1	(±7.8)	31.0	(±7.9)
Grade						
9	84.6	(±3.4)	35.5	(±4.3)	36.6	(±4.4)
10	86.9	(±3.6)	36.9	(±5.0)	34.0	(±4.9)
11	82.0	(±4.9)	32.9	(±5.2)	33.6	(±5.3)
12	88.0	(±3.9)	34.0	(±5.4)	39.7	(±5.6)
Total	85.1	(±2.0)	34.9	(±2.5)	35.8	(±2.5)

1 - Ninety-five percent confidence interval.

Table HS-11: Percentage of high school students who report smokers have more friends and smoking makes people look cool or fit in by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Smokers have more friends				Smoking makes people look cool or fit in			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	38.0	(±9.5)	24.3	(±7.1)	27.4	(±9.2)	10.3	(±3.7)
Female	26.5	(±8.4)	25.3	(±6.1)	12.0	(±4.4)	8.3	(±4.1)
Race / Ethnicity								
White	26.1	(±6.5)	18.5	(±6.4)	22.0	(±5.5)	13.4	(±3.5)
Black	54.3	(±11.5)	31.2	(±6.2)	19.1	(±13.4)	9.7	(±4.4)
Hispanic	22.7	(±25.1)	35.5	(±12.1)	22.4	(±27.0)	19.5	(±11.7)
Grade								
9	42.6	(±9.5)	22.7	(±6.0)	26.6	(±11.1)	5.7	(±3.6)
10	30.2	(±15.9)	22.6	(±8.6)	21.2	(±21.2)	13.4	(±7.9)
11	31.2	(±9.1)	28.1	(±8.6)	21.7	(±16.3)	11.5	(±6.1)
12	23.7	(±13.5)	27.6	(±6.8)	11.0	(±7.4)	7.2	(±3.2)
Total	32.3	(±6.7)	24.8	(±5.4)	20.0	(±5.1)	9.3	(±3.2)

1 - Ninety-five percent confidence interval.

Table HS-12: Percentage of high school students reporting their beliefs about light smoking by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Smoking one to five cigarettes a day is risky (definitely or probably yes)				Safe to smoke for year or two as long as they quit after that (definitely or probably yes)			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	67.1	(±8.4)	95.6	(±1.7)	35.9	(±9.0)	11.6	(±3.4)
Female	79.7	(±11.8)	97.2	(±2.1)	29.7	(±8.8)	8.9	(±2.9)
Race / Ethnicity								
White	76.4	(±6.8)	97.7	(±1.6)	30.2	(±7.2)	6.8	(±2.5)
Black	60.2	(±15.1)	95.0	(±2.6)	42.3	(±15.7)	15.3	(±4.5)
Hispanic	64.3	(±28.3)	96.2	(±4.5)	45.9	(±27.5)	15.9	(±8.4)
Grade								
9	69.4	(±12.1)	94.7	(±2.7)	42.0	(±12.2)	12.4	(±4.1)
10	74.0	(±16.0)	97.2	(±2.4)	26.5	(±12.0)	9.8	(±4.4)
11	75.8	(±12.3)	96.8	(±3.0)	26.4	(±13.0)	10.9	(±5.0)
12	72.1	(±17.5)	97.7	(±2.5)	33.7	(±13.2)	8.2	(±4.8)
Total	72.7	(±6.0)	96.4	(±1.3)	32.8	(±6.3)	10.6	(±2.3)

1 - Ninety-five percent confidence interval.

Table MS-1: Percentage of middle school students who report ever¹ using any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Any Tobacco		Cigarette		Smokeless Tobacco		Cigars		Bidis /Kreteks	
	%	(95% CI) ²	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender										
Male	34.2	(±5.5)	25.2	(±5.4)	15	(±4.3)	19.2	(±4.2)	3.2	(±1.0)
Female	28.1	(±4.3)	20.1	(±4.6)	7.1	(±1.8)	11.6	(±2.7)	2.2	(±1.3)
Race / Ethnicity										
White	29.7	(±6.0)	21.0	(±5.8)	14.1	(±4.5)	12.8	(±3.1)	3.1	(±1.5)
Black	34.3	(±5.2)	26.2	(±5.1)	7.2	(±1.7)	18.0	(±4.7)	2.6	(±1.2)
Hispanic	31.5	(±7.4)	22.7	(±6.0)	10.0	(±4.5)	19.5	(±6.0)	3.0	(±1.9)
Grade										
6	22.8	(±5.1)	13.4	(±4.0)	8.6	(±2.5)	12.6	(±3.9)	1.1	(±1.1)
7	31.5	(±4.8)	24.9	(±5.6)	10.1	(±3.4)	14.7	(±3.2)	3.6	(±1.8)
8	38.2	(5.9)	28.7	(±5.4)	15.3	(±4.9)	18.4	(±4.2)	3.4	(±1.1)
Total	31.2	(±3.6)	22.7	(±3.7)	11.3	(±2.4)	15.5	(±2.0)	2.7	(±0.7)

1 - To determine the ever use of tobacco, students were asked “Have you ever tried cigarette smoking, even one or two puffs?” “Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?” , “Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?” , “Have you ever tried smoking any of the following” with an option for “I have tried both bidis and kreteks.”

2 - Ninety-five percent confidence interval.

Table MS-2: Percentage of middle school students who report current use¹ of any tobacco product (cigarettes, smokeless tobacco, cigars, bidis/kreteks) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Any Tobacco		Cigarette		Smokeless Tobacco		Cigars		Pipes		Bidis	
	%	(95% CI) ²	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender												
Male	11.3	(±2.9)	5.4	(±5.4)	5.1	(±2.5)	6.0	(±2.1)	3.5	(±0.9)	1.2	(±0.9)
Female	8.0	(±2.5)	4.2	(±1.8)	1.7	(±0.9)	3.5	(±1.8)	1.6	(±1.2)	0.5	(±0.3)
Race / Ethnicity												
White	9.5	(±3.4)	5.8	(±2.2)	4.2	(±2.4)	3.9	(±1.8)	2.9	(±1.0)	0.9	(±0.7)
Black	10.2	(±2.3)	4.3	(±1.2)	1.3	(±0.9)	6.5	(±2.1)	2.7	(±1.2)	1.0	(±0.9)
Hispanic	10.8	(±6.1)	5.3	(±3.8)	4.9	(±4.3)	4.8	(±3.1)	2.9	(±2.4)	2.2	(±1.7)
Grade												
6	5.4	(±1.8)	2.3	(±2.3)	1.5	(±1.4)	2.5	(±1.9)	1.9	(±1.4)	0.5	(±0.7)
7	10.9	(±3.2)	5.3	(±1.6)	4.5	(±2.2)	2.2	(±2.2)	2.9	(±1.7)	1.1	(±0.9)
8	12.3	(±3.6)	6.7	(±2.0)	4.3	(±3.0)	2.9	(±2.9)	2.8	(±1.2)	1.0	(±0.9)
Total	9.7	(±2.0)	4.8	(±1.2)	3.4	(±1.4)	4.8	(±1.4)	2.9	(±0.6)	0.9	(±0.5)

1 - Current use is defined as having used the product on one or more days in the past 30 days prior.

2 - Ninety-five percent confidence interval.

Table MS-3: Percentage of middle school current smokers who report they smoke Menthol cigarettes by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Usually Smokes Menthol Cigarettes	
	%	(95% CI) ¹
Gender		
Male	46.8	(±16.8)
Female	45.0	(±18.6)
Race / Ethnicity		
White	53.8	(±16.1)
Black	27.6	(±24.2)
Hispanic	36.4	(±29.3)
Grade		
6	31.0	(±33.2)
7	44.0	(±17.0)
8	52.9	(±21.1)
Total	46.0	(±13.7)

1 - Ninety-five percent confidence interval

Table MS-4: Percentage of middle school current smokers who report ever use of emerging tobacco products or current use of emerging tobacco products– Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Ever use		Current use	
	% ²	(95% CI) ¹	% ²	(95% CI)
Roll-Your-Own Cigarette	7.2	(±1.3)	4.8	(±1.1)
Flavored Cigarettes	4.2	(±1.1)	2.0	(±0.4)
Clove Cigars	1.2	(±0.6)	0.8	(±0.4)
Flavored little cigars	2.9	(±0.8)	1.6	(±0.7)
Hookah / water pipe	1.2	(±0.6)	0.5	(±0.4)
Snus	2.8	(±0.8)	1.3	(±0.6)
Dissolvables	0.8	(±0.5)	0.3	(±0.2)
Electronic Cigarette	4.3	(±1.1)	1.9	(±0.7)
Other new product	3.6	(±1.0)	2.1	(±0.7)
Percent of current smokers using at least one of the above products	79.3	(±9.7)	76.4	(±10.5)

1 - Ninety-five percent confidence interval

2 - Students had an option to choose more than one source, Hence the total is more than 100%.

Table MS-5: Percentage of middle school current smokers who report smoking a whole cigarette before age 11, who report smoking at least 100 cigarettes in their lifetime, who report frequent use¹ of cigarettes and who report heavy smoking² by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Ever Smokers who smoked first whole cigarette before age 11		Ever Smokers who smoked at least 100 cigarettes in their lifetime		Ever smokers who smoked on 20 or more days in past 30 days		Ever smokers who smoke 6 or more cigarettes on the days they smoke	
	%	(95% CI) ³	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	43.6	(±6.9)	9.6	(±3.9)	1.4	(±0.8)	22.7	(±9.2)
Female	33.1	(±10.5)	5.2	(±3.8)	0.9	(±0.9)	10.1	(±12.3)
Race / Ethnicity								
White	37.1	(±7.4)	10.8	(±3.9)	1.8	(±1.0)	16.8	(±12.9)
Black	39.2	(±9.5)	4.0	(±4.9)	0.4	(±0.5)	12.8	(±15.2)
Hispanic	54.9	(±15.4)	15.1	(±9.8)	1.9	(±2.2)	45.4	(±36.7)
Grade								
6	59.8	(±17.9)	1.2	(±2.4)	0.6	(±0.9)	26.5	(±33.7)
7	34.0	(±9.7)	7.4	(±3.8)	1.2	(±0.8)	11.2	(±10.0)
8	35.3	(±5.8)	10.3	(±4.4)	1.6	(±1.1)	19.2	(±9.9)
Total	38.8	(±5.0)	7.6	(±7.6)	1.1	(±0.6)	17.2	(±7.8)

1 - Ever smokers who smoked on 20 or more days in past 30 days.

2 - Ever smokers who smoke 6 or more cigarettes on the days they smoke.

3 - Ninety-five percent confidence interval.

Table MS-6: Percentage of middle school current smokers who report their usual source of cigarettes by commercial sources, social sources and other sources – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Current smoker	
	% ¹	(95% CI) ²
Commercial Sources		
Bought them in a store	6.7	(±4.1)
Bought them from a vending machine	3.5	(±4.8)
Social Sources		
Giving someone else money to buy	24.1	(±9.6)
borrowing	22.7	(±10.1)
Getting them from an adult	17.0	(±9.9)
Taking them from a store or family member	6.8	(±5.5)
Other sources such as Internet	20.6	(±9.4)

1 - Students had an option to choose more than one source, Hence the total is more than 100%.

2 - Ninety-five percent confidence interval.

Table MS-7: Percentage of middle school current smokers who report quit intentions, quit attempts and length of last quit attempt by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Who want to stop smoking cigarettes		Tried to quit at least once in the past 12 months		Stayed off cigarettes for less than 30 days during their quit attempt	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)
Gender						
Male	45.8	(±13.7)	68.9	(±14.4)	44.2	(±15.5)
Female	41.1	(±14.9)	83.2	(±17.0)	45.2	(±15.8)
Race / Ethnicity						
White	45.3	(±16.1)	73.7	(±16.3)	43.6	(±14.9)
Black	45.9	(±23.9)	79.8	(±15.1)	43.0	(±20.5)
Hispanic	40.9	(±31.1)	51.6	(±32.7)	41.2	(±36.1)
Grade						
6	43.1	(±45.1)	92.3	(±14.0)	65.7	(±35.8)
7	46.8	(±16.9)	82.6	(±20.5)	46.8	(±18.3)
8	43.0	(±18.3)	64.4	(±16.2)	37.6	(±11.0)
Total	44.0	(±9.3)	74.9	(±12.0)	44.6	(±11.5)

1 - Ninety-five percent confidence interval.

Table MS-8: Percentage of middle school current smokers who report living in houses or riding in vehicles with strict no-smoking rules (smoking not allowed anywhere / at all) by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Home smoke-free rules		Vehicle Smoke-free rules	
	%	(95% CI) ¹	%	(95% CI)
Gender				
Male	71.0	(±3.3)	64.9	(±3.4)
Female	71.0	(±3.6)	64.1	(±3.8)
Race / Ethnicity				
White	70.9	(±3.5)	61.7	(±3.8)
Black	70.4	(±3.7)	69.2	(±3.7)
Hispanic	70.5	(±7.0)	64.8	(±7.5)
Grade				
6	70.1	(±5.1)	64.5	(±5.3)
7	67.1	(±3.7)	61.4	(±3.9)
8	73.7	(±4.0)	67.7	(±4.2)
Total	70.2	(±2.4)	64.5	(±2.5)

1 - Ninety-five percent confidence interval.

Table MS-9: Percentage of middle school students who report living in the same room or riding in the same car with someone who was smoking cigarettes in the past seven days by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Vehicle Exposure				Home Exposure			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	59.1	(±12.1)	14.3	(±4.2)	58.3	(±15.9)	15.3	(±4.5)
Female	61.2	(±19.9)	22.9	(±3.9)	69.7	(±18.3)	19.5	(±4.8)
Race / Ethnicity								
White	65.6	(±11.1)	22.8	(±3.8)	71.8	(±13.2)	21.7	(±5.1)
Black	52.5	(±14.5)	4.4	(±4.4)	48.3	(±25.1)	11.8	(±5.3)
Hispanic	70.2	(±31.5)	14.5	(±6.8)	43.7	(±30.3)	14.1	(±7.0)
Grade								
6	33.5	(±33.9)	21.5	(±5.9)	54.2	(±41.0)	18.0	(±5.8)
7	76.4	(±14.2)	18.0	(±4.1)	78.6	(±22.1)	17.0	(±4.1)
8	52.2	(±13.5)	16.7	(±6.8)	54.4	(±13.0)	18.2	(±5.8)
Total	60.0	(±9.3)	18.8	(±3.3)	63.3	(±12.4)	17.5	(±3.6)

1 - Ninety-five percent confidence interval.

Table MS-10: Percentage of middle school students who report exposure to pro- and anti-smoking advertising by gender, race/ethnicity and grade – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Saw ads for tobacco products at convenience store, gas station or super market (Always, most or some of the times)		Among those use internet, saw internet ads for tobacco products (Always, most or some of the times)		Among those read newspaper or magazine, saw ads for tobacco products (Always, most or some of the times)	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender						
Male	73.1	(±3.2)	38.5	(±3.5)	31.5	(±3.4)
Female	83.7	(±3.0)	43.4	(±3.9)	39.3	(±3.8)
Race / Ethnicity						
White	81.9	(±3.0)	43.3	(±3.8)	35.6	(±3.7)
Black	74.7	(±3.5)	37.6	(±4.0)	34.3	(±3.9)
Hispanic	73.8	(±7.1)	41.0	(±7.8)	35.6	(±7.5)
Grade						
6	74.3	(±4.8)	41.6	(±5.4)	32.3	(±5.1)
7	76.6	(±3.2)	38.0	(±3.8)	32.5	(±3.7)
8	84.3	(±3.4)	43.0	(±4.6)	40.7	(±4.6)
Total	78.2	(±2.2)	40.8	(±2.6)	35.3	(±2.7)

1 - Ninety-five percent confidence interval.

Table MS-11: Percentage of middle school students who report smokers have more friends and smoking makes people look cool or fit in by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Smokers have more friends				Smoking makes people look cool or fit in			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	62.0	(±13.6)	19.4	(±3.7)	40.4	(±13.8)	13.2	(±3.2)
Female	44.7	(±21.3)	24.9	(±4.8)	43.5	(±26.7)	9.2	(±2.7)
Race / Ethnicity								
White	51.5	(±14.3)	16.8	(±3.5)	46.0	(±21.4)	9.3	(±3.9)
Black	61.6	(±28.2)	29.3	(±3.9)	34.6	(±14.6)	13.8	(±2.8)
Hispanic	34.5	(±33.5)	26.1	(±6.0)	33.9	(±29.1)	8.6	(±4.5)
Grade								
6	40.4	(±33.54)	22.5	(±4.6)	40.4	(±33.5)	12.3	(±3.3)
7	71.9	(±17.2)	22.2	(±5.8)	54.2	(±17.4)	12.0	(±5.9)
8	47.1	(±16.7)	22.0	(±3.6)	34.3	(±16.7)	7.8	(±2.0)
Total	54.4	(±11.8)	22.2	(±3.0)	41.7	(±15.9)	11.1	(±2.4)

1 - Ninety-five percent confidence interval.

Table MS-12: Percentage of middle school students reporting their beliefs about light smoking by gender, race/ethnicity, grade and smoking status – Results from 2013 South Carolina Youth Tobacco Survey.

Characteristic	Smoking one to five cigarettes a day is risky (definitely or probably yes)				Safe to smoke for year or two as long as they quit after that (definitely or probably yes)			
	Current Smoker		Never Smoker		Current Smoker		Never Smoker	
	%	(95% CI) ¹	%	(95% CI)	%	(95% CI)	%	(95% CI)
Gender								
Male	74.6	(±12.7)	91.7	(±2.3)	48.9	(±14.6)	18.8	(±3.4)
Female	79.5	(±13.7)	94.6	(±2.1)	54.9	(±19.3)	13.8	(±3.3)
Race / Ethnicity								
White	77.8	(±11.7)	95.7	(±2.0)	57.3	(±14.8)	13.9	(±3.2)
Black	74.2	(±17.5)	88.9	(±3.1)	45.6	(±17.8)	19.7	(±4.0)
Hispanic	69.8	(±29.8)	89.8	(±6.3)	39.1	(±30.8)	18.5	(±7.5)
Grade								
6	100	(±0)	92.0	(±3.3)	69.9	(±30.8)	18.5	(±4.8)
7	78.3	(±14.8)	91.8	(±2.5)	41.9	(±16.7)	17.8	(±3.5)
8	69.7	(±14.9)	96.2	(±2.4)	40.2	(±15.3)	11.6	(±3.7)
Total	76.7	(±9.4)	93.2	(±1.6)	51.5	(±11.7)	16.2	(±2.4)

1 - Ninety-five percent confidence interval.