



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

May 2, 2013

Mr. Ron Ward
Production Supervisor
Chevron Products Company
1882 Milford Street
Charleston, SC 29405

Re: Coverage to Operate Under the Terms and Conditions of the General Conditional Major Operating Permit for Fuel Combustion Operations

Dear Mr. Ward:

Enclosed is the General Conditional Major Operating Permit for Fuel Combustion Operations that became effective on April 01, 2011. The federally enforceable emissions limitations and operational requirements contained within this General Conditional Major Operating Permit are designed to restrict this facility's potential to emit to below major source thresholds. This renewed General Conditional Major Operating Permit will be valid through March 31, 2021. Your facility's coverage under the terms and conditions of this permit shall be effective on May 2, 2013.

Please be advised that a new periodic reporting period begins upon the effective date of this renewed permit. Abbreviated periodic reports shall be completed and submitted in accordance with the previous permit's conditions and shall cover the interim period between the previous permit reporting period and the renewed permit reporting period. Reports required under the terms and conditions of this renewed Conditional Major Operating Permit must be completed and submitted in a timely manner in accordance with the periodic reporting schedule found in Part 4.B of this permit. The Department has developed an Excel spreadsheet that may help you in maintaining "Fuel Usage Records for General Conditional Major Operating Permit Reporting," which can be found at the following web site address:

http://www.scdhec.gov/environment/baq/docs/permitting/GPermitApps/Fuel_Record_Reporting_Worksheet.xls

It is important for you and/or an authorized representative responsible for the overall operation of this facility to read this issued permit carefully and to understand all requirements. If any errors or omissions are discovered, please notify Alyson M. Hayes of my staff via e-mail at hayesam@dhec.sc.gov, or call 803-898-3836 immediately.

Pursuant to the South Carolina Administrative Procedures Act, any Department decision involving the issuance, denial, suspension, or revocation of a permit or certification may be appealed by the applicant, permittee, licensee, or affected person. Please see the enclosed "Notice of Appeal Procedure" for guidelines on filing an appeal.

Sincerely,

Elizabeth J. Basil
Director, Engineering Services Division
Bureau of Air Quality

EJB:CPB:kal

Enclosure

cc: Permit File: 0560-0020

ec: Mark Hiott, BEHS

South Carolina Board of Health and Environmental Control
Guide to Board Review
Pursuant to S.C. Code Ann. § 44-1-60
Effective April 1, 2013

The decision of the South Carolina Department of Health and Environmental Control (Department) becomes the final agency decision fifteen (15) calendar days after notice of the decision has been mailed to the applicant, permittee, licensee and affected persons who have requested in writing to be notified, unless a written request for final review accompanied by a filing fee in the amount of \$100 is filed with Department by the applicant, permittee, licensee or affected person.

Applicants, permittees, licensees, and affected parties are encouraged to engage in mediation during the final review process.

If the Board declines in writing to schedule a final review conference, the Department's decision becomes the final agency decision and an applicant, permittee, licensee, or affected person may request a contested case hearing before the Administrative Law Court within thirty (30) calendar days after notice is mailed that the Board declined to hold a final review conference.

I. Filing of Request for Final Review

1. A written Request for Final Review (RFR) and the required filing fee of one hundred dollars (\$100) must be received by Clerk of the Board within fifteen (15) calendar days after notice of the staff decision has been mailed to the applicant, permittee, licensee, or affected persons. If the 15th day occurs on a weekend or State holiday, the RFR must be received by the Clerk on the next working day. RFRs will not be accepted after 5:00 p.m.
2. RFRs shall be in writing and should include, at a minimum, the following information:
 - The grounds for amending, modifying, or rescinding the staff decision;
 - a statement of any significant issues or factors the Board should consider in deciding how to handle the matter;
 - the relief requested; and
 - a copy of the decision for which review is requested.
3. RFRs should be filed in person or by mail at the following address:

South Carolina Board of Health and Environmental Control
Attention: Clerk of the Board
2600 Bull Street
Columbia, South Carolina 29201

Alternatively, RFR's may be filed with the Clerk by facsimile (803-898-3393) or by electronic mail (boardclerk@dhec.sc.gov).

4. The filing fee may be paid by cash, certified check or credit card. If a RFR is filed by facsimile or electronic mail, the filing fee may be mailed to the Clerk of the Board and the envelope must be postmarked within the time allowed for filing a RFR.
5. If there is any perceived discrepancy in compliance with this RFR filing procedure, the Clerk should consult with the Chairman or, if the Chairman is unavailable, the Vice-Chairman. The Chairman or the Vice-Chairman will determine whether the RFR is timely and properly filed and direct the Clerk to (1) process the RFR for consideration by the Board or (2) return the RFR and filing fee to the requestor with a cover letter explaining why the RFR was not timely or properly filed. Processing an RFR for consideration by the Board shall not be interpreted as a waiver of any claim or defense by the agency in subsequent proceedings concerning the RFR.
6. If the RFR will be processed for Board consideration, the Clerk will send an Acknowledgement of RFR to the Requestor and the applicant, permittee, or licensee, if other than the Requestor.
7. The Clerk will email the RFR to all Board members for review, and all Board members will confirm receipt of the RFR to the Clerk by email. If a Board member does not confirm receipt of the RFR within twenty-four (24) hour period, the Clerk will contact the Board member and confirm receipt. If a Board member believes the RFR should be considered by the RFR Committee, he or she will respond to the Clerk's email within forty-eight (48) hours and will request further review. If no Board member requests further review of the RFR within the forty-eight (48) hour period, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, stating the Board will not hold a Final Review Conference. A copy of the Notice of Appeal Procedure will be included with the letter.

NOTE: If the time periods described above end on a weekend or State holiday, the time is automatically extended to 5:00 p.m. on the next business day.

8. If the RFR is to be considered by the RFR Committee, the Clerk will forward a copy of the RFR to Department staff and Office of General Counsel. A Department response to the RFR should be provided by Department staff to the Clerk within eight (8) working days after the RFR is forwarded.

II. Final Review Conference Scheduling

1. If a Conference will be held, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, informing the Requestor of the determination.
2. The Clerk will request Department staff provide the Administrative Record.
3. The Clerk will send Notice of Final Review Conference to the parties at least ten (10) days before the Conference. The Conference will be publically noticed and should:
 - include the place, date and time of the Conference;
 - state the presentation times allowed in the Conference;
 - state evidence may be presented at the Conference;
 - if the conference will be held by committee, include a copy of the Chairman's order appointing the committee; and
 - inform the Requestor of his or her right to request a transcript of the proceedings of the Conference prepared at Requestor's expense.
4. If a party requests a transcript of the proceedings of the Conference and agrees to pay all related costs in writing, including costs for the transcript, the Clerk will schedule a court reporter for the Conference.

III. Final Review Conference and Decision

1. The order of presentation in the Conference will, subject to the presiding officer's discretion, be as follows:
 - Department staff will provide an overview of the staff decision and the applicable law to include [10 minutes]:
 - Type of decision (permit, enforcement, etc.) and description of the program.
 - Parties
 - Description of facility/site
 - Applicable statutes and regulations
 - Decision and materials relied upon in the administrative record to support the staff decision.
 - Requestor(s) will state the reasons for protesting the staff decision and may provide evidence to support amending, modifying, or rescinding the staff decision. [15 minutes] *NOTE: The burden of proof is on the Requestor(s)*
 - Rebuttal by Department staff [15 minutes]
 - Rebuttal by Requestor(s) [10 minutes]

Note: Times noted in brackets are for information only and are superseded by times stated in the Notice of Final Review Conference or by the presiding officer.
2. Parties may present evidence during the conference; however, the rules of evidence do not apply.
3. At any time during the conference, the officers conducting the conference may request additional information and may question the Requestor, the staff, and anyone else providing information at the conference.
4. The presiding officer, in his or her sole discretion, may allow additional time for presentations and may impose time limits on the Conference.
5. All Conferences are open to the public.
6. The officers may deliberate in closed session.
7. The officers may announce the decision at conclusion of the Conference or it may be reserved for consideration.
8. The Clerk will mail the written final agency decision (FAD) to parties within 30 days after the Conference. The written decision must explain the basis for the decision and inform the parties of their right to request a contested case hearing before the Administrative Law Court. The FAD will be sent by certified mail, return receipt requested.
9. Communications may also be sent by electronic mail, in addition to the forms stated herein, when electronic mail addresses are provided to the Clerk.

The above information is provided as a courtesy; parties are responsible for complying with all applicable legal requirements.

ATTACHMENT A

Facility Information

Chevron Products Company

GCM-0560-0020

Page 2 of 6

D - EQUIPMENT INSTALLED

| Equipment ID | Equipment Description | Control Devices | Fuels Used | Installation Date | Modification Date | Emission Point ID |
|--------------|--|-----------------|---|-------------------|-------------------|-------------------|
| Boiler #1 | 11.7 x 10 ⁶ BTU/hr Cleaver Brooks boiler | N/A | Natural Gas/No. 5 Fuel Oil (max. sulfur content = 1.5%) | 1961 | N/A | Boiler #1 |
| Boiler #3 | 25.1 x 10 ⁶ BTU/hr Cleaver Brooks boiler | N/A | Natural Gas/No. 5 Fuel Oil (max. sulfur content = 1.5%) | 1981 | N/A | Boiler #3 |

E - EXEMPT SOURCES

| Equipment ID | Equipment Description | Installation Date | Modification Date | Basis |
|--------------|--|-------------------|-------------------|--|
| 1 | 6,700 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 2 | 2,500 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 3 | 6,700 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 4 | 10,000 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 5 | 10,000 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 6 | 1,350 Gallon Capacity Vertical Fixed Roof Kettle Tank (Base Oil & Additives) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 271 | 21,004 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1980 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 272 | 20,737 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1980 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 273 | 20,719 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1980 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 274 | 21,100 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 275 | 22,062 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 276 | 20,986 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 277 | 20,848 Gallon Capacity Vertical Fixed | 1951 | N/A | SC Regulation 61-62.1 |

ATTACHMENT A

Facility Information

Chevron Products Company

GCM-0560-0020

Page 3 of 6

E - EXEMPT SOURCES

| Equipment ID | Equipment Description | Installation Date | Modification Date | Basis |
|--------------|---|-------------------|-------------------|--|
| | Roof Storage Tank (Base Oil) | | | Section II (B)(2)(h) |
| 760 | 214,432 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 761 | 127,140 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 762 | 127,076 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 763 | 127,376 Gallon Capacity Vertical Fixed Roof Storage Tank (Flush Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 764 | 127,416 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 765 | 127,493 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 766 | 126,868 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 767 | 127,511 Gallon Capacity Vertical Fixed Roof Storage Tank | 1926 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 773 | 83,784 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1927 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 774 | 84,633 Gallon Capacity Vertical Fixed Roof Storage Tank (Recovered Oil) | 1927 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 776 | 215,512 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1950 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 780 | 299,952 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 781 | 213,368 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 782 | 214,248 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 783 | 294,589 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 784 | 214,028 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 785 | 213,169 Gallon Capacity Vertical Fixed Roof Storage Tank (Stormwater) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 786 | 213,468 Gallon Capacity Vertical Fixed Roof Storage Tank (Stormwater) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |

ATTACHMENT A

Facility Information

Chevron Products Company

GCM-0560-0020

Page 4 of 6

E - EXEMPT SOURCES

| Equipment ID | Equipment Description | Installation Date | Modification Date | Basis |
|--------------|---|-------------------|-------------------|--|
| 787 | 214,043 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 788 | 214,003 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 789 | 214,122 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 790 | 42,330 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 791 | 42,260 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 792 | 42,264 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 793 | 14,712 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 794 | 14,732 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 795 | 14,887 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 796 | 14,860 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 797 | 14,798 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 798 | 14,752 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1952 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 799 | 211,118 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1954 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 800 | 125,958 Gallon Capacity Vertical Fixed Roof Storage Tank (No. 5 Fuel Oil/Recovered Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 801 | 15,953 Gallon Capacity Vertical Fixed Roof Storage Tank (Blending Tank) | 1954 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 811 | 14,661 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 812 | 14,691 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 813 | 14,684 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 814 | 210,277 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1954 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 815 | 65,834 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |

ATTACHMENT A

Facility Information

Chevron Products Company

GCM-0560-0020

Page 5 of 6

E - EXEMPT SOURCES

| Equipment ID | Equipment Description | Installation Date | Modification Date | Basis |
|--------------|--|-------------------|-------------------|--|
| 816 | 65,796 Gallon Capacity Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 817 | 21,120 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1954 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 818 | 301,947 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1958 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 819 | 300,909 Gallon Capacity Vertical Fixed Roof Storage Tank (Base Oil) | 1958 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 820 | 21,219 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 821 | 20,986 Gallon Capacity Vertical Fixed Roof Storage Tank (Additive) | 1951 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 900 | 5000 Gallon Storage Tank (No. 5 Fuel Oil) | 2000 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 278 | 20,725 Gallon Vertical Fixed Roof Storage Tank (Additive) | 1988 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 279 | 20,690 Gallon Vertical Fixed Roof Storage Tank (Additive) | 1988 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 281 | 42,168 Gallon Vertical Fixed Roof Storage Tank (Additive) | 2001 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 282 | 42,418 Gallon Vertical Fixed Roof Storage Tank (Additive) | 2001 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 283 | 42,418 Gallon Vertical Fixed Roof Storage Tank (Additive) | 2001 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 802 | 42,305 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2001 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 803 | 42,225 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2001 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 777 | 50,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2002 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 778 | 50,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2002 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 822 | 50,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2003 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 823 | 50,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2003 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 824 | 25,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2004 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |
| 825 | 25,000 Gallon Vertical Fixed Roof Storage Tank (Automotive Lubricating Oil) | 2004 | N/A | SC Regulation 61-62.1 Section II (B)(2)(h) |

ATTACHMENT A

Facility Information

Chevron Products Company

GCM-0560-0020

Page 6 of 6

F - CONDITIONS

| Condition Number | Equipment/ Control Device ID | Regulated Pollutant/ Standard | Conditions |
|-------------------------|---|--|-------------------|
| N/A | N/A | N/A | N/A |

ATTACHMENT B

Modeled Emission Rates

Chevron Products Company

GCM-0560-0020

Page 1 OF 1

The emission rates listed herein are not considered federally enforceable limitations but are used to evaluate ambient air quality impact. Until the Department makes a determination that a facility is causing or contributing to an exceedance of a state or federal ambient air quality standard, increases to these emission rates are not in themselves considered violations of these ambient air quality standards.

| AMBIENT AIR QUALITY STANDARDS - STANDARD NO. 2 | | | | |
|--|---------------------------------|-------------------|----------------------|---------------------|
| Emission Point ID | Modeled Emission Rates (lbs/hr) | | | |
| | PM ₁₀ | PM _{2.5} | SO ₂ | NO _x |
| Boiler #1 | -- | -- | 18.37 ⁽¹⁾ | 4.29 ⁽¹⁾ |
| Boiler #3 | 1.44 ⁽¹⁾ | -- | 39.4 ⁽¹⁾ | 9.2 ⁽¹⁾ |

(1) No. 5 fuel oil boiler emissions are worst-case emissions from burning natural gas or No. 5 fuel oil.

| AMBIENT AIR QUALITY STANDARDS - STANDARD NO. 2 | | | | |
|--|---------------------------------|----------|----|-----------------|
| Emission Point ID | Modeled Emission Rates (lbs/hr) | | | |
| | CO | Lead | HF | NO ₂ |
| Boiler #1 | -- | 1.31E-07 | -- | -- |
| Boiler #3 | -- | 2.52E-04 | -- | -- |

| CLASS II PREVENTION OF SIGNIFICANT DETERIORATION - STANDARD NO. 7 | | | | |
|---|---------------------------------|---------------------|-----------------|-----------------|
| Emission Point ID | Modeled Emission Rates (lbs/hr) | | | |
| | PM _{2.5} | PM ₁₀ | SO ₂ | NO _x |
| Boiler #3 | -- | 1.44 ⁽¹⁾ | -- | -- |

(1) No. 5 fuel oil boiler emissions are worst-case emissions from burning natural gas or No. 5 fuel oil.