

County Specific Health Indicators BAMBERG County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
Access to Health Services	Births paid by Medicaid (2011) ^{1,5}	127	77.4	43	50.8
	Was there a time in the past 12 months when you needed to see a doctor but could not because of cost? (2008-2010) ^{2,5}	6204	17.8	26	16.4
Clinical Preventive Services	Hep B Vaccine dose in facility (2011) ^{1,6}	151	92.1	14	76.5
	Flu Vaccine (65+) (2008-2010) ^{2,6}	6092	70.1	16	68.6
	Pneumococcal Vaccine (65+) (2008-2010) ^{2,6}	5143	58.8	39	68.8
Chronic Disease	Diabetes (Have you ever been told by a doctor that you have diabetes? (2008-2010) ^{2,5}	4690	13.4	39	10.4
	Hypertension (Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?) (2008-2010) ^{2,5}	16024	47.1	46	33.4
Nutrition, Physical Activity, and Obesity	Adults who are Obese (20+ years of age) (2008-2010) ^{2,5}	12387	37.6	31	32.4
	Physical Activity (Adults that report doing physical activity or exercise during the past 30 days other than their regular job.) (2008-2010) ^{2,5}	24760	70.9	22	73.0
Tobacco	Current smokers (18+ years of age) (2008-2010) ^{2,5}	4501	13.0	3	20.5

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

County Specific Health Indicators BAMBERG County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
Infectious Disease	HIV incidence (2011) ^{4,5}	6	37.6	46	16.2
	HIV prevalence (2011) ^{4,5}	108	676.1	45	317.6
	Chlamydia (2011) ^{4,5}	146	913.9	42	606.3
	Gonorrhea (2011) ^{4,5}	47	294.2	40	174.8
	Syphilis (2011) ^{4,5}	5	31.3	43	13.7
Maternal, Infant, and Child Health	Infant mortality (2009-2011) ^{3,5}	5	9.4	33	7.3
	Neonatal mortality (2009-2011) ^{3,5}	4	7.5	38	4.4
	Postneonatal mortality (2009-2011) ^{3,5}	1	1.9	8	2.9
	Low Birth Weight (2011) ^{1,5}	11	6.7	1	9.9
	Preterm births (2011) ^{1,5}	12	7.3	1	11.5
	Pregnant females receiving early and adequate prenatal care (Kotelchuck Adequate and Adequate+) (2011) ^{1,6}	86	52.4	46	73.9

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

County Specific Health Indicators BAMBERG County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
	Breastfeeding initiation (2011) ^{1,6}	71	43.3	32	65.7
	Women who smoked during pregnancy (2011) ^{1,5}	24	14.6	32	11.5
	Teen live births (2011) ^{1,5}	24	14.6	36	10.6
	WIC enrollment need met(pregnant women) (2012) ¹	65	44.0	.	42.0
	WIC enrollment need met (infants) (2012) ¹	155	131.0	.	121.0
	WIC enrollment need met (children) (2012) ¹	331	75.0	.	52.0

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

Leading Causes of Death by Age Group BAMBERG County, 2009 - 2011

Under 1 Year

Cause of Death (ICD-10 Code)	Number	Percent	Rate*	SC Rate*
All Causes	5	100	9.4	7.3
Congenital Malformations, Etc. (Q00-Q99)	2	40	3.8	1.3
Influenza And Pneumonia (J10-J18)	1	20	1.9	0.1
Disorders Related To Short Gestation, Etc. (P07)	1	20	1.9	1.1
All Other Causes	1	20	1.9	0.9

1 - 14 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	1	100	0.4	0.6
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	1	100	37.9	4.4

* Rate per 1,000 live births

** Crude Rate per 100,000 population

Leading Causes of Death by Age Group BAMBERG County, 2009 - 2011

15 - 24 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	9	100.0	3.2	2.5
Accidents (V01-X59,Y85-Y86)	5	55.6	177.7	122.8
Suicide (X60-X84,Y87.0)	1	11.1	35.5	32.8
Homicide (X85-Y09,Y87.1)	1	11.1	35.5	38.4
All Other Causes	2	22.2	71.1	18.1

25 - 44 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	44	100.0	13.8	5.4
Accidents (V01-X59,Y85-Y86)	13	29.5	406.5	149.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	7	15.9	218.9	82.1
HIV (B20-B24)	6	13.6	187.6	17.6
All Other Causes	18	40.9	562.9	211.3

**** Crude Rate per 100,000 population**

Leading Causes of Death by Age Group BAMBERG County, 2009 - 2011


45 - 64 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	131	100.0	30.6	23.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	34	26.0	793.3	535.9
Malignant Neoplasms (C00-C97)	32	24.4	746.6	715.0
Accidents (V01-X59,Y85-Y86)	11	8.4	256.6	163.0
All Other Causes	54	41.2	1259.9	842.7

65 + Years


Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	386	100.0	152.4	132.9
Malignant Neoplasms (C00-C97)	89	23.1	3513.6	2843.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	82	21.2	3237.3	3102.6
Alzheimers (G30)	26	6.7	1026.5	713.1
All Other Causes	189	49.0	7461.5	6450.8

Bamberg County Health Indicator Percents by Health Category



*Error bars represent the highest and lowest percent in South Carolina for that health indicator.

Bamberg County Health Indicator Rates* by Health Category



SC Rates or Percentages
 Infectious Disease


*Rates per 100,000 population

**Error bars represent the highest and lowest rate in South Carolina for that health indicator.

Source: Division of STD/HIV Programs

Bamberg County Health Indicator Rates* and Percents by Health

Category



□ SC Rates or Percentages

■ Maternal, Infant, and Child Health

*Rates per 1,000 population

*Error bars represent the highest and lowest percent/rate in South Carolina for that health indicator.