

## County Specific Health Indicators OCONEE County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
Access to Health Services	Births paid by Medicaid (2011) <sup>1,5</sup>	516	62.2	23	50.8
	Was there a time in the past 12 months when you needed to see a doctor but could not because of cost? (2008-2010) <sup>2,5</sup>	28831	15.4	14	16.4
Clinical Preventive Services	Hep B Vaccine dose in facility (2011) <sup>1,6</sup>	556	67.1	36	76.5
	Flu Vaccine (65+) (2008-2010) <sup>2,6</sup>	33571	71.8	12	68.6
	Pneumococcal Vaccine (65+) (2008-2010) <sup>2,6</sup>	34592	74.0	2	68.8
Chronic Disease	Diabetes (Have you ever been told by a doctor that you have diabetes? (2008-2010) <sup>2,5</sup>	22992	12.3	34	10.4
	Hypertension (Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?) (2008-2010) <sup>2,5</sup>	73034	39.1	32	33.4
Nutrition, Physical Activity, and Obesity	Adults who are Obese (20+ years of age) (2008-2010) <sup>2,5</sup>	57772	33.0	19	32.4
	Physical Activity (Adults that report doing physical activity or exercise during the past 30 days other than their regular job.) (2008-2010) <sup>2,5</sup>	145448	77.4	4	73.0

\* The Frequency for HIV Incidence is <4

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

## County Specific Health Indicators OCONEE County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
<b>Tobacco</b>	Current smokers (18+ years of age) (2008-2010) <sup>2,5</sup>	41498	22.2	31	20.5
<b>Infectious Disease</b>	HIV incidence (2011) <sup>4,5</sup>	4*	1.3	3	16.2
	HIV prevalence (2011) <sup>4,5</sup>	44	59.1	1	317.6
	Chlamydia (2011) <sup>4,5</sup>	271	364.2	2	606.3
	Gonorrhea (2011) <sup>4,5</sup>	72	96.8	2	174.8
	Syphilis (2011) <sup>4,5</sup>	2	2.7	4	13.7
<b>Maternal, Infant, and Child Health</b>	Infant mortality (2009-2011) <sup>3,5</sup>	10	4.0	4	7.3
	Neonatal mortality (2009-2011) <sup>3,5</sup>	5	2.0	1	4.4
	Postneonatal mortality (2009-2011) <sup>3,5</sup>	5	2.0	10	2.9
	Low Birth Weight (2011) <sup>1,5</sup>	72	8.7	7	9.9
	Preterm births (2011) <sup>1,5</sup>	100	12.1	23	11.5

\* The Frequency for HIV Incidence is <4

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

## County Specific Health Indicators OCONEE County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
	Pregnant females receiving early and adequate prenatal care (Kotelchuck Adequate and Adequate+) (2011) <sup>1,6</sup>	677	81.7	2	73.9
	Breastfeeding initiation (2011) <sup>1,6</sup>	513	61.9	16	65.7
	Women who smoked during pregnancy (2011) <sup>1,5</sup>	157	18.9	43	11.5
	Teen live births (2011) <sup>1,5</sup>	114	13.8	31	10.6
	WIC enrollment need met(pregnant women) (2012) <sup>1</sup>	218	39.0	.	42.0
	WIC enrollment need met (infants) (2012) <sup>1</sup>	515	115.0	.	121.0
	WIC enrollment need met (children) (2012) <sup>1</sup>	802	44.0	.	52.0

\* The Frequency for HIV Incidence is <4

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

## Leading Causes of Death by Age Group OCONEE County, 2009 - 2011

### Under 1 Year

Cause of Death (ICD-10 Code)	Number	Percent	Rate*	SC Rate*
All Causes	10	100	4.0	7.3
Accidents (V01-X59,Y85-Y86)	4	40	1.6	0.5
Congenital Malformations, Etc. (Q00-Q99)	2	20	0.8	1.3
Disorders Related To Short Gestation, Etc. (P07)	1	10	0.4	1.1
Assault (Homicide) (X85-Y09,Y87.1)	1	10	0.4	0.1
Neonatal Hemorrhage (P50-P52,P54)	1	10	0.4	0.2
Necrotizing Enterocolitis Of Newborn (P77)	1	10	0.4	0.1

### 1 - 14 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	1	100	0.1	0.6
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	1	100	8.4	4.4

\* Rate per 1,000 live births

\*\* Crude Rate per 100,000 population

## **Leading Causes of Death by Age Group OCONEE County, 2009 - 2011**

### **15 - 24 Years**

<b>Cause of Death (ICD-10 Code)</b>	<b>Number</b>	<b>Percent</b>	<b>Rate**</b>	<b>SC Rate**</b>
All Causes	28	100.0	3.2	2.5
Accidents (V01-X59,Y85-Y86)	16	57.1	183.8	122.8
Suicide (X60-X84,Y87.0)	4	14.3	46.0	32.8
Malignant Neoplasms (C00-C97)	2	7.1	23.0	8.1
All Other Causes	6	21.4	68.9	58.5

### **25 - 44 Years**

<b>Cause of Death (ICD-10 Code)</b>	<b>Number</b>	<b>Percent</b>	<b>Rate**</b>	<b>SC Rate**</b>
All Causes	130	100.0	7.8	5.4
Accidents (V01-X59,Y85-Y86)	37	28.5	223.1	149.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	22	16.9	132.6	82.1
Malignant Neoplasms (C00-C97)	17	13.1	102.5	66.6
All Other Causes	54	41.5	325.6	200.1

**\*\* Crude Rate per 100,000 population**

## **Leading Causes of Death by Age Group OCONEE County, 2009 - 2011**

### **45 - 64 Years**


<b>Cause of Death (ICD-10 Code)</b>	<b>Number</b>	<b>Percent</b>	<b>Rate**</b>	<b>SC Rate**</b>
All Causes	482	100.0	22.6	23.4
Malignant Neoplasms (C00-C97)	149	30.9	700.2	715.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	106	22.0	498.1	535.9
Accidents (V01-X59,Y85-Y86)	38	7.9	178.6	163.0
All Other Causes	189	39.2	888.1	900.3

### **65 + Years**

<b>Cause of Death (ICD-10 Code)</b>	<b>Number</b>	<b>Percent</b>	<b>Rate**</b>	<b>SC Rate**</b>
All Causes	1724	100.0	122.7	132.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	387	22.4	2754.4	3102.6
Malignant Neoplasms (C00-C97)	383	22.2	2726.0	2843.9
Chronic Lower Respiratory Disease (J40-J47)	146	8.5	1039.1	897.8
All Other Causes	808	46.9	5750.9	6427.0


**\*\* Crude Rate per 100,000 population**

# Oconee County Health Indicator Percents by Health Category



\*Error bars represent the highest and lowest percent in South Carolina for that health indicator.

# Oconee County Health Indicator Rates\* by Health Category




SC Rates or Percentages  
 Infectious Disease

\*Rates per 100,000 population

\*\*Error bars represent the highest and lowest rate in South Carolina for that health indicator.

Source: Division of STD/HIV Programs

# Oconee County Health Indicator Rates\* and Percents by Health Category



SC Rates or Percentages  
 Maternal, Infant, and Child Health

\*Rates per 1,000 population

\*\*Error bars represent the highest and lowest percent/rate in South Carolina for that health indicator.

Source: Division of Biostatistics, WIC