


Diabetes In Cherokee County, 2012



Produced by the South Carolina Department of Health and Environmental Control

Impact of Diabetes in the United States


- Diabetes affects 25.8 million Americans and contributes to approximately 231,000 deaths a year.
- Diabetes is becoming more common in the United States. From 1980 through 2011, the number of Americans with diagnosed diabetes has more than tripled (from 5.6 million to 20.9 million).
- The direct and indirect costs of diabetes in the U.S. were nearly \$174 billion in 2008.
- 69,701 people died of diabetes in the U.S. in 2010.

Diabetes in South Carolina

- Approximately 421,549 adults in South Carolina are diagnosed with diabetes. African Americans have a 42% higher prevalence than Whites.
- The total direct costs of hospitalizations and emergency room visits were over \$4.7 billion in 2012.
- Diabetes is the seventh leading cause of death in South Carolina, claiming 1,186 lives in 2012


Behavioral Risk Factors

- Major behavioral risk factors, such as obesity and physical inactivity are partially responsible for development of type 2 diabetes (Fig 1).



Diabetes Prevalence

- An estimated 11.1% of adults in Region 2 suffer annually from diabetes (Fig 2).




*County-level BRFSS not available for 2012.

Hospital and Emergency Room Discharges

- In 2012, there were 124 hospitalizations for diabetes in Cherokee County for all ages.
- There were an additional 1248 hospital discharges with diabetes-related conditions in Cherokee County.

In 2012, there were 245 emergency room (ER) visits for diabetes as the primary diagnosis, among which 99 (40%) were by African-American patients.

There were 2466 ER visits for diabetes as a related condition.




Medicare paid for 55% of ER and Hospital charges in Cherokee County (Fig 3).

Complications

- 43% of patients hospitalized in SC for diabetes had complications in 2012; 45% of hospitalizations in Cherokee County (Table 1).
- In 2011, more than 74% of people in SC with diabetes had hypertension, compared with only 30% of people without diabetes.


Diabetes Complication	Hospital Admissions	Percent of Diabetes Hospital Admissions	Total Charges
Renal Failure	455	34%	\$16,027,200
Lower Extremity Amputation	23	2%	\$1,306,200
Keto-acidosis	58	4%	\$1,772,800
Retinopathy	62	5%	\$2,083,200

- In 2011, more than 67% of people with diabetes had high cholesterol.
- 2012, the rates for lower extremity amputations among blacks in SC were 3times the rates among whites.




Mortality

- Diabetes is the thirteenth leading cause of death in Cherokee County.
- A total of 5 people in Cherokee County died from diabetes in 2012.



- The Cherokee County mortality rate was 7.7/100,000 in 2012, above the state average.
- Cherokee County ranks #44 in diabetes mortality in South Carolina 2010-2012.

Fig. 6 Diabetes Mortality 2010-2012



For More Information about diabetes contact:

Division of Diabetes, Heart Disease, Obesity and School
DHEC Bureau of Community Health and Chronic Disease
Prevention

<http://www.dhec.sc.gov/health/chcdp/diabetes/index.htm>

(803) 898-1635

Diabetes Initiative of South Carolina

<http://www.musc.edu/diabetes/>



Generated by: Division of Chronic Disease
Epidemiology, Bureau of Community Health and Chronic
Disease Prevention

http://www.scdhec.gov/hs/epidata/state_reports.htm

Data Sources:

Behavioral Risk Factors and Diabetes Prevalence:

SC BRFSS

<http://www.scdhec.gov/administration/phsis/biostatistics/brfss/>

Mortality Data:

Vital Statistics, DHEC Division of
Biostatistics 803-898-3627

Hospital Discharges and ER Visits:

Office of Research and Statistics SC
Budget and Control Board (803) 898-
9940

For more details, please view the Technical Document below

www.scdhec.gov/health/epidata/docs/EpiTechNotes.pdf

