




Diabetes In Berkeley County, 2012



Produced by the South Carolina Department of Health and Environmental Control

Impact of Diabetes in the United States


- Diabetes affects 25.8 million Americans and contributes to approximately 231,000 deaths a year.
- Diabetes is becoming more common in the United States. From 1980 through 2011, the number of Americans with diagnosed diabetes has more than tripled (from 5.6 million to 20.9 million).
- The direct and indirect costs of diabetes in the U.S. were nearly \$174 billion in 2008.
- 69,701 people died of diabetes in the U.S. in 2010.

Diabetes in South Carolina

- Approximately 421,549 adults in South Carolina are diagnosed with diabetes. African Americans have a 42% higher prevalence than Whites.
- The total direct costs of hospitalizations and emergency room visits were over \$4.7 billion in 2012.
- Diabetes is the seventh leading cause of death in South Carolina, claiming 1,186 lives in 2012.


Behavioral Risk Factors

- Major behavioral risk factors, such as obesity and physical inactivity are partially responsible for development of type 2 diabetes (Fig 1).



Diabetes Prevalence


- An estimated 11.6% of adults in Region 7 suffer annually from diabetes (Fig 2).



*County-level BRFSS not available for 2012.

Hospital and Emergency Room Discharges

- In 2012, there were 277 hospitalizations for diabetes in Berkeley County for all ages.
- There were an additional 2846 hospital discharges with diabetes-related conditions in Berkeley County.
- In 2012, there were 357 emergency room (ER) visits for diabetes as the primary diagnosis, among which 187 (52%) were by African-American patients.
- There were 3297 ER visits for diabetes as a related condition.




- Medicare paid for 46% of the ER and Hospitalization charges in Berkeley County (Fig 3).

Complications

- 43% of patients hospitalized in SC for diabetes had complications in 2012; 43% of hospitalizations in Berkeley County (Table 1).
- In 2011, more than 74% of people in SC with diabetes had hypertension, compared with only 30% of people without diabetes.


Diabetes Complication	Hospital Admissions	Percent of Diabetes Hospital Admissions	Total Charges
Renal Failure	974	32%	\$44,736,400
Lower Extremity Amputation	45	1%	\$2,768,600
Ketoacidosis	135	4%	\$6,175,200
Retinopathy	161	5%	\$6,337,800

- In 2011, more than 67% of people with diabetes had high cholesterol.
- 2012, the rates for lower extremity amputations among blacks in SC were 3times the rates among whites.




Mortality

- Diabetes is the eighth leading cause of death in Berkeley County.
- A total of 31 people in Berkeley County died from diabetes in 2012.



- The Berkeley County mortality rate was 18.2/100,000 in 2012, below the state average.
- Berkeley County ranks #25 in diabetes mortality in South Carolina 2010-2012.

Fig. 6 Diabetes Mortality 2010-2012



For More Information about diabetes contact:

Division of Diabetes, Heart Disease, Obesity and School DHEC Bureau of Community Health and Chronic Disease Prevention
<http://www.dhec.sc.gov/health/chcdp/diabetes/index.htm>
 (803) 898-1635

Diabetes Initiative of South Carolina
<http://www.musc.edu/diabetes/>



Generated by: Division of Chronic Disease Epidemiology, Bureau of Community Health and Chronic Disease Prevention

http://www.scdhec.gov/hs/epidata/state_reports.htm

Data Sources:

Behavioral Risk Factors and Diabetes Prevalence:
 SC BRFSS

<http://www.scdhec.gov/administration/phsis/biostatistics/brfss/>

Mortality Data:

Vital Statistics, DHEC Division of Biostatistics 803-898-3627

Hospital Discharges and ER Visits:

Office of Research and Statistics
 SC Budget and Control Board (803) 898-9940



For more details, please view the Technical Document below
www.scdhec.gov/health/epidata/docs/EpiTechNotes.pdf