57423

Terracon

March 21, 2014

RECEIVED
APR 11 2014
SITE ASSESSMENT, REMEDIATION & REVITALIZATION

State Remediation Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201-1708

Attn: Ms. Keisha Long
PHN: 803-896-4872
FAX: 803-896-4292
Email: longkd@dhec.sc.gov

Re: Monitoring Well Installation and Sampling Report
Castlebridge Properties, LLC Property
200/280 National Avenue
Spartanburg, Spartanburg County, South Carolina
VCC 07-5712-RP
Terracon Project No. 86117104

Dear Ms. Long:

On behalf of Castlebridge Properties, LLC, Terracon Consultants, Inc. (Terracon) provides the results of groundwater monitoring well installation and sampling activities related to the Castlebridge Properties, LLC property located at 200/280 National Avenue in Spartanburg, South Carolina. The well installation and sampling activities were conducted in accordance with the workplan addendum prepared December 30, 2011 (approved January 20, 2012 with supplemental approval on April 15, 2013) and the Monitoring Well Approval (MW-09332), dated September 24, 2013. The scope of work is to satisfy requirements of the Voluntary Cleanup Contract (VCC 07-5712-RP) as specified in the Remedial Investigation Phase I Report (RI Phase I Report), dated March 6, 2009.

SITE INFORMATION

The Site is located at 200 and 280 National Avenue in Spartanburg, Spartanburg County, South Carolina, approximately one-half mile west of the intersection of New Cut Road and Interstate 26 (Figure 1). The Site contains two semi-rectangular parcels identified by Spartanburg County map numbers 2-54-00-008.01 (8.9 acres) and 2-54-00-008.00 (12.1 acres).

The Site encompasses two vacant industrial-type warehouses, asphalt parking areas, a fire-suppression water-tank, landscaped areas, security fencing and undeveloped, wooded land. A site diagram is included as Figure 2 and shows the Site layout and pertinent features.

Findings of the Remedial Investigation (RI) Phase I assessment conducted in September 2008 indicate tetrachloroethene (PCE) and, to a lesser degree, trichloroethene (TCE) are the primary constituents of concern at the Site. VOC impacts to soil were identified; however, the reported concentrations did not exceed industrial SSLs. Where impacts to soil were identified, PCE and TCE were also detected in the groundwater screening samples at concentrations exceeding their respective MCLs. No LNAPL or DNAPL were observed in the groundwater screening samples. Based on the distribution of the detected PCE/TCE constituents, the source of the contamination appears to be related to the previous use of drycleaning fluids at the 200 National Avenue building and, to a lesser degree, at the 280 National Avenue building. Based on the Phase I RI screening results, seven permanent monitoring wells (MW-1D, -2D, -3, -4, -5, -6D, and -7D) were installed on the Castlebridge property in August 2009 to evaluate the on-site horizontal extent of the chlorinated hydrocarbon plume in the saprolite and shallow bedrock aquifer. Off-site wells were not installed at that time due to site physical constraints and access issues.

Results from the 2009 groundwater sampling event indicated the groundwater flow direction at the site is to the north-northwest toward the assumed groundwater discharge point of the stream present on adjacent property along the Site northwestern boundary. Two stream samples were collected during the RI Phase I sampling activities with no chlorinated volatile organic compounds (CVOCs) detected in the stream samples. Groundwater analytical data from the permanent monitoring wells revealed concentrations of PCE in excess of its MCL in all the Site wells, with the exception of MW-5. No other VOCs, including TCE, were detected in the samples above applicable regulatory standards. Based on a review of the groundwater sampling results, DHEC requested additional assessment, including off-site properties, to further define the extent of CVOCs in the groundwater downgradient of MW-6D and MW-1D (SCDHEC correspondence, K. Long, SCDHEC to T. Morgan, Castlebridge Properties, 2/26/2010).

Following a lengthy access approval process from the west-adjacent land owner, Mr. J. Cothran (Spartanburg County Tax ID 2-54-00-008.06), Terracon conducted initial groundwater screening activities on the Cothran property in January 2013. Twelve (12) shallow temporary wells GP-1 through GP-12 were installed using a track-mounted GeoProbe® direct-push drill-rig to the saprolite/partially weathered bedrock interface, as defined by probe refusal, to assess the horizontal extent of CVOCs in the water table/upper bedrock aquifer. Borings GP-1 through GP-5 were installed on the Cothran property adjacent to and downgradient from the 280 National Avenue building. Borings GP-6 through GP-12 were installed on the Cothran property adjacent to and downgradient from the 200 National Avenue building. Probe refusal was encountered in each boring ranging from 23 feet below ground surface (bgs) in GP-2 to 72 feet bgs in GP-10 and GP-12. Groundwater was not encountered above probe refusal in GP-1 (24' bgs), GP-2 (23' bgs), and GP-4 (24' bgs).

Groundwater samples were collected from each temporary monitoring well which exhibited groundwater and screened for tetrachloroethene (PCE) using the low-level Color-Tec® method. The Color-Tec® screening results indicated no PCE detections above the tube detection limit of 0.1 parts per million (ppm) in the groundwater samples with the exception of GP-9 (0.5 ppm) and GP-10 (0.5 ppm). As supplement to each screening sample, a groundwater sample was collected for laboratory analysis for VOCs using EPA Method 8260B by a SCHDEC certified laboratory.

Based on the laboratory analytical data for the initial screening activities, the downgradient horizontal extent of the chlorinated groundwater plume remained undefined with detections of PCE above the MCL (5 µg/L) in the most downgradient temporary wells (GP-6 (6.6 µg/L), GP-11 (14 µg/L) and GP-12 (130 µg/L)) on the Cothran property.

Terracon remobilized to the Cothran property in April 2013 to conduct additional field screening activities. Seven temporary monitoring wells (GP-13 through GP-19) were installed with a track-mounted GeoProbe® direct-push drill-rig. The temporary wells were installed in a similar fashion as the initial field screening activities. Probe refusal was encountered at each location ranging from 31 feet bgs at GP-16 / GP-19 to 62 feet bgs at GP-15. Groundwater was encountered in each boring; however, a groundwater sample could not be collected from GP-14 due to a GeoProbe® sampler malfunction.

Groundwater samples from the temporary monitoring wells were collected in a similar fashion as the initial field screening activities. The groundwater samples were field screened using the Color-Tec method with low-level Gastec detector tubes for tetrachloroethene (133LL). The Color-Tec screening results indicated no PCE detections above the tube detection limit of 0.1 ppm in the groundwater samples from GP-13 through GP-19. For verification, a groundwater sample was collected from each screening point for laboratory analysis of VOCs using EPA Method 8260B.

The laboratory analytical results for the second screening process indicate the horizontal extent of the plume had been adequately defined on the Cothran property downgradient of the 280 National Avenue building with no detections of PCE above the method detection limit as indicated in several temporary wells (GP-13 (< 1.0 µg/L) and GP-5 (< 1.0 µg/L)).

The laboratory analytical results indicate the horizontal extent of the plume had been adequately defined on the Cothran property downgradient of the 200 National Avenue building with no detections of PCE in the downgradient temporary wells (GP-18 (< 1.0 µg/L) and GP-19 (< 1.0 µg/L)).

Based on the field screening analytical results, it was proposed that five (5) permanent monitoring wells be installed on the adjacent Cothran property to monitor the off-site CVOC

plume and one background well be installed on the Castlebridge property in accordance with the approved December 2011 Workplan Addendum as documented in the Temporary Monitoring Well Sampling Results report, dated July 1, 2013. The number and location of the proposed monitoring wells were approved by SCDHEC on September 24, 2013 (MW-09332, Appendix F).

PERMANENT MONITORING WELL INSTALLATION

Terracon installed the five permanent monitoring wells (MW-9, MW-10, MW-11, MW-12, and MW-13) on the Cothran property and the background well, MW-8, on the Castlebridge property from November 4-8, 2013. The well installation was overseen by a Terracon geologist; Mr. John Skowronek, P.G. SAEDACCO, Inc. (Mr. Robert Miller, SC Well Driller Certification #1472) installed the borings using 8-inch OD hollow stem augers until the interception of competent bedrock, as indicated by auger refusal. Afterwards, the drill rig was retooled with a 4-inch air hammer to extend the boring approximately 5 feet into competent bedrock. The wells were constructed with 2-inch PVC well materials and 10-foot, 0.010-inch machine slotted well screens set from the bottom of each boring. A 15-foot well screen was installed in the background well, MW-8. The wells screens were positioned to bracket the lower saprolite/upper bedrock transition zone. The wells were completed with a sand filter pack from the bottom of the boring to approximately two feet above the well screen followed by approximately two feet of hydrated bentonite seal and grouted to the land surface with a bentonite cement grout. Each well was completed at the ground surface with a lockable 4-inch steel standup protective cover secured in a 2'X2' square concrete well pad. A summary of the monitoring well construction details is provided in Table 1. Copies of the boring logs and monitoring well construction diagrams are provided in Appendix A. The SCDEHC Form 1903 Water Well Records are included in Appendix B.

Following installation, the monitoring wells were developed with either a 12-volt submersible pump or new, disposable bailers until development water was relatively clear and free of sediment. Investigation derived wastes (IDW) consisting of auger cuttings and development/purge water were staged on the Castlebridge property in sixteen 55-gallon drums (five purge water and eleven soil cuttings) prior to disposal by JBR Environmental Services (Spartanburg, South Carolina). A copy of the disposal manifest for the IDW is included in Appendix C.

The newly installed permanent wells were surveyed by a South Carolina Professional Land Surveyor (Freeland & Associates, No. 4781) for location, based on the SC Grid system utilizing NAD83 Horizontal Datum, and elevation, based on NAVD88 Vertical Datum. The locations of the wells are shown on Figure 2.

GROUNDWATER ASSESSMENT

Terracon personnel, Mr. Ryan Haynes and Mr. Tice Welborn, conducted groundwater sampling activities on November 13 and 18, 2013. Prior to sample collection, water levels in all the monitoring wells were gauged with an electric water-level meter on November 13, 2013. Groundwater elevations, referenced in feet to the site temporary bench mark (TBM), ranged from 869.74 (MW-13) to 901.87 (MW-8). The approximate horizontal groundwater flow direction across the area in the water table/upper bedrock aquifer was drawn perpendicular to equipotential contours established from water level measurements and groundwater elevations. The resulting groundwater flow direction is to the north-northwest following the unnamed stream present along the northern and western Cothran property boundary. The average horizontal hydraulic gradient was calculated by dividing the change in hydraulic head (Δh) between two wells by the horizontal distance between the two wells (Δl). The resulting average hydraulic gradient calculated from MW-8 to MW-11 is 0.025 (26.68 feet/1080 feet). Groundwater elevation contours of the shallow water table aquifer and the groundwater flow direction are shown on Figure 3. Depth to groundwater measurements and subsequent groundwater elevations are summarized on Table 2.

Terracon personnel purged all monitoring wells a minimum of three well volumes or until dry, whichever came first, using low flow purging and sampling techniques with a peristaltic pump. Measurements of temperature, pH, specific conductance, dissolved oxygen and turbidity were recorded during purging and sampling activities to determine when groundwater representative of the aquifer was obtained. Copies of the well sampling logs are included in Appendix D.

One trip blank, one field blank, and one field duplicate (MW-1D) were submitted in accordance with the approved workplan. No discrepancies were noted with the analysis of the QA/QC blanks collected as part of this assessment.

The groundwater quality samples were placed in a cooler with ice and delivered along with chain of custody documentation to Pace Analytical Services, Inc. (SCDHEC Certification No. 99006001) for analysis of Target Compound List (TCL) VOCs by USEPA Method 8260B.

Laboratory analytical results indicated that **Tetrachloroethene** was detected above the laboratory reporting limits in samples from the following monitoring wells: MW-1D (131 µg/L); MW-2D (293 µg/L); MW-3 (37.7 µg/L); MW-4 (4.8 µg/L); MW-6D (763 µg/L); MW-7D (2.5 µg/L); MW-9 (1.0 µg/L); MW-11 (5.2 µg/L); MW-12 (365 µg/L); and MW-13 (27.9 µg/L). **Trichloroethene** was detected above the reporting limit in MW-2D at 4.0 µg/L, MW-3 at 1.2 µg/L, MW-6D at 20.6 µg/L and in MW-12 at 33.4 µg/L. **Cis-1,2-Dichloroethene** was detected in MW-1 at 1.2 µg/L, MW-2D at 6.4 µg/L, MW-3D at 1.5 µg/L, MW-6D at 37.6 µg/L, MW-12 at 26.9 µg/L, and MW-13 at 1.3 µg/L. In addition, **1,1-Dichloroethane** (1.9 µg/L)

and **1,1-Dichloroethene** (1.8 µg/L) were detected in MW-6D above the laboratory reporting limit. No other VOCs were detected in the groundwater samples above the laboratory reporting limits. A summary of select/detected VOC constituents in groundwater samples, along with historical data, is presented as Table 3. A copy of the laboratory report of analysis is included in Appendix E.

Concentrations of detected constituents were compared to maximum contaminant levels (MCLs) listed in the *Regional Screening Levels (RSL) for Chemical Contaminants at Superfund Sites,* published November 2013. PCE was reported above the MCL of 5.0 µg/L in MW-1D (131 µg/L), MW-2D (293 µg/L), MW-3 (37.7 µg/L), MW-6D (763 µg/L), MW-11 (5.2 µg/L), MW-12 (365 µg/L) and MW-13 (27.9 µg/L). TCE was reported above its MCL of 5.0 µg/L in MW-6D (20.6 µg/L) and MW-12 (µg/L). No other VOCs were detected above their respective MCLs, where applicable. An illustration of the detected PCE and TCE values is provided in Figure 4.

CONCLUSIONS AND RECOMMENDATIONS

Based on the results of the field screening events, five permanent monitoring wells were installed in November 2013 on the adjacent Cothran property to monitor the off-site CVOC plume emanating from the Castlebridge property. One monitoring well, MW-8, was installed on the Castlebridge property to monitor background conditions.

Groundwater elevations indicate the flow direction across the area is to the north-northwest toward the assumed groundwater discharge point of the stream present along the northern and western Cothran property boundary.

Groundwater analytical data reveal concentrations of PCE and, to a lesser degree, TCE in excess of their respective MCLs (5 µg/L) in Site monitoring wells: MW-1D; MW-2D; MW-3; MW-6D and the off-site (Cothran) wells: MW-11; MW-12 and MW-13. No other VOCs were detected in the samples above applicable regulatory standards. Based on the distribution of the CVOCs, low levels of PCE/TCE impacted groundwater are present on the Castlebridge property in the vicinity of the AST area at the southwest corner of the 200 National Avenue building (MW-2D/MW-3); vicinity of the storage area at the northwest corner of the 200 National Avenue building (MW-1D); and the eastern side of the 280 National Avenue building (MW-6D). Impacts to groundwater above applicable MCLs on the downgradient adjacent Cothran property are documented along the northern property boundary (MW-12 and MW-13). The northern Cothran property boundary is bordered by a north-northwestern flowing creek and Southern Railroad line.

Based on a comparison to historical data, the CVOC concentrations in the Site wells appear to remain stable with slight decreases in CVOC concentrations evident in MW-1D, MW-2D,

MW-4, and MW-7. Indications of natural attenuation through reductive dechlorination is evident based on the presence of several breakdown constituents of PCE/TCE including cis 1,2-DCE and to a lesser degree, 1,1-DCE in several of the Site and Cothran wells.

The Site is located in a developed portion of Spartanburg County used for industrial-type purposes. The Site encompasses two industrial-type warehouses, asphalt parking areas, a fire-suppression water-tank, landscaped areas, security fencing and undeveloped, wooded land. Potable water is supplied to the property by a public utility. Sanitary wastes discharge to the Spartanburg Sanitary Sewer District. Properties in the immediate area, including the Cothran property, are undeveloped woodlands with a broad low-lying creek area and a Southern Railroad line. The groundwater in the area is not used as a drinking water supply. Based on the lack of receptors in the area, Terracon recommends that the Site and off-site monitoring wells be sampled on a periodic basis to monitor the CVOC contaminant plume.

We appreciate the opportunity to provide results of the monitoring well installation and groundwater sampling activities. If you have any questions or comments regarding the information provided herein, please contact us at 864.292.2901.

Sincerely,

TERRACON CONSULTANTS, INC.

Craig D. Eady, P.G.
Senior Geologist

George K. Flores, P.E.
Senior Engineer

CC: Mr. Thom Morgan, Castlebridge Properties, LLC, P.O. Box 128, Hazelwood, NC 28738
Ms. Gail Jeter, *Cardno*, 1233 Washington Street, Suite 1000, Columbia, South Carolina 29201

CRAIG D. EADY
REGISTERED
NO. 1099
SOUTH CAROLINA
PROFESSIONAL GEOLOGIST

FIGURES

Figure 1 – Site Location Map
Figure 2 – Monitoring Well Location Map
Figure 3 – Potentiometric Map
Figure 4 – CVOC Plume Configuration Map

UNITED STATES – DEPARTMENT OF THE INTERIOR – GEOLOGICAL SURVEY



N

SCALE 1:24 000

KILOMETERS 1 .5 0 1 2

METERS 1000 0 1000 2000

MILES 1 .5 0 1

1000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000

CONTOUR INTERVAL 3 METERS

NATIONAL GEODETIC VERTICAL DATUM OF 1929

INMAN, SOUTH CAROLINA
WELLFORD, SOUTH CAROLINA
1983
7.5 MINUTE SERIES (TOPOGRAPHIC)

Project Mngr: CDE	Project No. 86117104	Terracon Consulting Engineers and Scientists	SITE LOCATION MAP	FIG. No.
Drawn By: DWD	Scale: AS SHOWN		MONITORING WELL INSTALLATION AND SAMPLING REPORT	
Checked By: CDE/MRF	File No. TMR86117104-1		CASTLEBRIDGE PROPERTIES, LLC PROPERTY	
Approved By: CDE	Date: JAN. 2014	3534 Rutherford Road Taylors, SC 29687 (864) 292-2901 (864) 292-6361	200 AND 280 NATIONAL AVENUE	1
			SPARTANBURG, SPARTANBURG COUNTY, SC	



THIS DIAGRAM IS FOR GENERAL LOCATION ONLY, AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

Project Mngr: CDE	Project No. 86117104	Terracon Consulting Engineers and Scientists	MONITORING WELL LOCATION MAP
Drawn By: DWD	Scale: AS SHOWN		MONITORING WELL INSTALLATION AND SAMPLING REPORT
Checked By: CDE/MRF	File No. RI86117104-2		CASTLEBRIDGE PROPERTIES, LLC PROPERTY
Approved By: CDE	Date: JANUARY 2014	3534 Rutherford Road (864) 292-2901 Taylors, SC 29687 (864) 292-6361	200 AND 280 NATIONAL AVENUE SPARTANBURG, SPARTANBURG COUNTY, SC

FIG. No. 2



LEGEND

- COTHRAN PROPERTY
- SITE BOUNDARY
- SAPROLITE WELL
- SAPROLITE/SHALLOW BEDROCK WELL
- (884.59) GROUNDWATER ELEVATION, IN FEET
- —884— GROUNDWATER CONTOUR, IN FEET
- SURFICIAL WATER FLOW DIRECTION
- STREAM

THIS DIAGRAM IS FOR GENERAL LOCATION ONLY, AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

Project Mngr: CDE	Project No. 86117104	Terracon Consulting Engineers and Scientists	POTENTIOMETRIC MAP
Drawn By: DWD	Scale: AS SHOWN		MONITORING WELL INSTALLATION AND SAMPLING REPORT
Checked By: CDE/MRF	File No. RI86117104-3		CASTLEBRIDGE PROPERTIES, LLC PROPERTY
Approved By: CDE	Date: JANUARY 2014	3534 Rutherford Road (864) 292-2901 Taylors, SC 29687 (864) 292-6361	200 AND 280 NATIONAL AVENUE
			SPARTANBURG, SPARTANBURG COUNTY, SC

FIG. No. 3



LEGEND

- COTHRAN PROPERTY
- SITE BOUNDARY
- SAPROLITE WELL
- SAPROLITE/SHALLOW BEDROCK WELL
- PCE TETRACHLOROETHENE, µG/L
- TCE TRICHLOROETHENE, µG/L
- <5mg/L CVOC MCL

THIS DIAGRAM IS FOR GENERAL LOCATION ONLY, AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

Project Mngr: CDE	Project No. 86117104	Terracon Consulting Engineers and Scientists	CVOC PLUME CONFIGURATION
Drawn By: DWD	Scale: AS SHOWN		MONITORING WELL INSTALLATION AND SAMPLING REPORT
Checked By: CDE/MRF	File No. TMR86117104-4		CASTLEBRIDGE PROPERTIES, LLC PROPERTY
Approved By: CDE	Date: JANUARY 2014	3534 Rutherford Road (864) 292-2901 Taylors, SC 29687 (864) 292-6361	200 AND 280 NATIONAL AVENUE
			SPARTANBURG, SPARTANBURG COUNTY, SC

FIG. No. 4

TABLE

Table 1 – Monitoring Well Construction Details
Table 2 – Groundwater Elevation Data
Table 3 – Detected COCs in Groundwater

TABLE 1. MONITORING WELL CONSTRUCTION DETAILS
CASTLEBRIDGE PROPERTIES, LLC. PROPERTY
200-280 NATIONAL AVENUE, SPARTANBURG, SOUTH CAROLINA

Well ID	Date Installed	GSE	TOC	TD	Screen	Filter Sand	Seal	Grout
		FT TBM	FT TBM	FT BGS	FT BGS	FT BGS	FT BGS	FT BGS
Phase I RI Well Installation								
MW-1D	8/25/09	908.70	911.58	47.0	32-47	30-47	28-30	0-28
MW-2D	8/25/09	908.04	910.85	56.0	42-52	39-56	37-39	0-37
MW-3	8/24/09	899.05	901.96	25.0	15-25	12-25	8.5-12	0-8.5
MW-4	8/24/09	890.50	893.42	15.0	5-10	3.5-15	1-3.5	0-1
MW-5	8/24/09	900.42	903.38	20.0	10-20	8-20	6-8	0-6
MW-6D	8/26/09	921.54	923.91	56.0	35-50	33-56	31-33	0-31
MW-7D	8/27/09	917.32	917.17	59.0	44-59	42-59	40-42	0-40
Phase II RI Well Installation								
MW-8	11/8/13	922.08	921.76	72.0	57-72	55-72	53-55	0-53
MW-9	11/7/13	910.94	913.51	57.0	47-57	45-57	43-45	0-43
MW-10	11/6/13	915.39	917.81	31.0	21-31	19-31	17-19	0-17
MW-11	11/5/13	887.19	890.11	85.0	70-80	68-80	66-68	0-66
MW-12	11/6/13	886.06	888.79	45.0	35-45	33-35	31-33	0-31
MW-13	11/6/13	888.84	888.84	45.0	35-45	33-45	31-33	0-31

NOTES:

1) GSE (Ground Surface Elevation) measured in feet and referenced to the site temporary benchmark (TBM).
2) TOC (Top of Casing Elevation) measured in feet and referenced to the site TBM.
3) TD (Total Depth) measured in feet below ground surface (BGS).
4) Screen, Filter Sand, Seal and Grout represents interval measured in feet BGS.

TABLE 2. GROUNDWATER ELEVATION DATA
CASTLEBRIDGE PROPERTIES, LLC. PROPERTY
200-280 NATIONAL AVENUE, SOUTH CAROLINA

Well ID	Date	GSE	TOC	Screen	Depth to Groundwater	Groundwater Elevation
		FT TBM	FT TBM	FT BGS	FT TOC	FT TBM
MW-1D	11/18/13	908.70	911.58	32-47	27.35	884.23
MW-2D	11/18/13	908.04	910.85	42-52	24.95	885.90
MW-3	11/18/13	899.05	901.96	15-25	19.00	882.96
MW-4	11/18/13	890.50	893.42	5-10	12.51	880.91
MW-5	11/18/13	900.42	903.38	10-20	18.79	884.59
MW-6D	11/18/13	921.54	923.91	35-50	28.42	895.49
MW-7D	11/18/13	917.32	917.17	44-59	18.05	899.12
MW-8	11/18/13	922.08	921.76	57-72	19.89	901.87
MW-9	11/18/13	910.94	913.51	47-57	23.16	890.35
MW-10	11/18/13	915.39	917.81	21-31	24.40	893.41
MW-11	11/18/13	887.19	890.11	70-80	14.92	875.19
MW-12	11/18/13	886.06	888.79	35-45	16.08	872.71
MW-13	11/18/13	888.84	888.84	35-45	19.10	869.74

NOTES:

1) GSE (Ground Surface Elevation) measured in feet and referenced to the site temporary benchmark (TBM).
2) TOC (Top of Casing Elevation) measured in feet and referenced to the site TBM.
3) Screen represents interval measured in feet BGS.
4) Depth to Groundwater measured in feet below the top of casing with an water level meter.
5) Groundwater Elevation measured in feet and referenced to site TBM.

TABLE 3. DETECTED COCs IN GROUNDWATER
CASTLEBRIDGE PROPERTIES, LLC. PROPERTY
200-280 NATIONAL AVENUE, SOUTH CAROLINA

Well ID	Date	*1,1- Dichloroethane*	*1,2- Dichloroethane*	*1,1- Dichloroethene*	*cis-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl chloride*
	MCL	*NE*	*5*	*7*	*70*	*5*	*5*	*2*
	Units	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-1D	9/2/2009	<5.0	<5.0	<5.0	<5.0	170.0	<5.0	<2.0
	11/18/2013	<1.0	<1.0	<1.0	1.2	131.0	0.95J	<1.0
	11/18/2013 (dup)	<1.0	<1.0	<1.0	1.2	140.0	0.94J	<1.0
MW-2D	9/2/2009	<5.0	<5.0	<5.0	<5.0	400.0	<5.0	<2.0
	11/18/2013	0.79J	<1.0	0.84J	6.4	293.0	4.0	<1.0
MW-3	9/2/2009	<5.0	<5.0	<5.0	<5.0	33.0	<5.0	<2.0
	11/18/2013	<1.0	<1.0	<1.0	1.5	37.7	1.2	<1.0
MW-4	9/2/2009	<5.0	<5.0	<5.0	<5.0	6.3	<5.0	<2.0
	11/18/2013	<1.0	<1.0	<1.0	<1.0	4.8	<1.0	<1.0
MW-5	9/2/2009	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0
	11/18/2013	<1.0	<1.0	<1.0	<1.0	0.52J	<1.0	<1.0
MW-6D	9/2/2009	<5.0	<5.0	<5.0	<5.0	750.0	<5.0	<2.0
	11/18/2013	1.9	<1.0	1.8	37.6	763.0	20.6	<1.0
MW-7D	9/2/2009	<5.0	<5.0	<5.0	<5.0	20.0	<5.0	<2.0
	11/13/2013	<1.0	<1.0	<1.0	<1.0	2.5	<1.0	<1.0
MW-8	11/13/2013	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-9	11/18/2013	<1.0	<1.0	<1.0	<1.0	1.0	<1.0	<1.0
MW-10	11/18/2013	<1.0	<1.0	<1.0	<1.0	0.75J	<1.0	<1.0
MW-11	11/13/2013	<1.0	<1.0	<1.0	0.21J	5.2	<1.0	<1.0
MW-12	11/13/2013	0.37J	<1.0	0.67J	26.9	365.0	33.4	<1.0
MW-13	11/13/2013	<1.0	<1.0	<1.0	1.3	27.9	0.78J	<1.0

Notes:
MCL: Maximum Contaminent Limit per "EPA RSL, November 2013"
NE: No MCL established
Gray shaded areas are in excess of established MCLs

APPENDICES

Appendix A – Boring Logs and Monitoring Well Construction Diagrams
Appendix B – SC 1903 Well Forms
Appendix C – Disposal Manifest
Appendix D – Groundwater Sampling Field Sheets
Appendix E – Laboratory Analytical Report
Appendix F – SC DHEC Monitoring Well Approval

APPENDIX A

BORING LOGS AND MONITORING WELL CONSTRUCTION DIAGRAMS

WELL LOG NO. MW-8

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhbit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

DEPTH	MATERIAL DESCRIPTION	INSTALLATION DETAILS
0.5	**ASPHALT PAVEMENT / GRAVEL BASE**	
	SANDY SILT (ML), tan to reddish brown, dry, micaceous	Grouted to Surface
35.0	**SANDY SILT (ML)**, tan to reddish brown, wet, micaceous	
54.0	**SAPROLITE (Silty Sand)**, tan to reddish brown, wet, (Partially Weathered Rock)	53' to 55' - Bentonite Seal 55' to 72' - #2 Filter Sand
64.0	**PARTIALLY WEATHERED ROCK**	57' to 72' - 2" (0.010) Slotted PVC
67.0	**ROCK**, with fine to medium grained sand inclusions, gray	
73.0	***Boring Terminated at 73 Feet***	

DEPTH (ft): 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70

WATER LEVEL OBSERVATIONS

SAMPLE TYPE

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/8/2013

Well Completed: 11/8/2013

Drill Rig: Gus Pech GP-1100E

Driller: R. Miller

Project No.: 86117104

Exhibit: B-1

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

WELL LOG NO. MW-9

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhbit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

DEPTH	MATERIAL DESCRIPTION	INSTALLATION DETAILS
	SILTY SAND (SM), reddish brown, dry, stiff	
5.0	**SILTY SAND (SM)**, reddish brown, dry, stiff, micaceous	
20.0	**SILTY SAND (SM)**, reddish brown, wet, soft, micaceous	Grouted to Surface
30.0	**CLAYEY SILT (ML)**, silver and tannish brown, wet, soft, very micaceous	43' to 45' - Bentonite Seal 45' to 57' - #2 Filter Sand
49.0	**SAPROLITE**, hard	
52.0	**ROCK**, with fine to medium grained sand inclusions, gray, hard	47' to 57' - 2" (0.010) Slotted PVC
57.0	***Boring Terminated at 57 Feet***	

DEPTH (ft): 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55

WATER LEVEL OBSERVATIONS

SAMPLE TYPE

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/7/2013	Well Completed: 11/7/2013
Drill Rig: Gus Pech GP-1100E	Driller: R. Miller
Project No.: 86117104	Exhibit: B-2

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

WELL LOG NO. MW-10

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhbit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

GRAPHIC LOG	DEPTH	MATERIAL DESCRIPTION	INSTALLATION DETAILS	DEPTH (ft)	WATER LEVEL OBSERVATIONS	SAMPLE TYPE
		SANDY SILT (ML), orangish brown, dry, medium stiff	Grouted to Surface	5, 10		
	10.0	**SAND (SP)**, fine to medium grained, brown, dry				
	15.0	**SAPROLITE**, with coarse grained sand, gray to tan	17' to 19' - Bentonite Seal 19' to 31' - #2 Filter Sand 21' to 31' - 2" (0.010) Slotted PVC	15, 20		
	22.0	**ROCK**, with sand, olive gray, hard		25, 30		
	31.0	***Boring Terminated at 31 Feet***				

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/6/2013	Well Completed: 11/6/2013
Drill Rig: Gus Pech GP-1100E	Driller: R. Miller
Project No.: 86117104	Exhibit: B-3

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

WELL LOG NO. MW-11

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhibit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

DEPTH	MATERIAL DESCRIPTION
	SANDY SILT (ML), grayish brown, dry, stiff
5.0	**SANDY SILT (ML)**, light brown, dry, stiff
10.0	**SANDY SILT (ML)**, light orangish brown, moist, soft, micaceous
15.0	**SANDY SILT (ML)**, reddish orange, moist, soft, micaceous
40.0	**SANDY SILT (ML)**, reddish orange, wet, soft, micaceous
45.0	**SANDY SILT (ML)**, light brown, wet, soft, micaceous
70.0	**PARTIALLY WEATHERED ROCK**, (No Cuttings)
80.0	**ROCK**
85.0	***Boring Terminated at 85 Feet***



DEPTH (ft): 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85

WATER LEVEL OBSERVATIONS

SAMPLE TYPE

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/4/2013

Well Completed: 11/5/2013

Drill Rig: Gus Pech GP-1100E

Driller: R. Miller

Project No.: 86117104

Exhibit: B-4

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

WELL LOG NO. MW-12

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhbit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

DEPTH	MATERIAL DESCRIPTION	INSTALLATION DETAILS
	SANDY SILT (ML), reddish brown, dry, stiff	
10.0	**SANDY SILT (ML)**, light brown, dry, stiff	Grouted to Surface
25.0	**SANDY SILT (ML)**, dark yellowish orange, dry, micaceous	
29.0	**SANDY SILT (ML)**, dark yellowish orange, wet, micaceous	
30.0	**SANDY SILT (ML)**, yellowish brown, wet, soft, micaceous	31' to 33' - Bentonite Seal 33' to 45' - #2 Filter Sand
40.0	**ROCK**, with fine to medium grained sand, gray, wet, micaceous	35' to 45' - 2" (0.010) Slotted PVC
45.0	***Boring Terminated at 45 Feet***	

GRAPHIC LOG | DEPTH (ft) | WATER LEVEL OBSERVATIONS | SAMPLE TYPE

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/5/2013	Well Completed: 11/6/2013
Drill Rig: Gus Pech GP-1100E	Driller: R. Miller
Project No.: 86117104	Exhibit: B-5

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

WELL LOG NO. MW-13

PROJECT: Remedial Investigation

CLIENT: Castlebridge Properties, LLC Property

SITE: 200 & 280 National Avenue
Spartanburg, South Carolina

LOCATION See Exhbit A-2

INSTALLATION DETAILS

Well Completion: Surface Mount

DEPTH	MATERIAL DESCRIPTION	INSTALLATION DETAILS
0.5	**TOPSOIL**, dark yellowish orange	
8.0	**ROCK**, with coarse grained sand, gray, hard	
15.0	**SANDY SILT (ML)**, light reddish brown, dry, stiff	
20.0	**SANDY SILT (ML)**, light brown, dry, stiff	Grouted to Surface
30.0	**SANDY SILT (ML)**, light brown, moist, soft, micaceous	
40.0	**SANDY SILT (ML)**, light brown, wet, soft, micaceous	31' to 33' - Bentonite Seal 33' to 45' - #2 Filter Sand
45.0	**ROCK**, with medium to coarse grained quartz, black, hard	35' to 45' - 2" (0.010) Slotted PVC

DEPTH (ft): 5, 10, 15, 20, 25, 30, 35, 40, 45

WATER LEVEL OBSERVATIONS

SAMPLE TYPE

Boring Terminated at 45 Feet

The stratification lines represent the approximate transition between differing soil types and/or rock types; in-situ these transitions may be gradual or may occur at different depths than shown.

Hammer Type: Automatic

Advancement Method:
4.25" Hollow Stem Auger / 4" Hammer

Abandonment Method:

Notes:

WATER LEVEL OBSERVATIONS

Terracon
3534 Rutherford Road
Taylors, South Carolina

Well Started: 11/5/2013

Well Completed: 11/6/2013

Drill Rig: Gus Pech GP-1100E

Driller: R. Miller

Project No.: 86117104

Exhibit: B-6

THIS BORING LOG IS NOT VALID IF SEPARATED FROM ORIGINAL REPORT. ENVIRONMENTAL SMART LOG 86117104.GPJ ENV STANDARD 2012.GDT 2/11/14

APPENDIX B

SC 1903 WELL FORMS

DHEC
PROMOTE PROTECT PROSPER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name: Castlebridge Properties
Street Address: 200-280 National Avenue
City: Spartanburg, Spartanburg Co. Zip
Latitude: 39.527596 Longitude: -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-11

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth: from _____ ft. to _____ ft.

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
Orange to tan silt	0	80'
bed rock	85'	
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 66' to 68'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☒ Bored ☐ Dug ☐ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) Date Started 11-4-13
80' ft Date Completed 11-5-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 70' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft
Weight _____ lb/ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 70' ft and 80' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 68' ft to 80' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 66' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: _____ ft _____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity _____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller CERT. NO.:
Address (Print) Level A B C D (circle one)
SAEDACCO
☐9088 Northfield Drive
Telephone No (803) 548-2180 Fax No. (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name:

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name: Castlebridge Properties
Street Address: 200-280 National Avenue
City Spartanburg, Spartanburg Co. Zip
Latitude 39.527596 Longitude -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-12

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth from _____ ft. to _____ ft.

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
Orange to tan silt	0	40'
bed rock	40'	45'
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 31' to 33'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☒ Bored ☐ Dug ☒ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) 45' ft
Date Started 11-5-13
Date Completed 11-6-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 35' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft
Weight _____ lb/ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 35' ft and 45' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 33' ft to 45' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 31' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: ____ ft ____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity ____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller
Address (Print) SAEDACCO ☐9088 Northfield Drive
CERT. NO.: Level A B C D (circle one)
Telephone No (803) 548-2180 Fax No (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert L Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name: Castlebridge Properties
Street Address. 200-280 National Avenue
City: Spartanburg, Spartanburg Zip: Co.
Latitude: 39.527596 Longitude: -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-13

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth: from _____ ft. to _____ ft.

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
rock	0	6'
Orange Silt	6'	40'
bed rock	40'	45'
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 31'to 33'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☒ Bored ☐ Dug ☒ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) Date Started 11-5-13
45' ft Date Completed 11-6-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 35' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft.
Weight _____ lb /ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 35' ft and 45' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 33' ft to 45' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 31' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: ____ ft ____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity ____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller **CERT. NO.:**
Address (Print) Level A B C D (circle one)
SAEDACCO
☐9088 Northfield Drive
Telephone No (803) 548-2180 Fax No (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name:

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name: Castlebridge Properties
Street Address: 200-280 National Avenue
City: Spartanburg, Spartanburg Co. Zip
Latitude: 39.527596 Longitude: -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-10

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth from _____ ft. to _____ ft

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
orange silt	0	22'
bed rock	22'	27'
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 13' to 15'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☐ Bored ☐ Dug ☒ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) Date Started 11-6-13
27' ft Date Completed 11-6-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 17' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft.
Weight _____ lb /ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 17' ft and 27' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 15' ft to 27' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 13' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: ____ ft ____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount. _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity ____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller **CERT. NO.:**
Address (Print) SAEDACCO ☐9088 Northfield Drive
Level A B C D (circle one)
Telephone No. (803) 548-2180 Fax No (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name:

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

DHEC
PROMOTE PROTECT PROSPER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip.
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name. Castlebridge Properties
Street Address. 200-280 National Avenue
City. Spartanburg, Spartanburg Zip. Co.
Latitude 39.527596 Longitude -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-8

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth from _____ ft to _____ ft.

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
orange silt	0	55'
saperlite	55'	67'
bed rock	67'	72'
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 53' to 55'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☒ Bored ☐ Dug ☒ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) Date Started 11-8-13
72' ft Date Completed. 11-8-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 57' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft.
Weight _____ lb/ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 57' ft and 72' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 55' ft to 72' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 53' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: ____ ft ____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity ____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller **CERT. NO.:**
Address (Print) Level A B C D (circle one)
SAEDACCO
9088 Northfield Drive
Telephone No (803) 548-2180 Fax No (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name:

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

DHEC
PROMOTE PROTECT PROSPER

Water Well Record
Bureau of Water
2600 Bull Street, Columbia, SC 29201-1708; (803) 898-4300

1. WELL OWNER INFORMATION:
Name Castlebridge Properties
(last) (first)
Address 200 National Ave.
City Spartanburg State S.C. Zip
Telephone Work Home

2. LOCATION OF WELL: COUNTY: Spartanburg
Name: Castlebridge Properties
Street Address. 200-280 National Avenue
City: Spartanburg, Spartanburg Zip: Co.
Latitude: 39.527596 Longitude: -99.141968

3. PUBLIC SYSTEM NAME: **PUBLIC SYSTEM NUMBER:** MW-9

4. ABANDONMENT: ☐ Yes ☒ No
Give Details Below
Grouted Depth: from _____ ft. to _____ ft.

Formation Description	*Thickness of Stratum	Depth to Bottom of Stratum
orange silt	0	52'
bed rock	52'	57'
*Indicate Water Bearing Zones (Use a 2nd sheet if needed)		

5. REMARKS:
Two feet bentonite seal from 43' to 45'

6. TYPE: ☐ Mud Rotary ☐ Jetted ☒ Bored ☐ Dug ☒ Air Rotary ☐ Driven ☐ Cable tool ☐ Other

7. PERMIT NUMBER:

8. USE:
☐ Residential ☐ Public Supply ☐ Process
☐ Irrigation ☐ Air Conditioning ☐ Emergency
☐ Test Well ☒ Monitor Well ☐ Replacement

9. WELL DEPTH (completed) Date Started 11-7-13
57' ft Date Completed 11-7-13

10. CASING: ☒ Threaded ☐ Welded
Diam 2"
Type ☒ PVC ☐ Galvanized ☐ Steel ☐ Other
0 in to 17' ft depth
_____ in to _____ ft depth
Height Above/Below Surface _____ ft
Weight _____ lb/ft
Drive Shoe? ☐ Yes ☒ No

11. SCREEN:
Type pvc Diam 2"
Slot/Gauge .010 Length 10'
Set Between 47' ft and 57' ft
_____ ft and _____ ft
NOTE: MULTIPLE SCREENS USE SECOND SHEET
Sieve Analysis ☐ Yes (please enclose) ☒ No

12. STATIC WATER LEVEL _____ ft below land surface after 24 hours

13. PUMPING LEVEL Below Land Surface
_____ ft after _____ hrs Pumping _____ GPM
Pumping Test ☐ Yes (please enclose) ☒ No
Yield _____

14. WATER QUALITY
Chemical Analysis ☐ Yes ☒ No Bacterial Analysis ☐ Yes ☒ No
Please enclose lab results

15. ARTIFICIAL FILTER (filter pack) ☒ Yes ☐ No
Installed from 45' ft to 57' ft
Effective size 20/30 Uniformity Coefficient _____

16. WELL GROUTED? ☒ Yes ☐ No
☐ Neat Cement ☐ Bentonite ☒ Bentonite/Cement ☐ Other _____
Depth From 0 ft to 43' ft

17. NEAREST SOURCE OF POSSIBLE CONTAMINATION: ____ ft ____ direction
Type _____
Well Disinfected ☐ Yes ☒ No Type _____ Amount _____

18. PUMP: Date installed _____ Not installed ☐
Mfr Name _____ Model No _____
H P _____ Volts _____ Length of drop pipe _____ ft Capacity ____ gpm
TYPE ☐ Submersible ☐ Jet (shallow) ☐ Turbine ☐ Jet (deep) ☐ Reciprocating ☐ Centrifugal

19. WELL DRILLER: Robert Miller CERT. NO.:
Address (Print) Level A B C D (circle one)
SAEDACCO
☐9088 Northfield Drive
Telephone No (803) 548-2180 Fax No. (803) 548-2181

20. WATER WELL DRILLER'S CERTIFICATION: This well was drilled under my direction and this report is true to the best of my knowledge and belief

Signed Robert L Miller Date 11/9/2013
Well Driller

If D Level Driller, provide supervising driller's name:

DHEC 1903 (03/2004) COPY 1 MAIL TO SCDHEC, COPY 2 TO WELL OWNER, COPY 3 TO WELL DRILLER

APPENDIX C

DISPOSAL MANIFEST

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: Terracon Consultants Inc.
2. Page 1 of 1
3. Job Number: D-01101858
4. Waste Tracking Number: 1858-1

5. Generator's Name and Mailing Address: Castlebridge Properties, LLC, P.O. Box 128, Hazelwood, NC 28738
Generator's Site Address (if different than mailing address): 280 National Avenue Building, Spartanburg, SC
Generator's Phone:

6. Transporter 1 Company Name: JBR Environmental Services (864) 583-2717
U S EPA ID Number: SCR000004358

7. Transporter 2 Company Name
U S EPA ID Number

8. Designated Facility Name and Site Address: JBR Environmental Services, 210 Alice St., Spartanburg, SC 29303 (864) 583-2717
U S EPA ID Number: SCR000004358
Facility's Phone:

BT#524 26,560

9. Waste Shipping Name and Description	10. Containers No.	Type	11. Total	12. Unit	16240
1. Non-DOT /Non-RCRA Regulated Material (Purge Water)	5	DM	2200	P	10370 LBS
2. Non-DOT/Non-RCRA Regulated Material (Soil Cuttings)	11	DM	7700	P	5.16 TON
3. Non-DOT/Non-RCRA Regulated Material (Empty Container)	1	DM	75	P	
4.					

13. Special Handling Instructions and Additional Information
1) TC-1213183
2) TC- 1213184
3) N/A

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations

Generator's/Offeror's Printed/Typed Name: CRAIG D. EADY
Signature: Craig Eady
Month 01 Day 08 Year 14

15. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit
Transporter Signature (for exports only) Date leaving U.S.

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Tim Crumley
Signature: T. Crumley
Month 1 Day 10 Year 14
Transporter 2 Printed/Typed Name
Signature
Month Day Year

17. Discrepancy
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

17b. Alternate Facility (or Generator)
U S EPA ID Number
Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month Day Year

18. Designated Facility Owner or Operator Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: SCOTT EDWARDS
Signature: Scott Edwards
Month 1 Day 10 Year 14

GENERATOR | INT'L | TRANSPORTER | DESIGNATED FACILITY

JBR Revision 4/13

APPENDIX D

GROUNDWATER SAMPLING FIELD SHEETS

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-1D
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 50.25 Ft.
Depth to Water (DTW): 27.35 Ft.
Water Column (WC): 22.90 Ft.
(Well Volume = WC x CF)
1 Well Volume: 3.73 Gal.
3 Well Volumes: 11.20 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1605	1625	1650				
Purge Volume (gallons):							
Total Volume (gallons):	3.0	7.0	11.25				
pH (s.u.):	5.27	5.39	5.59				
Conductivity (~~umhos~~ mS/cm):	0.037	0.037	0.036				
Temperature (°C):	18.65	18.61	18.56				
Turbidity (NTU):	22.7	10.1	5.2				
Dissolved Oxygen (mg/L):	7.66	7.89	8.01				
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1655

Additional Comments: * Duplicate taken here *

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/18
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-~~8~~ 2D
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 70's

VOLUME CALCULATIONS

Total Well Depth (TWD): 54.70 Ft.
Depth to Water (DTW): 24.95 Ft.
Water Column (WC): 29.75 Ft.
(Well Volume = WC x CF)
1 Well Volume: 4.85 Gal.
3 Well Volumes: 14.55 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1230	1235	1245	1250	1255	1300	1
Purge Volume (gallons):	i						
Total Volume (gallons):	i	0.5	0.75	1.00	1.25		
pH (s.u.):	6.14	5.92	5.66	5.63	5.96	5.62	
Conductivity (~~umhos~~ mS/cm):	0.045	0.031	0.031	0.030	0.028	0.028	
Temperature (°C):	24.31	22.60	22.33	22.00	22.46	22.00	
Turbidity (NTU):	36.4	25.0	16.6	11.8	9.0	9.0	
Dissolved Oxygen (mg/L):	15.74	9.76	9.73	8.28	9.01	9.59	
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1305

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-3
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 27.51 Ft.
Depth to Water (DTW): 19.0 Ft.
Water Column (WC): 8.51 Ft.
(Well Volume = WC x CF)
1 Well Volume: 1.39 Gal.
3 Well Volumes: 4.17 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1335	1340	1345	1350	1355	1400	1405	1410	1415
Purge Volume (gallons):	i								
Total Volume (gallons):	i	0.25	0.50	0.75	1.00	1.25	1.5	1.75	2.00
pH (s.u.):	5.42	5.48	5.49	5.30	4.93	4.93	4.93	4.71	4.80
Conductivity (~~mmhos~~ S/cm):	0.064	0.041	0.041	0.040	0.039	0.039	0.038	0.040	0.040
Temperature (°C):	22.49	23.15	22.59	22.29	21.42	21.50	21.50	20.62	20.63
Turbidity (NTU):	647	342	184	131	115	86.1	60.0	45.3	40.02
Dissolved Oxygen (mg/L):	12.58	9.01	8.06	7.89	7.91	8.16	7.96	8.01	7.94
Depth to Water (Ft.):									

SAMPLE INFORMATION

Sampled By: RH
Time: 1425

Additional Comments:

1420
20.42
2.25
4.79 pH
0.043
40.02
7.94

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-4
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 70s

VOLUME CALCULATIONS

Total Well Depth (TWD): 17.43 Ft.
Depth to Water (DTW): 12.51 Ft.
Water Column (WC): 4.92 Ft.
(Well Volume = WC x CF)
1 Well Volume: 0.802 Gal.
3 Well Volumes: 2.41 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1425	1430	1435	1440	1455	/	
Purge Volume (gallons):	i						
Total Volume (gallons):	i	0.25	0.50	0.75	1.00		
pH (s.u.):	5.02	5.03	5.09	5.11	5.23		
Conductivity (mmhos/cm):	0.035	0.034	0.034	0.032	0.035		
Temperature (°C):	19.97	20.34	20.12	19.92	20.48		
Turbidity (NTU):	133	88.5	54.3	35.6	178		
Dissolved Oxygen (mg/L):	7.06	8.16	8.09	8.05	8.02		
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1500

Additional Comments:
Well dry @ 1.0 gal.
- Sampled upon recharge
- Turbidity would not stabilize

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-5
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 23.45 Ft.
Depth to Water (DTW): 18.79 Ft.
Water Column (WC): 4.66 Ft.
(Well Volume = WC x CF)
1 Well Volume: 0.76 Gal.
3 Well Volumes: 2.28 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1505	1510	1515	1520	1525	1530	1535	1540
Purge Volume (gallons):	i							
Total Volume (gallons):	i	0.25	0.50	0.75	1.00	1.25	1.50	1.75
pH (s.u.):	5.07	5.10	5.07	5.16	5.14	5.19	5.11	5.34
Conductivity (~~umhos~~ S/cm):	0.028	0.027	0.028	0.028	0.027	0.027	0.027	0.027
Temperature (°C):	20.53	19.68	19.21	19.11	19.07	18.89	18.61	18.75
Turbidity (NTU):	158	109	105	72.1	48.7	33.7	26.6	25.3
Dissolved Oxygen (mg/L):	8.21	8.54	8.51	8.78	8.80	8.49	8.21	8.46
Depth to Water (Ft.):								

SAMPLE INFORMATION

Sampled By: TCH
Time: 1545

Additional Comments: Field blank (FB #2) taken here @ 1550

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-6D
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 53.83 Ft.
Depth to Water (DTW): 28.42 Ft.
Water Column (WC): 25.41 Ft.
(Well Volume = WC x CF)
1 Well Volume: 4.14 Gal.
3 Well Volumes: 12.42 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1800	1803	1805	1807	1810		
Purge Volume (gallons):	16.0	1.0	1.0	1.0	1.0		
Total Volume (gallons):	16.0	17.0	18.0	19.0	20.0		
pH (s.u.):	5.32	5.31	5.33	5.38	5.34		
Conductivity (umhos/cm):	0.038	0.038	0.044	0.044	0.044		
Temperature (°C):	16.49	17.50	17.71	17.74	17.72		
Turbidity (NTU):	127	104	93	81.1	88.3		
Dissolved Oxygen (mg/L):	9.51	9.38	9.41	9.29	9.38		
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1815

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/13
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: mw-7D
Casing Diameter:
TOC Elev.:
Total Well Depth: 58.86
Depth to Water: 18.05
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): (Clear) Rain Windy Cloudy Hot Cold
Air Temperature: 40's

VOLUME CALCULATIONS

Total Well Depth (TWD): 58.86 Ft.
Depth to Water (DTW): 18.05 Ft.
Water Column (WC): 40.81 Ft.
(Well Volume = WC x CF)
1 Well Volume: 6.65 Gal.
3 Well Volumes: 19.95 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1525	1533	15:38	15:45	1552		
Purge Volume (gallons):	I	8.0	7.0	8.0	3.0		
Total Volume (gallons):	I	8.0	15.0	23.0	25.0		
pH (s.u.):	5.72	5.90	5.96	5.80	5.98		
Conductivity (umhos/cm):	0.060	0.044	0.041	0.042	0.038		
Temperature (°C):	17.61	19.15	19.27	19.38	19.31		
Turbidity (NTU):	NR	376	109	65.4	70.9		
Dissolved Oxygen (mg/L):	11.74	9.42	8.35	8.0	8.12		
Depth to Water (Ft.):	18.05						

SAMPLE INFORMATION

Sampled By: RH
Time: 1555

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/13
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-8
Casing Diameter:
TOC Elev.:
Total Well Depth: 72.36
Depth to Water: 19.89
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 40's

VOLUME CALCULATIONS

Total Well Depth (TWD): 72.36 Ft.
Depth to Water (DTW): 19.89 Ft.
Water Column (WC): Ft.
(Well Volume = WC x CF)
1 Well Volume: Gal.
3 Well Volumes: Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1620	1630	1640	1645			
Purge Volume (gallons):	I	0.5	0.5	0.25			
Total Volume (gallons):	I	0.5	1.0	1.25			
pH (s.u.):	8.00	9.32	9.47	9.50			
Conductivity (umhos/cm):	0.158	0.169	0.168	0.169			
Temperature (°C):	19.35	20.17	20.64	20.45			
Turbidity (NTU):	108	74.5	45.1	43.2			
Dissolved Oxygen (mg/L):	11.00	6.65	5.78	5.69			
Depth to Water (Ft.):	19.89						

SAMPLE INFORMATION

Sampled By: RH
Time: 1650

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Cottrebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-9
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 59.97 Ft.
Depth to Water (DTW): 23.16 Ft.
Water Column (WC): 36.81 Ft.
(Well Volume = WC x CF)
1 Well Volume: 6.00 Gal.
3 Well Volumes: 18.00 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-Inch = 0.652
CF 6-Inch = 1.468

FIELD MEASUREMENTS

Time:	1700	1710	1720	1730	1735		
Purge Volume (gallons):	i						
Total Volume (gallons):	i						
pH (s.u.):	5.45	5.81	5.87	5.92			
Conductivity (mmhos/cm):	0.041	0.041	0.041	0.041			
Temperature (°C):	17.36	17.26	17.24	17.16			
Turbidity (NTU):	61.8	53.5	49.7	43.1			
Dissolved Oxygen (mg/L):	18.20	10.71	10.51	10.49			
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1735

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started:
Date Completed: 11/18/13
Sample ID #:

WELL INFORMATION

Well ID: MW-10
Casing Diameter:
TOC Elev.:
Total Well Depth:
Depth to Water:
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature:

VOLUME CALCULATIONS

Total Well Depth (TWD): 34.38 Ft.
Depth to Water (DTW): 24.40 Ft.
Water Column (WC): 9.98 Ft.
(Well Volume = WC x CF)
1 Well Volume: 1.63 Gal.
3 Well Volumes: 4.89 Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1730	1740	1745	1750	1755		
Purge Volume (gallons):	0.5	~~0.75~~	~~1.00~~				
Total Volume (gallons):	0.5	0.75	1.00	1.25	1.75		
pH (s.u.):	6.04	6.07	5.92	5.95	5.93		
Conductivity (umhos/cm):	0.042	0.043	0.042	0.042	0.042		
Temperature (°C):	16.32	16.23	16.21	16.19	16.18		
Turbidity (NTU):	9.5	4.6	1.4	0.8	0.3		
Dissolved Oxygen (mg/L):	10.16	9.86	9.96	9.67	9.48		
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: RH
Time: 1800

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/13
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-11
Casing Diameter:
TOC Elev.:
Total Well Depth: 82.65
Depth to Water: 14.92
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 30's

VOLUME CALCULATIONS

Total Well Depth (TWD): 82.65 Ft.
Depth to Water (DTW): 14.92 Ft.
Water Column (WC): Ft.
(Well Volume = WC x CF)
1 Well Volume: Gal.
3 Well Volumes: Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1320	1330	1340	1350	/		
Purge Volume (gallons):	1	1.0	1.0	1.0			
Total Volume (gallons):	1	1.0	2.0	3.0			
pH (s.u.):	6.50	6.41	6.39	6.37			
Conductivity (~~umhos~~ mS/cm):	0.162	0.173	0.163	.155			
Temperature (°C):	17.63	17.73	17.86	18.04			
Turbidity (NTU):	12.5	7.5	6.9	7.2			
Dissolved Oxygen (mg/L):	14.09	4.96	4.88	~~5.71~~ 4.92			
Depth to Water (Ft.):							

SAMPLE INFORMATION

Sampled By: KH
Time: 1355

Additional Comments:

3

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/13
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-12
Casing Diameter:
TOC Elev.:
Total Well Depth: 48.26
Depth to Water: 16.08
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 40's

VOLUME CALCULATIONS

Total Well Depth (TWD): 48.26 Ft.
Depth to Water (DTW): 16.08 Ft.
Water Column (WC): Ft.
(Well Volume = WC x CF)
1 Well Volume: Gal.
3 Well Volumes: Gal.

Conversion Factors (WC to Gallons)
CF 2-inch = 0.163
CF 4-inch = 0.652
CF 6-inch = 1.468

FIELD MEASUREMENTS

Time:	1420	1425	1430	1435	1440	1445	
Purge Volume (gallons):	I	0.25	0.25	0.25	0.25	0.25	
Total Volume (gallons):	I	0.25	0.5	0.75	1.00	1.25	
pH (s.u.):	5.98	5.72	5.64	5.63	5.61	5.59	
Conductivity (mmhos/cm):	0.078	0.079	0.092	0.090	0.087	0.080	
Temperature (°C):	19.64	19.08	18.76	18.57	18.53	18.41	
Turbidity (NTU):	26.7	24.4	23.0	22.4	19.7	19.8	
Dissolved Oxygen (mg/L):	6.98	5.74	5.09	5.23	4.86	4.70	
Depth to Water (Ft.):	16.08						

SAMPLE INFORMATION

Sampled By: RH
Time: 1450

Additional Comments:

GROUNDWATER SAMPLING FIELD SHEET

SITE INFORMATION

Facility Name: Castlebridge
Project Number:
Location:
Date Started: 11/13
Date Completed:
Sample ID #:

WELL INFORMATION

Well ID: MW-13
Casing Diameter:
TOC Elev.:
Total Well Depth: 47.5' (TOC)
Depth to Water: 19.10' (TOC)
GW Elevation:

WEATHER CONDITIONS

Weather Conditions (Circle): Clear Rain Windy Cloudy Hot Cold
Air Temperature: 30's

VOLUME CALCULATIONS

Total Well Depth (TWD): 47.5' Ft.
Depth to Water (DTW): 19.10 Ft.
Water Column (WC): 28.4 Ft.
(Well Volume = WC x CF)
1 Well Volume: 4.63 Gal.
3 Well Volumes: 13.89 Gal.

Conversion Factors (WC to Gallons)
CF 2-Inch = 0.163
CF 4-inch = 0.652
CF 6-Inch = 1.468

FIELD MEASUREMENTS

Time:	1200	1210	1220	1230			
Purge Volume (gallons):	I	0.5	0.5	0.5			
Total Volume (gallons):	I	0.5	1.0	1.5			
pH (s.u.):	5.96	5.94	5.90	5.92			
Conductivity (~~umhos~~ mS/cm):	0.135	0.106	0.103	0.100			
Temperature (°C):	15.96	16.51	16.71	16.82			
Turbidity (NTU):	21.5	21.5	26.4	21.8			
Dissolved Oxygen (mg/L):	9.01	7.43	8.01	7.83			
Depth to Water (Ft.):	19.10						

SAMPLE INFORMATION

Sampled By: RH
Time: 1235

Additional Comments: Field blank taken here @ 1145.

APPENDIX E

LABORATORY ANALYTICAL REPORT

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

December 04, 2013

Mr. Craig Eady
Terracon
3534 Rutherford Road
Taylors, SC 29687

RE: Project: CASTLEBRIDGE
Pace Project No.: 92180341

Dear Mr. Eady:
Enclosed are the analytical results for sample(s) received by the laboratory on November 20, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kevin Herring

kevin.herring@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Charlotte Certification IDs
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92180341001	**MW-1D**	Water	11/18/13 16:55	11/20/13 17:05
92180341002	**MW-1D DUPLICATE**	Water	11/18/13 16:55	11/20/13 17:05
92180341003	**MW-2D**	Water	11/18/13 13:05	11/20/13 17:05
92180341004	**MW-3**	Water	11/18/13 14:25	11/20/13 17:05
92180341005	**MW-4**	Water	11/18/13 15:00	11/20/13 17:05
92180341006	**MW-5**	Water	11/18/13 15:45	11/20/13 17:05
92180341007	**MW-6D**	Water	11/18/13 18:15	11/20/13 17:05
92180341008	**MW-7D**	Water	11/13/13 15:55	11/20/13 17:05
92180341009	**MW-8**	Water	11/13/13 16:50	11/20/13 17:05
92180341010	**MW-9**	Water	11/18/13 17:35	11/20/13 17:05
92180341011	**MW-10**	Water	11/18/13 18:00	11/20/13 17:05
92180341012	**MW-11**	Water	11/13/13 13:55	11/20/13 17:05
92180341013	**MW-12**	Water	11/13/13 14:50	11/20/13 17:05
92180341014	**MW-13**	Water	11/13/13 12:35	11/20/13 17:05
92180341015	**FIELD BLANK**	Water	11/13/13 11:45	11/20/13 17:05
92180341016	**TRIP BLANK**	Water	11/18/13 00:00	11/20/13 17:05

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92180341001	**MW-1D**	EPA 8260	MCK	62	PASI-C
92180341002	**MW-1D DUPLICATE**	EPA 8260	MCK	62	PASI-C
92180341003	**MW-2D**	EPA 8260	MCK	62	PASI-C
92180341004	**MW-3**	EPA 8260	MCK	62	PASI-C
92180341005	**MW-4**	EPA 8260	MCK	62	PASI-C
92180341006	**MW-5**	EPA 8260	MCK	62	PASI-C
92180341007	**MW-6D**	EPA 8260	MCK	62	PASI-C
92180341008	**MW-7D**	EPA 8260	MCK	62	PASI-C
92180341009	**MW-8**	EPA 8260	MCK	62	PASI-C
92180341010	**MW-9**	EPA 8260	MCK	62	PASI-C
92180341011	**MW-10**	EPA 8260	MCK	62	PASI-C
92180341012	**MW-11**	EPA 8260	MCK	62	PASI-C
92180341013	**MW-12**	EPA 8260	MCK	62	PASI-C
92180341014	**MW-13**	EPA 8260	MCK	62	PASI-C
92180341015	**FIELD BLANK**	EPA 8260	MCK	62	PASI-C
92180341016	**TRIP BLANK**	EPA 8260	MCK	62	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

PROJECT NARRATIVE

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Method: **EPA 8260**
Description: 8260 MSV Low Level SC
Client: Terracon SC
Date: December 04, 2013

General Information:
16 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

H1: Analysis conducted outside the EPA method holding time.
- FIELD BLANK (Lab ID: 92180341015)
- MW-11 (Lab ID: 92180341012)
- MW-12 (Lab ID: 92180341013)
- MW-13 (Lab ID: 92180341014)
- MW-8 (Lab ID: 92180341009)

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: MSV/24992

L0: Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- LCS (Lab ID: 1091688)
  - 2-Butanone (MEK)
  - Acetone
  - Bromomethane

QC Batch: MSV/24993

L0: Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- LCS (Lab ID: 1091717)
  - Bromomethane

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

PROJECT NARRATIVE

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Method: **EPA 8260**
Description: 8260 MSV Low Level SC
Client: Terracon SC
Date: December 04, 2013

QC Batch: MSV/25009

L0: Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

- LCS (Lab ID: 1092925)
  - 1,1-Dichloroethene

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/24992

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92180224010

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 1091689)
  - Hexachloro-1,3-butadiene
  - Styrene
  - Tetrachloroethene
  - o-Xylene
- MSD (Lab ID: 1091690)
  - Hexachloro-1,3-butadiene
  - Styrene
  - Tetrachloroethene
  - o-Xylene

QC Batch: MSV/24993

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92179771034

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 1091718)
  - 1,1,1,2-Tetrachloroethane
  - 1,1-Dichloropropene
  - 1,2,3-Trichlorobenzene
  - 1,2,4-Trichlorobenzene
  - 1,2-Dichlorobenzene
  - 1,2-Dichloropropane
  - 1,3-Dichlorobenzene
  - 1,3-Dichloropropane
  - 1,4-Dichlorobenzene
  - 2-Chlorotoluene
  - 4-Chlorotoluene
  - Benzene
  - Dibromomethane
  - Hexachloro-1,3-butadiene
  - Naphthalene
  - Styrene
  - Tetrachloroethene
  - Toluene
  - Trichloroethene
  - cis-1,3-Dichloropropene

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

PROJECT NARRATIVE

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Method: **EPA 8260**
Description: 8260 MSV Low Level SC
Client: Terracon SC
Date: December 04, 2013

QC Batch: MSV/24993

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92179771034

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- o-Xylene
- p-Isopropyltoluene
- trans-1,3-Dichloropropene

- MSD (Lab ID: 1091719)
  - Hexachloro-1,3-butadiene
  - Tetrachloroethene
  - cis-1,3-Dichloropropene
  - o-Xylene

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-1D **Lab ID: 92180341001** Collected: 11/18/13 16:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 18:37	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 18:37	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:37	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 18:37	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 18:37	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 18:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 18:37	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 18:37	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 18:37	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 18:37	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 18:37	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 18:37	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 18:37	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 18:37	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:37	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 18:37	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:37	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 18:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 18:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:37	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 18:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 18:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 18:37	75-35-4	
cis-1,2-Dichloroethene	**1.2**	ug/L	1.0	0.19	1		11/21/13 18:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 18:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 18:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 18:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 18:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 18:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 18:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 18:37	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 18:37	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:37	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 18:37	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 18:37	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:37	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 18:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 18:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 18:37	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 18:37	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 18:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 18:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 18:37	79-34-5	
Tetrachloroethene	**131**	ug/L	1.0	0.46	1		11/21/13 18:37	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-1D **Lab ID: 92180341001** Collected: 11/18/13 16:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 18:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 18:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 18:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 18:37	79-00-5	
Trichloroethene	**0.95J**	ug/L	1.0	0.47	1		11/21/13 18:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 18:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 18:37	96-18-4	
Vinyl acetate	ND	ug/L	2 0	0.35	1		11/21/13 18:37	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 18:37	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 18:37	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 18:37	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 18:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		11/21/13 18:37	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-130		1		11/21/13 18:37	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 18:37	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-1D DUPLICATE **Lab ID: 92180341002** Collected: 11/18/13 16:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 18:53	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 18:53	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:53	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 18:53	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 18:53	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 18:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 18:53	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 18:53	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 18:53	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 18:53	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 18:53	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 18:53	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 18:53	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 18:53	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:53	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 18:53	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:53	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 18:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 18:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 18:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 18:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 18:53	75-35-4	
cis-1,2-Dichloroethene	**1.2**	ug/L	1.0	0.19	1		11/21/13 18:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 18:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 18:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 18:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 18:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 18:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 18:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 18:53	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 18:53	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:53	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 18:53	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 18:53	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:53	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 18:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 18:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 18:53	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 18:53	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 18:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 18:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 18:53	79-34-5	
Tetrachloroethene	**140**	ug/L	1.0	0.46	1		11/21/13 18:53	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-1D DUPLICATE **Lab ID: 92180341002** Collected: 11/18/13 16:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 18:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 18:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 18:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 18:53	79-00-5	
Trichloroethene	**0.94J**	ug/L	1.0	0.47	1		11/21/13 18:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 18:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 18:53	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 18:53	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 18:53	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 18:53	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 18:53	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 18:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		11/21/13 18:53	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-130		1		11/21/13 18:53	17060-07-0	
Toluene-d8 (S)	94	%	70-130		1		11/21/13 18:53	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-2D **Lab ID: 92180341003** Collected: 11/18/13 13:05 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 19:09	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 19:09	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:09	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 19:09	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 19:09	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 19:09	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 19:09	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 19:09	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 19:09	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 19:09	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 19:09	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 19:09	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 19:09	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 19:09	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 19:09	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:09	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 19:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 19:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:09	75-71-8	
1,1-Dichloroethane	**0.79J**	ug/L	1.0	0.32	1		11/21/13 19:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 19:09	107-06-2	
1,1-Dichloroethene	**0.84J**	ug/L	1.0	0.56	1		11/21/13 19:09	75-35-4	
cis-1,2-Dichloroethene	**6.4**	ug/L	1.0	0.19	1		11/21/13 19:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 19:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 19:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 19:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 19:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 19:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 19:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 19:09	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 19:09	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:09	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 19:09	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 19:09	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:09	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 19:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 19:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 19:09	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 19:09	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 19:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 19:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 19:09	79-34-5	
Tetrachloroethene	**293**	ug/L	5.0	2.3	5		11/25/13 15:37	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-2D **Lab ID: 92180341003** Collected: 11/18/13 13:05 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 19:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 19:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 19:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 19:09	79-00-5	
Trichloroethene	**4.0**	ug/L	1.0	0.47	1		11/21/13 19:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 19:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 19:09	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 19:09	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 19:09	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 19:09	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 19:09	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 19:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		11/21/13 19:09	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-130		1		11/21/13 19:09	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 19:09	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-3 **Lab ID: 92180341004** Collected: 11/18/13 14:25 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 19:25	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 19:25	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:25	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 19:25	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 19:25	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 19:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 19:25	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 19:25	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 19:25	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 19:25	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 19:25	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 19:25	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 19:25	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 19:25	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:25	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 19:25	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:25	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 19:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 19:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 19:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 19:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 19:25	75-35-4	
cis-1,2-Dichloroethene	**1.5**	ug/L	1.0	0.19	1		11/21/13 19:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 19:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 19:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 19:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 19:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 19:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 19:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 19:25	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 19:25	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:25	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 19:25	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 19:25	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:25	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 19:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 19:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 19:25	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 19:25	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 19:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 19:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 19:25	79-34-5	
Tetrachloroethene	**37.7**	ug/L	1.0	0.46	1		11/21/13 19:25	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-3 **Lab ID: 92180341004** Collected: 11/18/13 14:25 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 19:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 19:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 19:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 19:25	79-00-5	
Trichloroethene	**1.2**	ug/L	1.0	0.47	1		11/21/13 19:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 19:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 19:25	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 19:25	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 19:25	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 19:25	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 19:25	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 19:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		11/21/13 19:25	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130		1		11/21/13 19:25	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		11/21/13 19:25	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-4 **Lab ID: 92180341005** Collected: 11/18/13 15:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 19:41	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 19:41	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:41	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 19:41	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 19:41	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 19:41	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 19:41	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 19:41	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 19:41	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 19:41	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 19:41	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 19:41	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 19:41	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 19:41	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:41	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 19:41	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:41	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 19:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 19:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 19:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 19:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 19:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 19:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 19:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 19:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 19:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 19:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 19:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 19:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 19:41	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 19:41	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:41	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 19:41	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 19:41	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:41	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 19:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 19:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 19:41	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 19:41	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 19:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 19:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 19:41	79-34-5	
Tetrachloroethene	**4.8**	ug/L	1.0	0.46	1		11/21/13 19:41	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-4 **Lab ID: 92180341005** Collected: 11/18/13 15:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 19:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 19:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 19:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 19:41	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 19:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 19:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 19:41	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 19:41	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 19:41	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 19:41	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 19:41	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 19:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/21/13 19:41	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130		1		11/21/13 19:41	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		11/21/13 19:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc .

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-5 **Lab ID: 92180341006** Collected: 11/18/13 15:45 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 19:57	67-64-1	
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 19:57	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:57	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 19:57	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 19:57	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 19:57	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 19:57	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 19:57	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 19:57	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 19:57	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 19:57	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 19:57	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 19:57	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 19:57	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:57	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 19:57	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:57	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 19:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 19:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 19:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 19:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 19:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 19:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 19:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 19:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 19:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 19:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 19:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 19:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 19:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 19:57	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 19:57	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 19:57	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 19:57	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 19:57	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 19:57	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 19:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 19:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 19:57	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 19:57	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 19:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 19:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 19:57	79-34-5	
Tetrachloroethene	**0.52J**	ug/L	1.0	0.46	1		11/21/13 19:57	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-5 **Lab ID: 92180341006** Collected: 11/18/13 15:45 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 19:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 19:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 19:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 19:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 19:57	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 19:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 19:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 19:57	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 19:57	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 19:57	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 19:57	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 19:57	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 19:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/21/13 19:57	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		1		11/21/13 19:57	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 19:57	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-6D **Lab ID: 92180341007** Collected: 11/18/13 18:15 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 20:13	67-64-1	
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 20:13	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:13	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 20:13	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 20:13	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 20:13	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 20:13	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 20:13	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 20:13	56-23-5	
Chlorobenzene	**0.25J**	ug/L	1.0	0.23	1		11/21/13 20:13	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 20:13	75-00-3	
Chloroform	**0.35J**	ug/L	1.0	0.14	1		11/21/13 20:13	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 20:13	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 20:13	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 20:13	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 20:13	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 20:13	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 20:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 20:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 20:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 20:13	75-71-8	
1,1-Dichloroethane	**1.9**	ug/L	1.0	0.32	1		11/21/13 20:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 20:13	107-06-2	
1,1-Dichloroethene	**1.8**	ug/L	1.0	0.56	1		11/21/13 20:13	75-35-4	
cis-1,2-Dichloroethene	**37.6**	ug/L	1.0	0.19	1		11/21/13 20:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 20:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 20:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 20:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 20:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 20:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 20:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 20:13	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 20:13	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:13	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 20:13	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 20:13	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 20:13	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 20:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 20:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 20:13	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 20:13	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 20:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 20:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 20:13	79-34-5	
Tetrachloroethene	**763**	ug/L	20.0	9.2	20		11/25/13 15:05	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-6D **Lab ID: 92180341007** Collected: 11/18/13 18:15 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 20:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 20:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 20:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 20:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 20:13	79-00-5	
Trichloroethene	**20.6**	ug/L	1.0	0.47	1		11/21/13 20:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 20:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 20:13	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 20:13	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 20:13	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 20:13	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 20:13	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 20:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/21/13 20:13	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-130		1		11/21/13 20:13	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 20:13	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-7D **Lab ID: 92180341008** Collected: 11/13/13 15:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/25/13 15:53	67-64-1	
Benzene	ND	ug/L	1.0	0.25	1		11/25/13 15:53	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/25/13 15:53	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/25/13 15:53	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/25/13 15:53	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/25/13 15:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/25/13 15:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/25/13 15:53	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/25/13 15:53	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/25/13 15:53	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/25/13 15:53	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/25/13 15:53	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/25/13 15:53	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/25/13 15:53	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/25/13 15:53	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/25/13 15:53	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/25/13 15:53	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/25/13 15:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/25/13 15:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/25/13 15:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/25/13 15:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/25/13 15:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/25/13 15:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/25/13 15:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/25/13 15:53	75-35-4	L3
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/25/13 15:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/25/13 15:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/25/13 15:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/25/13 15:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/25/13 15:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/25/13 15:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/25/13 15:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/25/13 15:53	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/25/13 15:53	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/25/13 15:53	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/25/13 15:53	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/25/13 15:53	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/25/13 15:53	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/25/13 15:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/25/13 15:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/25/13 15:53	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/25/13 15:53	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/25/13 15:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/25/13 15:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/25/13 15:53	79-34-5	
Tetrachloroethene	**2.5**	ug/L	1.0	0.46	1		11/25/13 15:53	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-7D **Lab ID: 92180341008** Collected: 11/13/13 15:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/25/13 15:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/25/13 15:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/25/13 15:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/25/13 15:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/25/13 15:53	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/25/13 15:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/25/13 15:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/25/13 15:53	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/25/13 15:53	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/25/13 15:53	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/25/13 15:53	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/25/13 15:53	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/25/13 15:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/25/13 15:53	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-130		1		11/25/13 15:53	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		11/25/13 15:53	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-8 **Lab ID: 92180341009** Collected: 11/13/13 16:50 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 20:46	67-64-1	H1
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 20:46	71-43-2	H1
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:46	108-86-1	H1
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 20:46	74-97-5	H1
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 20:46	75-27-4	H1
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 20:46	75-25-2	H1
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 20:46	74-83-9	H1,L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 20:46	78-93-3	H1
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 20:46	56-23-5	H1
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 20:46	108-90-7	H1
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 20:46	75-00-3	H1
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 20:46	67-66-3	H1
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 20:46	74-87-3	H1
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 20:46	95-49-8	H1
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 20:46	106-43-4	H1
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 20:46	96-12-8	H1
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 20:46	124-48-1	H1
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 20:46	74-95-3	H1
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:46	95-50-1	H1
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 20:46	541-73-1	H1
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 20:46	106-46-7	H1
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 20:46	75-71-8	H1
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 20:46	75-34-3	H1
1,2-Dichloroethane	ND	ug/L	1.0	0 12	1		11/21/13 20:46	107-06-2	H1
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 20:46	75-35-4	H1
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 20:46	156-59-2	H1
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 20:46	156-60-5	H1
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 20:46	78-87-5	H1
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 20:46	142-28-9	H1
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 20:46	594-20-7	H1
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 20:46	563-58-6	H1
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 20:46	10061-01-5	H1
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 20:46	10061-02-6	H1
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 20:46	108-20-3	H1
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 20:46	100-41-4	H1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 20:46	87-68-3	H1
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 20:46	591-78-6	H1
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 20:46	99-87-6	H1
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 20:46	75-09-2	H1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 20:46	108-10-1	H1
Methyl-tert-butyl ether	**0.24J**	ug/L	1.0	0.21	1		11/21/13 20:46	1634-04-4	H1
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 20:46	91-20-3	H1
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 20:46	100-42-5	H1
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 20:46	630-20-6	H1
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 20:46	79-34-5	H1
Tetrachloroethene	ND	ug/L	1.0	0.46	1		11/21/13 20:46	127-18-4	H1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-8 **Lab ID: 92180341009** Collected: 11/13/13 16:50 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 20:46	108-88-3	H1
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 20:46	87-61-6	H1
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 20:46	120-82-1	H1
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 20:46	71-55-6	H1
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 20:46	79-00-5	H1
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 20:46	79-01-6	H1
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 20:46	75-69-4	H1
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 20:46	96-18-4	H1
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 20:46	108-05-4	H1
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 20:46	75-01-4	H1
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 20:46	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 20:46	179601-23-1	H1
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 20:46	95-47-6	H1
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		11/21/13 20:46	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	70-130		1		11/21/13 20:46	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 20:46	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-9 **Lab ID: 92180341010** Collected: 11/18/13 17:35 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 21:02	67-64-1	
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 21:02	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:02	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 21:02	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 21:02	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 21:02	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 21:02	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 21:02	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 21:02	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 21:02	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 21:02	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 21:02	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 21:02	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 21:02	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:02	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 21:02	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:02	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 21:02	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 21:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 21:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 21:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 21:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 21:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 21:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 21:02	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 21:02	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 21:02	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 21:02	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 21:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 21:02	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 21:02	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:02	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 21:02	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 21:02	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:02	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 21:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 21:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 21:02	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 21:02	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 21:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 21:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 21:02	79-34-5	
Tetrachloroethene	**1.0**	ug/L	1.0	0.46	1		11/21/13 21:02	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-9 **Lab ID: 92180341010** Collected: 11/18/13 17:35 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 21:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 21:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 21:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 21:02	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 21:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 21:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 21:02	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 21:02	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 21:02	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 21:02	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 21:02	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 21:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/21/13 21:02	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-130		1		11/21/13 21:02	17060-07-0	
Toluene-d8 (S)	95	%	70-130		1		11/21/13 21:02	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-10 **Lab ID: 92180341011** Collected: 11/18/13 18:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 21:18	67-64-1	
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 21:18	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:18	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 21:18	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 21:18	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 21:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 21:18	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 21:18	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 21:18	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 21:18	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 21:18	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 21:18	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 21:18	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 21:18	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:18	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 21:18	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:18	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 21:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 21:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 21:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 21:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 21:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 21:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 21:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 21:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 21:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 21:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 21:18	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 21:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 21:18	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 21:18	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:18	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 21:18	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 21:18	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:18	99-87-6	
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 21:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 21:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 21:18	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 21:18	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 21:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 21:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 21:18	79-34-5	
Tetrachloroethene	**0.75J**	ug/L	1.0	0.46	1		11/21/13 21:18	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-10 **Lab ID: 92180341011** Collected: 11/18/13 18:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 21:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 21:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 21:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 21:18	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 21:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 21:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 21:18	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 21:18	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 21:18	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 21:18	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 21:18	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 21:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		11/21/13 21:18	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130		1		11/21/13 21:18	17060-07-0	
Toluene-d8 (S)	97	%	70-130		1		11/21/13 21:18	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-11 **Lab ID: 92180341012** Collected: 11/13/13 13:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 21:34	67-64-1	H1
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 21:34	71-43-2	H1
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:34	108-86-1	H1
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 21:34	74-97-5	H1
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 21:34	75-27-4	H1
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 21:34	75-25-2	H1
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 21:34	74-83-9	H1,L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 21:34	78-93-3	H1
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 21:34	56-23-5	H1
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 21:34	108-90-7	H1
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 21:34	75-00-3	H1
Chloroform	**0.99J**	ug/L	1.0	0.14	1		11/21/13 21:34	67-66-3	H1
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 21:34	74-87-3	H1
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 21:34	95-49-8	H1
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:34	106-43-4	H1
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 21:34	96-12-8	H1
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:34	124-48-1	H1
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 21:34	74-95-3	H1
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:34	95-50-1	H1
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 21:34	541-73-1	H1
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:34	106-46-7	H1
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:34	75-71-8	H1
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 21:34	75-34-3	H1
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 21:34	107-06-2	H1
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 21:34	75-35-4	H1
cis-1,2-Dichloroethene	**0.21J**	ug/L	1.0	0.19	1		11/21/13 21:34	156-59-2	H1
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 21:34	156-60-5	H1
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 21:34	78-87-5	H1
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 21:34	142-28-9	H1
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 21:34	594-20-7	H1
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 21:34	563-58-6	H1
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 21:34	10061-01-5	H1
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 21:34	10061-02-6	H1
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 21:34	108-20-3	H1
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:34	100-41-4	H1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 21:34	87-68-3	H1
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 21:34	591-78-6	H1
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:34	99-87-6	H1
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 21:34	75-09-2	H1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 21:34	108-10-1	H1
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 21:34	1634-04-4	H1
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 21:34	91-20-3	H1
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 21:34	100-42-5	H1
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 21:34	630-20-6	H1
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 21:34	79-34-5	H1
Tetrachloroethene	**5.2**	ug/L	1.0	0.46	1		11/21/13 21:34	127-18-4	H1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-11 **Lab ID: 92180341012** Collected: 11/13/13 13:55 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 21:34	108-88-3	H1
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:34	87-61-6	H1
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 21:34	120-82-1	H1
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 21:34	71-55-6	H1
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 21:34	79-00-5	H1
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 21:34	79-01-6	H1
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 21:34	75-69-4	H1
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 21:34	96-18-4	H1
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 21:34	108-05-4	H1
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 21:34	75-01-4	H1
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 21:34	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 21:34	179601-23-1	H1
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 21:34	95-47-6	H1
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/21/13 21:34	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130		1		11/21/13 21:34	17060-07-0	
Toluene-d8 (S)	97	%	70-130		1		11/21/13 21:34	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-12 **Lab ID: 92180341013** Collected: 11/13/13 14:50 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 21:50	67-64-1	H1
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 21:50	71-43-2	H1
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:50	108-86-1	H1
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 21:50	74-97-5	H1
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 21:50	75-27-4	H1
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 21:50	75-25-2	H1
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 21:50	74-83-9	H1,L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 21:50	78-93-3	H1
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 21:50	56-23-5	H1
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 21:50	108-90-7	H1
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 21:50	75-00-3	H1
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 21:50	67-66-3	H1
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 21:50	74-87-3	H1
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 21:50	95-49-8	H1
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:50	106-43-4	H1
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 21:50	96-12-8	H1
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:50	124-48-1	H1
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 21:50	74-95-3	H1
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:50	95-50-1	H1
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 21:50	541-73-1	H1
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:50	106-46-7	H1
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 21:50	75-71-8	H1
1,1-Dichloroethane	**0.37J**	ug/L	1.0	0.32	1		11/21/13 21:50	75-34-3	H1
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 21:50	107-06-2	H1
1,1-Dichloroethene	**0.67J**	ug/L	1.0	0.56	1		11/21/13 21:50	75-35-4	H1
cis-1,2-Dichloroethene	**26.9**	ug/L	1.0	0.19	1		11/21/13 21:50	156-59-2	H1
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 21:50	156-60-5	H1
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 21:50	78-87-5	H1
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 21:50	142-28-9	H1
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 21:50	594-20-7	H1
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 21:50	563-58-6	H1
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 21:50	10061-01-5	H1
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 21:50	10061-02-6	H1
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 21:50	108-20-3	H1
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 21:50	100-41-4	H1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 21:50	87-68-3	H1
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 21:50	591-78-6	H1
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 21:50	99-87-6	H1
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 21:50	75-09-2	H1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 21:50	108-10-1	H1
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 21:50	1634-04-4	H1
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 21:50	91-20-3	H1
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 21:50	100-42-5	H1
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 21:50	630-20-6	H1
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 21:50	79-34-5	H1
Tetrachloroethene	**365**	ug/L	10.0	4.6	10		11/25/13 15:21	127-18-4	H1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc .

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-12 **Lab ID: 92180341013** Collected: 11/13/13 14:50 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 21:50	108-88-3	H1
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 21:50	87-61-6	H1
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 21:50	120-82-1	H1
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 21:50	71-55-6	H1
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 21:50	79-00-5	H1
Trichloroethene	**33.4**	ug/L	1.0	0.47	1		11/21/13 21:50	79-01-6	H1
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 21:50	75-69-4	H1
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 21:50	96-18-4	H1
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 21:50	108-05-4	H1
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 21:50	75-01-4	H1
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 21:50	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 21:50	179601-23-1	H1
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 21:50	95-47-6	H1
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/21/13 21:50	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-130		1		11/21/13 21:50	17060-07-0	
Toluene-d8 (S)	106	%	70-130		1		11/21/13 21:50	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-13 **Lab ID: 92180341014** Collected: 11/13/13 12:35 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25 0	10.0	1		11/21/13 22:06	67-64-1	H1
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 22:06	71-43-2	H1
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 22:06	108-86-1	H1
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 22:06	74-97-5	H1
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 22:06	75-27-4	H1
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 22:06	75-25-2	H1
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 22:06	74-83-9	H1,L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 22:06	78-93-3	H1
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 22:06	56-23-5	H1
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 22:06	108-90-7	H1
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 22:06	75-00-3	H1
Chloroform	**0.21J**	ug/L	1.0	0.14	1		11/21/13 22:06	67-66-3	H1
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 22:06	74-87-3	H1
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 22:06	95-49-8	H1
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 22:06	106-43-4	H1
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 22:06	96-12-8	H1
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 22:06	124-48-1	H1
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 22:06	74-95-3	H1
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 22:06	95-50-1	H1
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 22:06	541-73-1	H1
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 22:06	106-46-7	H1
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 22:06	75-71-8	H1
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 22:06	75-34-3	H1
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 22:06	107-06-2	H1
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 22:06	75-35-4	H1
cis-1,2-Dichloroethene	**1.3**	ug/L	1.0	0.19	1		11/21/13 22:06	156-59-2	H1
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 22:06	156-60-5	H1
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 22:06	78-87-5	H1
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 22:06	142-28-9	H1
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 22:06	594-20-7	H1
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 22:06	563-58-6	H1
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 22:06	10061-01-5	H1
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 22:06	10061-02-6	H1
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 22:06	108-20-3	H1
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 22:06	100-41-4	H1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 22:06	87-68-3	H1
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 22:06	591-78-6	H1
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 22:06	99-87-6	H1
Methylene Chloride	ND	ug/L	2.0	0.97	1		11/21/13 22:06	75-09-2	H1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 22:06	108-10-1	H1
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 22:06	1634-04-4	H1
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 22:06	91-20-3	H1
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 22:06	100-42-5	H1
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 22:06	630-20-6	H1
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 22:06	79-34-5	H1
Tetrachloroethene	**27.9**	ug/L	1.0	0.46	1		11/21/13 22:06	127-18-4	H1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: MW-13 **Lab ID: 92180341014** Collected: 11/13/13 12:35 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 22:06	108-88-3	H1
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 22:06	87-61-6	H1
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 22:06	120-82-1	H1
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 22:06	71-55-6	H1
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 22:06	79-00-5	H1
Trichloroethene	**0.78J**	ug/L	1.0	0.47	1		11/21/13 22:06	79-01-6	H1
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 22:06	75-69-4	H1
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 22:06	96-18-4	H1
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 22:06	108-05-4	H1
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 22:06	75-01-4	H1
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 22:06	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 22:06	179601-23-1	H1
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 22:06	95-47-6	H1
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		11/21/13 22:06	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130		1		11/21/13 22:06	17060-07-0	
Toluene-d8 (S)	103	%	70-130		1		11/21/13 22:06	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: FIELD BLANK **Lab ID: 92180341015** Collected: 11/13/13 11:45 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 18:21	67-64-1	H1,L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 18:21	71-43-2	H1
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:21	108-86-1	H1
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 18:21	74-97-5	H1
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 18:21	75-27-4	H1
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 18:21	75-25-2	H1
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 18:21	74-83-9	H1,L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 18:21	78-93-3	H1,L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 18:21	56-23-5	H1
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 18:21	108-90-7	H1
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 18:21	75-00-3	H1
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 18:21	67-66-3	H1
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 18:21	74-87-3	H1
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 18:21	95-49-8	H1
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:21	106-43-4	H1
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 18:21	96-12-8	H1
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:21	124-48-1	H1
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 18:21	74-95-3	H1
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:21	95-50-1	H1
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 18:21	541-73-1	H1
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:21	106-46-7	H1
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:21	75-71-8	H1
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 18:21	75-34-3	H1
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 18:21	107-06-2	H1
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 18:21	75-35-4	H1
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 18:21	156-59-2	H1
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 18:21	156-60-5	H1
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 18:21	78-87-5	H1
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 18:21	142-28-9	H1
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 18:21	594-20-7	H1
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 18:21	563-58-6	H1
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 18:21	10061-01-5	H1
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 18:21	10061-02-6	H1
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 18:21	108-20-3	H1
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:21	100-41-4	H1
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 18:21	87-68-3	H1
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 18:21	591-78-6	H1
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:21	99-87-6	H1
Methylene Chloride	**2.0**	ug/L	2.0	0.97	1		11/21/13 18:21	75-09-2	H1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 18:21	108-10-1	H1
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 18:21	1634-04-4	H1
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 18:21	91-20-3	H1
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 18:21	100-42-5	H1
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 18:21	630-20-6	H1
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 18:21	79-34-5	H1
Tetrachloroethene	ND	ug/L	1.0	0.46	1		11/21/13 18:21	127-18-4	H1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: FIELD BLANK **Lab ID: 92180341015** Collected: 11/13/13 11:45 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 18:21	108-88-3	H1
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:21	87-61-6	H1
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 18:21	120-82-1	H1
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 18:21	71-55-6	H1
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 18:21	79-00-5	H1
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 18:21	79-01-6	H1
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 18:21	75-69-4	H1
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 18:21	96-18-4	H1
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 18:21	108-05-4	H1
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 18:21	75-01-4	H1
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 18:21	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 18:21	179601-23-1	H1
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 18:21	95-47-6	H1
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		11/21/13 18:21	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-130		1		11/21/13 18:21	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		11/21/13 18:21	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: TRIP BLANK **Lab ID: 92180341016** Collected: 11/18/13 00:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Acetone	ND	ug/L	25.0	10.0	1		11/21/13 18:05	67-64-1	L2
Benzene	ND	ug/L	1.0	0.25	1		11/21/13 18:05	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:05	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.17	1		11/21/13 18:05	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.18	1		11/21/13 18:05	75-27-4	
Bromoform	ND	ug/L	1.0	0.26	1		11/21/13 18:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.29	1		11/21/13 18:05	74-83-9	L2
2-Butanone (MEK)	ND	ug/L	5.0	0.96	1		11/21/13 18:05	78-93-3	L2
Carbon tetrachloride	ND	ug/L	1.0	0.25	1		11/21/13 18:05	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.23	1		11/21/13 18:05	108-90-7	
Chloroethane	ND	ug/L	1.0	0.54	1		11/21/13 18:05	75-00-3	
Chloroform	ND	ug/L	1.0	0.14	1		11/21/13 18:05	67-66-3	
Chloromethane	ND	ug/L	1.0	0.11	1		11/21/13 18:05	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	0.35	1		11/21/13 18:05	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:05	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	2.5	1		11/21/13 18:05	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:05	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.21	1		11/21/13 18:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.24	1		11/21/13 18:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:05	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	0.21	1		11/21/13 18:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	0.32	1		11/21/13 18:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	0.12	1		11/21/13 18:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	0.56	1		11/21/13 18:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.19	1		11/21/13 18:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.49	1		11/21/13 18:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	0.27	1		11/21/13 18:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	0.28	1		11/21/13 18:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	0.13	1		11/21/13 18:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	0.49	1		11/21/13 18:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.13	1		11/21/13 18:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.26	1		11/21/13 18:05	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	0.12	1		11/21/13 18:05	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.30	1		11/21/13 18:05	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	0.71	1		11/21/13 18:05	87-68-3	
2-Hexanone	ND	ug/L	5.0	0.46	1		11/21/13 18:05	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.31	1		11/21/13 18:05	99-87-6	
Methylene Chloride	**1.7J**	ug/L	2.0	0.97	1		11/21/13 18:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	0.33	1		11/21/13 18:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.21	1		11/21/13 18:05	1634-04-4	
Naphthalene	ND	ug/L	1.0	0.24	1		11/21/13 18:05	91-20-3	
Styrene	ND	ug/L	1.0	0.26	1		11/21/13 18:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.33	1		11/21/13 18:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.40	1		11/21/13 18:05	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	0.46	1		11/21/13 18:05	127-18-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Sample: TRIP BLANK **Lab ID: 92180341016** Collected: 11/18/13 00:00 Received: 11/20/13 17:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level SC	Analytical Method: EPA 8260								
Toluene	ND	ug/L	1.0	0.26	1		11/21/13 18:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	0.33	1		11/21/13 18:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	0.35	1		11/21/13 18:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.48	1		11/21/13 18:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.29	1		11/21/13 18:05	79-00-5	
Trichloroethene	ND	ug/L	1.0	0.47	1		11/21/13 18:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.20	1		11/21/13 18:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.41	1		11/21/13 18:05	96-18-4	
Vinyl acetate	ND	ug/L	2.0	0.35	1		11/21/13 18:05	108-05-4	
Vinyl chloride	ND	ug/L	1.0	0.62	1		11/21/13 18:05	75-01-4	
Xylene (Total)	ND	ug/L	2.0	0.66	1		11/21/13 18:05	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	0.66	1		11/21/13 18:05	179601-23-1	
o-Xylene	ND	ug/L	1.0	0.23	1		11/21/13 18:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		11/21/13 18:05	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-130		1		11/21/13 18:05	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		11/21/13 18:05	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

QC Batch: MSV/24992 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV Low Level SC
Associated Lab Samples: 92180341001, 92180341002, 92180341003, 92180341004, 92180341005, 92180341015, 92180341016

METHOD BLANK: 1091687 Matrix: Water
Associated Lab Samples: 92180341001, 92180341002, 92180341003, 92180341004, 92180341005, 92180341015, 92180341016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,1,1-Trichloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,1,2-Trichloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,1-Dichloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,1-Dichloroethene	ug/L	ND	1.0	11/21/13 14:37	
1,1-Dichloropropene	ug/L	ND	1.0	11/21/13 14:37	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
1,2,3-Trichloropropane	ug/L	ND	1.0	11/21/13 14:37	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
1,2-Dibromo-3-chloropropane	ug/L	ND	3.0	11/21/13 14:37	
1,2-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
1,2-Dichloroethane	ug/L	ND	1.0	11/21/13 14:37	
1,2-Dichloropropane	ug/L	ND	1.0	11/21/13 14:37	
1,3-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
1,3-Dichloropropane	ug/L	ND	1.0	11/21/13 14:37	
1,4-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
2,2-Dichloropropane	ug/L	ND	1.0	11/21/13 14:37	
2-Butanone (MEK)	ug/L	ND	5.0	11/21/13 14:37	
2-Chlorotoluene	ug/L	ND	1.0	11/21/13 14:37	
2-Hexanone	ug/L	ND	5.0	11/21/13 14:37	
4-Chlorotoluene	ug/L	ND	1.0	11/21/13 14:37	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	11/21/13 14:37	
Acetone	ug/L	ND	25.0	11/21/13 14:37	
Benzene	ug/L	ND	1.0	11/21/13 14:37	
Bromobenzene	ug/L	ND	1.0	11/21/13 14:37	
Bromochloromethane	ug/L	ND	1.0	11/21/13 14:37	
Bromodichloromethane	ug/L	ND	1.0	11/21/13 14:37	
Bromoform	ug/L	ND	1.0	11/21/13 14:37	
Bromomethane	ug/L	ND	5.0	11/21/13 14:37	
Carbon tetrachloride	ug/L	ND	1.0	11/21/13 14:37	
Chlorobenzene	ug/L	ND	1.0	11/21/13 14:37	
Chloroethane	ug/L	ND	1.0	11/21/13 14:37	
Chloroform	ug/L	ND	1.0	11/21/13 14:37	
Chloromethane	ug/L	ND	1.0	11/21/13 14:37	
cis-1,2-Dichloroethene	ug/L	ND	1.0	11/21/13 14:37	
cis-1,3-Dichloropropene	ug/L	ND	1.0	11/21/13 14:37	
Dibromochloromethane	ug/L	ND	1.0	11/21/13 14:37	
Dibromomethane	ug/L	ND	1.0	11/21/13 14:37	
Dichlorodifluoromethane	ug/L	ND	1.0	11/21/13 14:37	
Diisopropyl ether	ug/L	ND	1.0	11/21/13 14:37	
Ethylbenzene	ug/L	ND	1.0	11/21/13 14:37	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	11/21/13 14:37	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

METHOD BLANK: 1091687 Matrix: Water
Associated Lab Samples: 92180341001, 92180341002, 92180341003, 92180341004, 92180341005, 92180341015, 92180341016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	2.0	11/21/13 14:37	
Methyl-tert-butyl ether	ug/L	ND	1.0	11/21/13 14:37	
Methylene Chloride	ug/L	ND	2.0	11/21/13 14:37	
Naphthalene	ug/L	ND	1.0	11/21/13 14:37	
o-Xylene	ug/L	ND	1.0	11/21/13 14:37	
p-Isopropyltoluene	ug/L	ND	1.0	11/21/13 14:37	
Styrene	ug/L	ND	1.0	11/21/13 14:37	
Tetrachloroethene	ug/L	ND	1.0	11/21/13 14:37	
Toluene	ug/L	ND	1.0	11/21/13 14:37	
trans-1,2-Dichloroethene	ug/L	ND	1.0	11/21/13 14:37	
trans-1,3-Dichloropropene	ug/L	ND	1.0	11/21/13 14:37	
Trichloroethene	ug/L	ND	1.0	11/21/13 14:37	
Trichlorofluoromethane	ug/L	ND	1.0	11/21/13 14:37	
Vinyl acetate	ug/L	ND	2.0	11/21/13 14:37	
Vinyl chloride	ug/L	ND	1.0	11/21/13 14:37	
Xylene (Total)	ug/L	ND	2.0	11/21/13 14:37	
1,2-Dichloroethane-d4 (S)	%	92	70-130	11/21/13 14:37	
4-Bromofluorobenzene (S)	%	106	70-130	11/21/13 14:37	
Toluene-d8 (S)	%	95	70-130	11/21/13 14:37	

LABORATORY CONTROL SAMPLE: 1091688

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.5	101	70-130	
1,1,1-Trichloroethane	ug/L	50	46.4	93	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	47.2	94	70-130	
1,1,2-Trichloroethane	ug/L	50	50.1	100	70-130	
1,1-Dichloroethane	ug/L	50	45.9	92	70-130	
1,1-Dichloroethene	ug/L	50	40.9	82	70-130	
1,1-Dichloropropene	ug/L	50	48.8	98	70-130	
1,2,3-Trichlorobenzene	ug/L	50	55.4	111	70-130	
1,2,3-Trichloropropane	ug/L	50	49.1	98	70-130	
1,2,4-Trichlorobenzene	ug/L	50	56.1	112	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	44.6	89	70-130	
1,2-Dichlorobenzene	ug/L	50	55.0	110	70-130	
1,2-Dichloroethane	ug/L	50	43.1	86	70-130	
1,2-Dichloropropane	ug/L	50	51.7	103	70-130	
1,3-Dichlorobenzene	ug/L	50	53.3	107	70-130	
1,3-Dichloropropane	ug/L	50	51.4	103	70-130	
1,4-Dichlorobenzene	ug/L	50	52.7	105	70-130	
2,2-Dichloropropane	ug/L	50	48.8	98	70-130	
2-Butanone (MEK)	ug/L	100	69.4	69	70-130	L0
2-Chlorotoluene	ug/L	50	51.5	103	70-130	
2-Hexanone	ug/L	100	90.5	90	70-130	
4-Chlorotoluene	ug/L	50	52.4	105	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

LABORATORY CONTROL SAMPLE: 1091688

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/L	100	87.9	88	70-130	
Acetone	ug/L	100	69.2	69	70-130	L0
Benzene	ug/L	50	49.7	99	70-130	
Bromobenzene	ug/L	50	48.3	97	70-130	
Bromochloromethane	ug/L	50	44.5	89	70-130	
Bromodichloromethane	ug/L	50	48.8	98	70-130	
Bromoform	ug/L	50	43.1	86	70-130	
Bromomethane	ug/L	50	30.7	61	70-130	L0
Carbon tetrachloride	ug/L	50	44.5	89	70-130	
Chlorobenzene	ug/L	50	50.1	100	70-130	
Chloroethane	ug/L	50	44.6	89	70-130	
Chloroform	ug/L	50	46.0	92	70-130	
Chloromethane	ug/L	50	42.9	86	70-130	
cis-1,2-Dichloroethene	ug/L	50	46.5	93	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.1	108	70-130	
Dibromochloromethane	ug/L	50	44.8	90	70-130	
Dibromomethane	ug/L	50	50.2	100	70-130	
Dichlorodifluoromethane	ug/L	50	41.3	83	70-130	
Diisopropyl ether	ug/L	50	49.7	99	70-130	
Ethylbenzene	ug/L	50	48.9	98	70-130	
Hexachloro-1,3-butadiene	ug/L	50	54.7	109	70-130	
m&p-Xylene	ug/L	100	101	101	70-130	
Methyl-tert-butyl ether	ug/L	50	49.2	98	70-130	
Methylene Chloride	ug/L	50	48.9	98	70-130	
Naphthalene	ug/L	50	50.6	101	70-130	
o-Xylene	ug/L	50	55.2	110	70-130	
p-Isopropyltoluene	ug/L	50	54.0	108	70-130	
Styrene	ug/L	50	53.5	107	70-130	
Tetrachloroethene	ug/L	50	53.5	107	70-130	
Toluene	ug/L	50	50.4	101	70-130	
trans-1,2-Dichloroethene	ug/L	50	46.3	93	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.5	103	70-130	
Trichloroethene	ug/L	50	50.6	101	70-130	
Trichlorofluoromethane	ug/L	50	36.9	74	70-130	
Vinyl acetate	ug/L	100	90.5	90	70-130	
Vinyl chloride	ug/L	50	43.7	87	70-130	
Xylene (Total)	ug/L	150	156	104	70-130	
1,2-Dichloroethane-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1091689 1091690

Parameter	Units	92180224010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	62 2	61.7	124	123	70-130	1	30	
1,1,1-Trichloroethane	ug/L	ND	50	50	59.3	57.0	119	114	70-130	4	30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1091689 1091690

Parameter	Units	92180224010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	54.4	55.2	109	110	70-130	1	30	
1,1,2-Trichloroethane	ug/L	ND	50	50	59.2	58.6	118	117	70-130	1	30	
1,1-Dichloroethane	ug/L	ND	50	50	56.1	54.3	112	109	70-130	3	30	
1,1-Dichloroethene	ug/L	ND	50	50	62.7	57.3	125	115	70-130	9	30	
1,1-Dichloropropene	ug/L	ND	50	50	63.1	60.5	126	121	70-130	4	30	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	62.0	61.1	124	122	70-130	1	30	
1,2,3-Trichloropropane	ug/L	ND	50	50	55.1	57.9	110	116	70-130	5	30	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	64.0	62.4	128	125	70-130	3	30	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	51.0	53.2	102	106	70-130	4	30	
1,2-Dichlorobenzene	ug/L	ND	50	50	64.4	63.2	129	126	70-130	2	30	
1,2-Dichloroethane	ug/L	ND	50	50	52.5	50.1	105	100	70-130	5	30	
1,2-Dichloropropane	ug/L	ND	50	50	61.7	60.7	123	121	70-130	2	30	
1,3-Dichlorobenzene	ug/L	ND	50	50	63.0	61.7	126	123	70-130	2	30	
1,3-Dichloropropane	ug/L	ND	50	50	63.5	61.8	127	124	70-130	3	30	
1,4-Dichlorobenzene	ug/L	ND	50	50	62.1	61.3	124	123	70-130	1	30	
2,2-Dichloropropane	ug/L	ND	50	50	60.8	58.0	122	116	70-130	5	30	
2-Butanone (MEK)	ug/L	ND	100	100	79.1	81.2	79	81	70-130	3	30	
2-Chlorotoluene	ug/L	ND	50	50	61.8	60.7	124	121	70-130	2	30	
2-Hexanone	ug/L	ND	100	100	103	110	103	110	70-130	6	30	
4-Chlorotoluene	ug/L	ND	50	50	63.0	61.1	126	122	70-130	3	30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	94.2	101	94	101	70-130	7	30	
Acetone	ug/L	ND	100	100	80.7	85.2	79	84	70-130	5	30	
Benzene	ug/L	ND	50	50	59.9	58.8	120	118	70-130	2	30	
Bromobenzene	ug/L	ND	50	50	55.7	54.6	111	109	70-130	2	30	
Bromochloromethane	ug/L	ND	50	50	53.7	50.0	107	100	70-130	7	30	
Bromodichloromethane	ug/L	ND	50	50	57.2	56.5	114	113	70-130	1	30	
Bromoform	ug/L	ND	50	50	51.6	51.6	103	103	70-130	0	30	
Bromomethane	ug/L	ND	50	50	43.1	40.5	86	81	70-130	6	30	
Carbon tetrachloride	ug/L	ND	50	50	55.8	55.6	112	111	70-130	0	30	
Chlorobenzene	ug/L	ND	50	50	59.5	58.8	119	118	70-130	1	30	
Chloroethane	ug/L	ND	50	50	48.6	47.6	97	95	70-130	2	30	
Chloroform	ug/L	ND	50	50	57.1	53.5	114	107	70-130	7	30	
Chloromethane	ug/L	ND	50	50	53.5	51.2	107	102	70-130	4	30	
cis-1,2-Dichloroethene	ug/L	0.22J	50	50	57.1	55.5	114	111	70-130	3	30	
cis-1,3-Dichloropropene	ug/L	ND	50	50	63.8	62.5	128	125	70-130	2	30	
Dibromochloromethane	ug/L	ND	50	50	55.2	53.6	110	107	70-130	3	30	
Dibromomethane	ug/L	ND	50	50	59.1	58.7	118	117	70-130	1	30	
Dichlorodifluoromethane	ug/L	ND	50	50	59.1	57.7	118	115	70-130	2	30	
Diisopropyl ether	ug/L	ND	50	50	59.9	56.8	120	114	70-130	5	30	
Ethylbenzene	ug/L	ND	50	50	60.8	58.1	122	116	70-130	5	30	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	66.0	65.7	132	131	70-130	1	30	M1
m&p-Xylene	ug/L	ND	100	100	130	123	130	123	70-130	5	30	
Methyl-tert-butyl ether	ug/L	ND	50	50	61.4	59.3	123	119	70-130	4	30	
Methylene Chloride	ug/L	ND	50	50	57.9	55.3	115	110	70-130	5	30	
Naphthalene	ug/L	ND	50	50	55.1	56.4	110	113	70-130	2	30	
o-Xylene	ug/L	ND	50	50	70.6	68.0	141	136	70-130	4	30	M1
p-Isopropyltoluene	ug/L	ND	50	50	65.1	64.0	130	128	70-130	2	30	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1091689 1091690

Parameter	Units	92180224010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Styrene	ug/L	ND	50	50	68.9	66.2	138	132	70-130	4	30	M1
Tetrachloroethene	ug/L	1.4	50	50	68.9	68.2	135	134	70-130	1	30	M1
Toluene	ug/L	ND	50	50	57.8	58.3	116	117	70-130	1	30	
trans-1,2-Dichloroethene	ug/L	ND	50	50	59.5	57.3	119	115	70-130	4	30	
trans-1,3-Dichloropropene	ug/L	ND	50	50	60.4	59.2	121	118	70-130	2	30	
Trichloroethene	ug/L	ND	50	50	60.5	59.8	121	120	70-130	1	30	
Trichlorofluoromethane	ug/L	ND	50	50	50.6	48.9	101	98	70-130	3	30	
Vinyl acetate	ug/L	ND	100	100	106	103	106	103	70-130	2	30	
Vinyl chloride	ug/L	ND	50	50	59.6	58.2	119	116	70-130	2	30	
1,2-Dichloroethane-d4 (S)	%						97	94	70-130			
4-Bromofluorobenzene (S)	%						110	107	70-130			
Toluene-d8 (S)	%						97	99	70-130			

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

QC Batch: MSV/24993 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV Low Level SC
Associated Lab Samples: 92180341006, 92180341007, 92180341009, 92180341010, 92180341011, 92180341012, 92180341013, 92180341014

METHOD BLANK: 1091716 Matrix: Water
Associated Lab Samples: 92180341006, 92180341007, 92180341009, 92180341010, 92180341011, 92180341012, 92180341013, 92180341014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,1,1-Trichloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,1,2-Trichloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,1-Dichloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,1-Dichloroethene	ug/L	ND	1.0	11/21/13 14:21	
1,1-Dichloropropene	ug/L	ND	1.0	11/21/13 14:21	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
1,2,3-Trichloropropane	ug/L	ND	1.0	11/21/13 14:21	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
1,2-Dibromo-3-chloropropane	ug/L	ND	3.0	11/21/13 14:21	
1,2-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
1,2-Dichloroethane	ug/L	ND	1.0	11/21/13 14:21	
1,2-Dichloropropane	ug/L	ND	1.0	11/21/13 14:21	
1,3-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
1,3-Dichloropropane	ug/L	ND	1.0	11/21/13 14:21	
1,4-Dichlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
2,2-Dichloropropane	ug/L	ND	1.0	11/21/13 14:21	
2-Butanone (MEK)	ug/L	ND	5.0	11/21/13 14:21	
2-Chlorotoluene	ug/L	ND	1.0	11/21/13 14:21	
2-Hexanone	ug/L	ND	5.0	11/21/13 14:21	
4-Chlorotoluene	ug/L	ND	1.0	11/21/13 14:21	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	11/21/13 14:21	
Acetone	ug/L	ND	25.0	11/21/13 14:21	
Benzene	ug/L	ND	1.0	11/21/13 14:21	
Bromobenzene	ug/L	ND	1.0	11/21/13 14:21	
Bromochloromethane	ug/L	ND	1.0	11/21/13 14:21	
Bromodichloromethane	ug/L	ND	1.0	11/21/13 14:21	
Bromoform	ug/L	ND	1.0	11/21/13 14:21	
Bromomethane	ug/L	ND	5.0	11/21/13 14:21	
Carbon tetrachloride	ug/L	ND	1.0	11/21/13 14:21	
Chlorobenzene	ug/L	ND	1.0	11/21/13 14:21	
Chloroethane	ug/L	ND	1.0	11/21/13 14:21	
Chloroform	ug/L	ND	1.0	11/21/13 14:21	
Chloromethane	ug/L	ND	1.0	11/21/13 14:21	
cis-1,2-Dichloroethene	ug/L	ND	1.0	11/21/13 14:21	
cis-1,3-Dichloropropene	ug/L	ND	1.0	11/21/13 14:21	
Dibromochloromethane	ug/L	ND	1.0	11/21/13 14:21	
Dibromomethane	ug/L	ND	1.0	11/21/13 14:21	
Dichlorodifluoromethane	ug/L	ND	1.0	11/21/13 14:21	
Diisopropyl ether	ug/L	ND	1.0	11/21/13 14:21	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

METHOD BLANK: 1091716 Matrix: Water

Associated Lab Samples: 92180341006, 92180341007, 92180341009, 92180341010, 92180341011, 92180341012, 92180341013, 92180341014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	ND	1.0	11/21/13 14:21	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	11/21/13 14:21	
m&p-Xylene	ug/L	ND	2.0	11/21/13 14:21	
Methyl-tert-butyl ether	ug/L	ND	1.0	11/21/13 14:21	
Methylene Chloride	ug/L	ND	2.0	11/21/13 14:21	
Naphthalene	ug/L	ND	1.0	11/21/13 14:21	
o-Xylene	ug/L	ND	1.0	11/21/13 14:21	
p-Isopropyltoluene	ug/L	ND	1.0	11/21/13 14:21	
Styrene	ug/L	ND	1.0	11/21/13 14:21	
Tetrachloroethene	ug/L	ND	1.0	11/21/13 14:21	
Toluene	ug/L	ND	1.0	11/21/13 14:21	
trans-1,2-Dichloroethene	ug/L	ND	1.0	11/21/13 14:21	
trans-1,3-Dichloropropene	ug/L	ND	1.0	11/21/13 14:21	
Trichloroethene	ug/L	ND	1.0	11/21/13 14:21	
Trichlorofluoromethane	ug/L	ND	1.0	11/21/13 14:21	
Vinyl acetate	ug/L	ND	2.0	11/21/13 14:21	
Vinyl chloride	ug/L	ND	1.0	11/21/13 14:21	
Xylene (Total)	ug/L	ND	2.0	11/21/13 14:21	
1,2-Dichloroethane-d4 (S)	%	93	70-130	11/21/13 14:21	
4-Bromofluorobenzene (S)	%	107	70-130	11/21/13 14:21	
Toluene-d8 (S)	%	96	70-130	11/21/13 14:21	

LABORATORY CONTROL SAMPLE: 1091717

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.6	101	70-130	
1,1,1-Trichloroethane	ug/L	50	47.6	95	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	47.7	95	70-130	
1,1,2-Trichloroethane	ug/L	50	51.3	103	70-130	
1,1-Dichloroethane	ug/L	50	46.1	92	70-130	
1,1-Dichloroethene	ug/L	50	42.3	85	70-130	
1,1-Dichloropropene	ug/L	50	50.5	101	70-130	
1,2,3-Trichlorobenzene	ug/L	50	56.7	113	70-130	
1,2,3-Trichloropropane	ug/L	50	49.8	100	70-130	
1,2,4-Trichlorobenzene	ug/L	50	58.2	116	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.2	94	70-130	
1,2-Dichlorobenzene	ug/L	50	56.0	112	70-130	
1,2-Dichloroethane	ug/L	50	43.6	87	70-130	
1,2-Dichloropropane	ug/L	50	53.2	106	70-130	
1,3-Dichlorobenzene	ug/L	50	55.1	110	70-130	
1,3-Dichloropropane	ug/L	50	52.6	105	70-130	
1,4-Dichlorobenzene	ug/L	50	54.4	109	70-130	
2,2-Dichloropropane	ug/L	50	49.7	99	70-130	
2-Butanone (MEK)	ug/L	100	74.8	75	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

LABORATORY CONTROL SAMPLE: 1091717

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Chlorotoluene	ug/L	50	53.3	107	70-130	
2-Hexanone	ug/L	100	94.4	94	70-130	
4-Chlorotoluene	ug/L	50	53.8	108	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	91.3	91	70-130	
Acetone	ug/L	100	75.4	75	70-130	
Benzene	ug/L	50	51.0	102	70-130	
Bromobenzene	ug/L	50	50.0	100	70-130	
Bromochloromethane	ug/L	50	44.5	89	70-130	
Bromodichloromethane	ug/L	50	49.2	98	70-130	
Bromoform	ug/L	50	43.5	87	70-130	
Bromomethane	ug/L	50	28.3	57	70-130	L0
Carbon tetrachloride	ug/L	50	46.5	93	70-130	
Chlorobenzene	ug/L	50	50.2	100	70-130	
Chloroethane	ug/L	50	43.4	87	70-130	
Chloroform	ug/L	50	47.6	95	70-130	
Chloromethane	ug/L	50	42.4	85	70-130	
cis-1,2-Dichloroethene	ug/L	50	47.3	95	70-130	
cis-1,3-Dichloropropene	ug/L	50	55.5	111	70-130	
Dibromochloromethane	ug/L	50	45.0	90	70-130	
Dibromomethane	ug/L	50	50.8	102	70-130	
Dichlorodifluoromethane	ug/L	50	42.4	85	70-130	
Diisopropyl ether	ug/L	50	50.2	100	70-130	
Ethylbenzene	ug/L	50	49.3	99	70-130	
Hexachloro-1,3-butadiene	ug/L	50	57.4	115	70-130	
m&p-Xylene	ug/L	100	102	102	70-130	
Methyl-tert-butyl ether	ug/L	50	51.6	103	70-130	
Methylene Chloride	ug/L	50	48.6	97	70-130	
Naphthalene	ug/L	50	53.4	107	70-130	
o-Xylene	ug/L	50	54.5	109	70-130	
p-Isopropyltoluene	ug/L	50	55.8	112	70-130	
Styrene	ug/L	50	54.2	108	70-130	
Tetrachloroethene	ug/L	50	53.5	107	70-130	
Toluene	ug/L	50	51.1	102	70-130	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	70-130	
trans-1,3-Dichloropropene	ug/L	50	52.0	104	70-130	
Trichloroethene	ug/L	50	51.4	103	70-130	
Trichlorofluoromethane	ug/L	50	38.4	77	70-130	
Vinyl acetate	ug/L	100	90.4	90	70-130	
Vinyl chloride	ug/L	50	43.2	86	70-130	
Xylene (Total)	ug/L	150	157	104	70-130	
1,2-Dichloroethane-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			101	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1091718 1091719

Parameter	Units	92179771034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	65.5	60.9	131	122	70-130	7	30	M1
1,1,1-Trichloroethane	ug/L	ND	50	50	62.2	57.3	124	115	70-130	8	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	61.2	56.5	122	113	70-130	8	30	
1,1,2-Trichloroethane	ug/L	ND	50	50	65.1	59.6	130	119	70-130	9	30	
1,1-Dichloroethane	ug/L	ND	50	50	58.7	54.9	117	110	70-130	7	30	
1,1-Dichloroethene	ug/L	ND	50	50	59.7	51.1	119	102	70-130	16	30	
1,1-Dichloropropene	ug/L	ND	50	50	65.4	61.0	131	122	70-130	7	30	M1
1,2,3-Trichlorobenzene	ug/L	ND	50	50	69.6	62.8	139	126	70-130	10	30	M1
1,2,3-Trichloropropane	ug/L	ND	50	50	62.4	57.5	125	115	70-130	8	30	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	70.5	63.9	141	128	70-130	10	30	M1
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	59.9	52.2	120	104	70-130	14	30	
1,2-Dichlorobenzene	ug/L	ND	50	50	71.0	64.5	142	129	70-130	10	30	M1
1,2-Dichloroethane	ug/L	ND	50	50	54.2	49.8	108	100	70-130	9	30	
1,2-Dichloropropane	ug/L	ND	50	50	67.0	62.3	134	125	70-130	7	30	M1
1,3-Dichlorobenzene	ug/L	ND	50	50	68.3	62.6	137	125	70-130	9	30	M1
1,3-Dichloropropane	ug/L	ND	50	50	66.2	60.2	132	120	70-130	9	30	M1
1,4-Dichlorobenzene	ug/L	ND	50	50	67.7	62.0	135	124	70-130	9	30	M1
2,2-Dichloropropane	ug/L	ND	50	50	64.1	58.5	128	117	70-130	9	30	
2-Butanone (MEK)	ug/L	ND	100	100	85.7	78.2	86	78	70-130	9	30	
2-Chlorotoluene	ug/L	ND	50	50	67.3	60.8	135	122	70-130	10	30	M1
2-Hexanone	ug/L	ND	100	100	114	105	114	105	70-130	9	30	
4-Chlorotoluene	ug/L	ND	50	50	66.4	62.6	133	125	70-130	6	30	M1
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	112	102	112	102	70-130	10	30	
Acetone	ug/L	ND	100	100	86.9	75.7	85	74	70-130	14	30	
Benzene	ug/L	ND	50	50	66.9	62.1	134	124	70-130	7	30	M1
Bromobenzene	ug/L	ND	50	50	62.1	57.2	124	114	70-130	8	30	
Bromochloromethane	ug/L	ND	50	50	53.7	51.6	107	103	70-130	4	30	
Bromodichloromethane	ug/L	ND	50	50	62.9	58.2	126	116	70-130	8	30	
Bromoform	ug/L	ND	50	50	55.6	50.7	111	101	70-130	9	30	
Bromomethane	ug/L	ND	50	50	44.3	40.4	89	81	70-130	9	30	
Carbon tetrachloride	ug/L	ND	50	50	62.0	57.1	124	114	70-130	8	30	
Chlorobenzene	ug/L	ND	50	50	65.2	60.3	130	121	70-130	8	30	
Chloroethane	ug/L	ND	50	50	54.9	53.3	110	107	70-130	3	30	
Chloroform	ug/L	ND	50	50	58.9	55.4	118	111	70-130	6	30	
Chloromethane	ug/L	ND	50	50	53.7	50.9	107	102	70-130	5	30	
cis-1,2-Dichloroethene	ug/L	ND	50	50	60.0	55.3	120	111	70-130	8	30	
cis-1,3-Dichloropropene	ug/L	ND	50	50	71.3	65.8	143	132	70-130	8	30	M1
Dibromochloromethane	ug/L	ND	50	50	57.1	53.2	114	106	70-130	7	30	
Dibromomethane	ug/L	ND	50	50	65.7	59.5	131	119	70-130	10	30	M1
Dichlorodifluoromethane	ug/L	ND	50	50	61.9	58.8	124	118	70-130	5	30	
Diisopropyl ether	ug/L	ND	50	50	62.3	57.7	125	115	70-130	8	30	
Ethylbenzene	ug/L	ND	50	50	62.9	59.2	126	118	70-130	6	30	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	73.3	67.2	147	134	70-130	9	30	M1
m&p-Xylene	ug/L	ND	100	100	130	122	130	122	70-130	6	30	
Methyl-tert-butyl ether	ug/L	ND	50	50	64.2	58.4	128	117	70-130	9	30	
Methylene Chloride	ug/L	ND	50	50	60.5	55.1	120	109	70-130	9	30	
Naphthalene	ug/L	ND	50	50	66.9	59.5	134	119	70-130	12	30	M1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1091718 1091719

Parameter	Units	92179771034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
o-Xylene	ug/L	ND	50	50	70.9	66.6	142	133	70-130	6	30	M1
p-Isopropyltoluene	ug/L	ND	50	50	68.9	63.2	138	126	70-130	9	30	M1
Styrene	ug/L	ND	50	50	69.0	64.9	138	130	70-130	6	30	M1
Tetrachloroethene	ug/L	ND	50	50	69.8	65.9	140	132	70-130	6	30	M1
Toluene	ug/L	ND	50	50	66.3	61.3	133	123	70-130	8	30	M1
trans-1,2-Dichloroethene	ug/L	ND	50	50	60.8	56.7	122	113	70-130	7	30	
trans-1,3-Dichloropropene	ug/L	ND	50	50	66.0	60.2	132	120	70-130	9	30	M1
Trichloroethene	ug/L	ND	50	50	66.2	61.2	132	122	70-130	8	30	M1
Trichlorofluoromethane	ug/L	ND	50	50	53.8	49.7	108	99	70-130	8	30	
Vinyl acetate	ug/L	ND	100	100	106	96.4	106	96	70-130	10	30	
Vinyl chloride	ug/L	ND	50	50	60.1	57.8	120	116	70-130	4	30	
1,2-Dichloroethane-d4 (S)	%						92	93	70-130			
4-Bromofluorobenzene (S)	%						101	104	70-130			
Toluene-d8 (S)	%						102	102	70-130			

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

QC Batch: MSV/25009
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV Low Level SC
Associated Lab Samples: 92180341008

METHOD BLANK: 1092924
Matrix: Water
Associated Lab Samples: 92180341008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,1,1-Trichloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,1,2-Trichloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,1-Dichloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,1-Dichloroethene	ug/L	ND	1.0	11/25/13 14:16	
1,1-Dichloropropene	ug/L	ND	1.0	11/25/13 14:16	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
1,2,3-Trichloropropane	ug/L	ND	1.0	11/25/13 14:16	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
1,2-Dibromo-3-chloropropane	ug/L	ND	3.0	11/25/13 14:16	
1,2-Dichlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
1,2-Dichloroethane	ug/L	ND	1.0	11/25/13 14:16	
1,2-Dichloropropane	ug/L	ND	1.0	11/25/13 14:16	
1,3-Dichlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
1,3-Dichloropropane	ug/L	ND	1.0	11/25/13 14:16	
1,4-Dichlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
2,2-Dichloropropane	ug/L	ND	1.0	11/25/13 14:16	
2-Butanone (MEK)	ug/L	ND	5.0	11/25/13 14:16	
2-Chlorotoluene	ug/L	ND	1.0	11/25/13 14:16	
2-Hexanone	ug/L	ND	5.0	11/25/13 14:16	
4-Chlorotoluene	ug/L	ND	1.0	11/25/13 14:16	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	11/25/13 14:16	
Acetone	ug/L	ND	25.0	11/25/13 14:16	
Benzene	ug/L	ND	1.0	11/25/13 14:16	
Bromobenzene	ug/L	ND	1.0	11/25/13 14:16	
Bromochloromethane	ug/L	ND	1.0	11/25/13 14:16	
Bromodichloromethane	ug/L	ND	1.0	11/25/13 14:16	
Bromoform	ug/L	ND	1.0	11/25/13 14:16	
Bromomethane	ug/L	ND	5.0	11/25/13 14:16	
Carbon tetrachloride	ug/L	ND	1.0	11/25/13 14:16	
Chlorobenzene	ug/L	ND	1.0	11/25/13 14:16	
Chloroethane	ug/L	ND	1.0	11/25/13 14:16	
Chloroform	ug/L	ND	1.0	11/25/13 14:16	
Chloromethane	ug/L	ND	1.0	11/25/13 14:16	
cis-1,2-Dichloroethene	ug/L	ND	1.0	11/25/13 14:16	
cis-1,3-Dichloropropene	ug/L	ND	1.0	11/25/13 14:16	
Dibromochloromethane	ug/L	ND	1.0	11/25/13 14:16	
Dibromomethane	ug/L	ND	1.0	11/25/13 14:16	
Dichlorodifluoromethane	ug/L	ND	1.0	11/25/13 14:16	
Diisopropyl ether	ug/L	ND	1.0	11/25/13 14:16	
Ethylbenzene	ug/L	ND	1.0	11/25/13 14:16	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	11/25/13 14:16	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

METHOD BLANK: 1092924 Matrix: Water
Associated Lab Samples: 92180341008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	2.0	11/25/13 14:16	
Methyl-tert-butyl ether	ug/L	ND	1.0	11/25/13 14:16	
Methylene Chloride	ug/L	ND	2.0	11/25/13 14:16	
Naphthalene	ug/L	ND	1.0	11/25/13 14:16	
o-Xylene	ug/L	ND	1.0	11/25/13 14:16	
p-Isopropyltoluene	ug/L	ND	1.0	11/25/13 14:16	
Styrene	ug/L	ND	1.0	11/25/13 14:16	
Tetrachloroethene	ug/L	ND	1.0	11/25/13 14:16	
Toluene	ug/L	ND	1.0	11/25/13 14:16	
trans-1,2-Dichloroethene	ug/L	ND	1.0	11/25/13 14:16	
trans-1,3-Dichloropropene	ug/L	ND	1.0	11/25/13 14:16	
Trichloroethene	ug/L	ND	1.0	11/25/13 14:16	
Trichlorofluoromethane	ug/L	ND	1.0	11/25/13 14:16	
Vinyl acetate	ug/L	ND	2.0	11/25/13 14:16	
Vinyl chloride	ug/L	ND	1.0	11/25/13 14:16	
Xylene (Total)	ug/L	ND	2.0	11/25/13 14:16	
1,2-Dichloroethane-d4 (S)	%	101	70-130	11/25/13 14:16	
4-Bromofluorobenzene (S)	%	103	70-130	11/25/13 14:16	
Toluene-d8 (S)	%	97	70-130	11/25/13 14:16	

LABORATORY CONTROL SAMPLE: 1092925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.0	96	70-130	
1,1,1-Trichloroethane	ug/L	50	51.9	104	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	46.7	93	70-130	
1,1,2-Trichloroethane	ug/L	50	48.3	97	70-130	F3
1,1-Dichloroethane	ug/L	50	52.0	104	70-130	
1,1-Dichloroethene	ug/L	50	67.1	134	70-130	F3,L0
1,1-Dichloropropene	ug/L	50	54.5	109	70-130	
1,2,3-Trichlorobenzene	ug/L	50	48.1	96	70-130	
1,2,3-Trichloropropane	ug/L	50	45.7	91	70-130	
1,2,4-Trichlorobenzene	ug/L	50	48.3	97	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.7	91	70-130	
1,2-Dichlorobenzene	ug/L	50	46.6	93	70-130	
1,2-Dichloroethane	ug/L	50	47.5	95	70-130	
1,2-Dichloropropane	ug/L	50	51.7	103	70-130	
1,3-Dichlorobenzene	ug/L	50	45.2	90	70-130	
1,3-Dichloropropane	ug/L	50	48.9	98	70-130	
1,4-Dichlorobenzene	ug/L	50	45.3	91	70-130	
2,2-Dichloropropane	ug/L	50	57.6	115	70-130	
2-Butanone (MEK)	ug/L	100	116	116	70-130	
2-Chlorotoluene	ug/L	50	45.6	91	70-130	
2-Hexanone	ug/L	100	108	108	70-130	
4-Chlorotoluene	ug/L	50	45.5	91	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

LABORATORY CONTROL SAMPLE: 1092925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/L	100	104	104	70-130	
Acetone	ug/L	100	123	123	70-130	
Benzene	ug/L	50	54.1	108	70-130	
Bromobenzene	ug/L	50	45.6	91	70-130	
Bromochloromethane	ug/L	50	47.1	94	70-130	
Bromodichloromethane	ug/L	50	48.4	97	70-130	
Bromoform	ug/L	50	45.6	91	70-130	
Bromomethane	ug/L	50	51.0	102	70-130	
Carbon tetrachloride	ug/L	50	50.9	102	70-130	
Chlorobenzene	ug/L	50	46.6	93	70-130	
Chloroethane	ug/L	50	40.3	81	70-130	
Chloroform	ug/L	50	48.1	96	70-130	
Chloromethane	ug/L	50	49.4	99	70-130	
cis-1,2-Dichloroethene	ug/L	50	49.4	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.0	104	70-130	
Dibromochloromethane	ug/L	50	48.9	98	70-130	
Dibromomethane	ug/L	50	48.0	96	70-130	
Dichlorodifluoromethane	ug/L	50	41.5	83	70-130	
Diisopropyl ether	ug/L	50	53.5	107	70-130	
Ethylbenzene	ug/L	50	47.6	95	70-130	
Hexachloro-1,3-butadiene	ug/L	50	48.9	98	70-130	
m&p-Xylene	ug/L	100	95.6	96	70-130	
Methyl-tert-butyl ether	ug/L	50	53.1	106	70-130	
Methylene Chloride	ug/L	50	58.7	117	70-130	
Naphthalene	ug/L	50	48.7	97	70-130	
o-Xylene	ug/L	50	47.0	94	70-130	
p-Isopropyltoluene	ug/L	50	50.5	101	70-130	
Styrene	ug/L	50	48.5	97	70-130	
Tetrachloroethene	ug/L	50	51.1	102	70-130	
Toluene	ug/L	50	49.6	99	70-130	
trans-1,2-Dichloroethene	ug/L	50	56.8	114	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.2	102	70-130	
Trichloroethene	ug/L	50	50.7	101	70-130	
Trichlorofluoromethane	ug/L	50	41.7	83	70-130	
Vinyl acetate	ug/L	100	121	121	70-130	
Vinyl chloride	ug/L	50	52.4	105	70-130	
Xylene (Total)	ug/L	150	143	95	70-130	
1,2-Dichloroethane-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1094253 1094254

Parameter	Units	92179772004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L				55.5	55.0				1	30	
1,1,1-Trichloroethane	ug/L				56.9	56.7				0	30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1094253 1094254

Parameter	Units	92179772004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,2,2-Tetrachloroethane	ug/L				54.3	54.8				1	30	
1,1,2-Trichloroethane	ug/L				56.0	55.3				1	30	
1,1-Dichloroethane	ug/L				54.3	52.8				3	30	
1,1-Dichloroethene	ug/L				57.4	56.7				1	30	
1,1-Dichloropropene	ug/L				58.0	57.5				1	30	
1,2,3-Trichlorobenzene	ug/L				51.9	51.3				1	30	
1,2,3-Trichloropropane	ug/L				54.8	53.8				2	30	
1,2,4-Trichlorobenzene	ug/L				52.4	51.3				2	30	
1,2-Dibromo-3-chloropropane	ug/L				55.5	51.7				7	30	
1,2-Dichlorobenzene	ug/L				54.8	52.7				4	30	
1,2-Dichloroethane	ug/L	ND	50	50	53.1	53.1	106	106	70-130	0	30	
1,2-Dichloropropane	ug/L				55.7	55.0				1	30	
1,3-Dichlorobenzene	ug/L				53.7	51.7				4	30	
1,3-Dichloropropane	ug/L				55.4	54.2				2	30	
1,4-Dichlorobenzene	ug/L				54.5	53.4				2	30	
2,2-Dichloropropane	ug/L				58.3	58.8				1	30	
2-Butanone (MEK)	ug/L				99.8	102				2	30	
2-Chlorotoluene	ug/L				53.6	52.0				3	30	
2-Hexanone	ug/L				96.2	99.3				3	30	
4-Chlorotoluene	ug/L				55.4	55.2				0	30	
4-Methyl-2-pentanone (MIBK)	ug/L				100	99.6				0	30	
Acetone	ug/L				94.5	83.4				12	30	
Benzene	ug/L	3.0	50	50	60.5	60.6	115	115	70-130	0	30	
Bromobenzene	ug/L				54.9	54.3				1	30	
Bromochloromethane	ug/L				55.0	55.0				0	30	
Bromodichloromethane	ug/L				56.0	56.4				1	30	
Bromoform	ug/L				56.0	55.7				0	30	
Bromomethane	ug/L				59.8	59.6				0	30	
Carbon tetrachloride	ug/L				55.1	54.6				1	30	
Chlorobenzene	ug/L				54.7	54.2				1	30	
Chloroethane	ug/L				53.5	55.3				3	30	
Chloroform	ug/L				54.7	53.4				2	30	
Chloromethane	ug/L				46.1	45.4				2	30	
cis-1,2-Dichloroethene	ug/L				52.6	51.1				3	30	
cis-1,3-Dichloropropene	ug/L				57.7	56.7				2	30	
Dibromochloromethane	ug/L				53.7	53.1				1	30	
Dibromomethane	ug/L				55.1	54.9				0	30	
Dichlorodifluoromethane	ug/L				51.5	51.6				0	30	
Diisopropyl ether	ug/L	ND	50	50	50.6	50.1	101	100	70-130	1	30	
Ethylbenzene	ug/L	5.5	50	50	59.9	59.3	109	108	70-130	1	30	
Hexachloro-1,3-butadiene	ug/L				57.3	58.7				2	30	
m&p-Xylene	ug/L	13.5	100	100	126	123	112	110	70-130	2	30	
Methyl-tert-butyl ether	ug/L	ND	50	50	58.3	57.7	117	115	70-130	1	30	
Methylene Chloride	ug/L				50.2	50.3				0	30	
Naphthalene	ug/L	ND	50	50	49.8	48.5	100	97	70-130	3	30	
o-Xylene	ug/L	5.4	50	50	61.1	60.1	112	109	70-130	2	30	
p-Isopropyltoluene	ug/L				58.2	58.0				0	30	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: CASTLEBRIDGE
Pace Project No.: 92180341

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1094253 1094254

Parameter	Units	92179772004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Styrene	ug/L				56.4	56.3				0	30	
Tetrachloroethene	ug/L				58.9	57.9				2	30	
Toluene	ug/L	7.2	50	50	63.7	62.5	113	110	70-130	2	30	
trans-1,2-Dichloroethene	ug/L				55.2	55.2				0	30	
trans-1,3-Dichloropropene	ug/L				57.3	56.6				1	30	
Trichloroethene	ug/L				56.4	55.8				1	30	
Trichlorofluoromethane	ug/L				50.6	50.2				1	30	
Vinyl acetate	ug/L				96.8	96.9				0	30	
Vinyl chloride	ug/L				52.4	52.3				0	30	
1,2-Dichloroethane-d4 (S)	%						96	97	70-130			
4-Bromofluorobenzene (S)	%						103	102	70-130			
Toluene-d8 (S)	%						100	101	70-130			

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: CASTLEBRIDGE
Pace Project No.: 92180341

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C	Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

F3	The recovery of the second source standard used to verify the initial calibration curve for this analyte is outside the laboratory's control limits. The result is estimated.
H1	Analysis conducted outside the EPA method holding time.
L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: CASTLEBRIDGE
Pace Project No.: 92180341

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92180341001	**MW-1D**	EPA 8260	MSV/24992		
92180341002	**MW-1D DUPLICATE**	EPA 8260	MSV/24992		
92180341003	**MW-2D**	EPA 8260	MSV/24992		
92180341004	**MW-3**	EPA 8260	MSV/24992		
92180341005	**MW-4**	EPA 8260	MSV/24992		
92180341006	**MW-5**	EPA 8260	MSV/24993		
92180341007	**MW-6D**	EPA 8260	MSV/24993		
92180341008	**MW-7D**	EPA 8260	MSV/25009		
92180341009	**MW-8**	EPA 8260	MSV/24993		
92180341010	**MW-9**	EPA 8260	MSV/24993		
92180341011	**MW-10**	EPA 8260	MSV/24993		
92180341012	**MW-11**	EPA 8260	MSV/24993		
92180341013	**MW-12**	EPA 8260	MSV/24993		
92180341014	**MW-13**	EPA 8260	MSV/24993		
92180341015	**FIELD BLANK**	EPA 8260	MSV/24992		
92180341016	**TRIP BLANK**	EPA 8260	MSV/24992		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: June 12, 2013 Page 1 of 2
	Document Number: F-CHR-CS-03-rev.11	Issuing Authority: Pace Huntersville Quality Office

Client Name: Jordan

Where Received: ☑ Huntersville ☐ Asheville ☐ Eden ☐ Raleigh

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☑ Pace Other_____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Optional
Proj. Due Date:
Proj. Name:

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other_____

Thermometer Used: IR Gun T1102 (T1301 **Type of Ice:** (Wet) Blue None ☑ Samples on ice, cooling process has begun

Temp Correction Factor **T1102**: No Correction **T1301**: No Correction

Corrected Cooler Temp.: 4.8 C **Biological Tissue is Frozen:** Yes No N/A

Temp should be above freezing to 6°C

Date and Initials of person examining contents: EO 11/20/13

Comments:

Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	5.
Short Hold Time Analysis (<72hr):	☐Yes ☑No ☐N/A	6.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	7.
Sufficient Volume:	☑Yes ☐No ☐N/A	8.
Correct Containers Used:	☑Yes ☐No ☐N/A	9.
-Pace Containers Used:	☑Yes ☐No ☐N/A	
Containers Intact:	☑Yes ☐No ☐N/A	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☑N/A	11.
Sample Labels match COC:	☑Yes ☐No ☐N/A	12.
-Includes date/time/ID/Analysis Matrix:_____		
All containers needing preservation have been checked.	☐Yes ☐No ☑N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes ☐No ☑N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	☑Yes ☐No	
Samples checked for dechlorination:	☐Yes ☐No ☑N/A	14.
Headspace in VOA Vials (>6mm):	☐Yes ☑No ☐N/A	15.
Trip Blank Present:	☑Yes ☐No ☐N/A	16. No Date/time on TB
Trip Blank Custody Seals Present	☑Yes ☐No ☐N/A	
Pace Trip Blank Lot # (if purchased):_____		

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted:_____ Date/Time:_____

Comments/ Resolution:_____

SCURF Review:	KLH	**Date:**	11/20/13
SRF Review:	KLH	**Date:**	11/21/13

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

WO#: 92180341

92180341

Pace Analytical
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

1732690

Section A Required Client Information

Company	Terracon
Address	3534 Rutherford Rd.
	Taylors, SC 29687
Email To	cdeady@terracon.com
Phone / Fax	864.292.2901 / 864.292.6361
Requested Due Date/TAT	STANDARD

Section B Required Project Information

Report To	Craig Eady
Copy To	
Purchase Order No	
Project Name	Castlebridge
Project Number	86117104

Section C Invoice Information

Attention	Craig Eady
Company Name	Terracon
Address	same
Pace Quote Reference	
Pace Project Manager	
Pace Profile #	3136 - 3

REGULATORY AGENCY: NPDES / GROUND WATER / DRINKING WATER / UST / RCRA / OTHER

Site Location STATE: SC

Section D Required Client Information

Matrix Codes

MATRIX	CODE
Drinking Water	DW
Water	WT
Waste Water	WW
Product	P
Soil/Solid	SL
Oil	OL
Wipe	WP
Air	AR
Tissue	TS
Other	OT

Requested Analysis Filtered (Y/N): VOC-8260 (Full)

ITEM #	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED Composite Start Date	Composite Start Time	Composite End/Grab Date	Composite End/Grab Time	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	MW-1D	WT	G			11/18/13	1655		3	3								✓		001
2	MW-1D Duplicate					11/18/13	1655											✓		002
3	MW-2D					11/18/13	1305											✓		003
4	MW-3					11/18/13	1425											✓		004
5	MW-4					11/18/13	1500											✓		005
6	MW-5					11/18/13	1545											✓		006
7	MW-6D					11/18/13	1815											✓		007
8	MW-7D					11/13/13	1555											✓		008
9	MW-8					11/13/13	1650											✓		009
10	MW-9					11/18/13	1735											✓		010
11	MW-10					11/18/13	1800											✓		011
12	MW-11					11/13/13	1355											✓		012

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	[signature]	11/19/13	1400	[signature]	11/19/13	1400				
	Beaver			Amoody - Pace	11-20-13	11:35				
	Amoody	11-20-13	17:05	Zack Koehler / Pace	11/20/13	1705	4.8	Y	N	Y
							Temp in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ryan C. Haynes

SIGNATURE of SAMPLER: [signature] DATE Signed (MM/DD/YY): 11/19/13

ORIGINAL

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev 07 15-May-2007

Pace Analytical
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT All relevant fields must be completed accurately

1732691

Section A Required Client Information	Section B Required Project Information	Section C Invoice Information
Company: Terracon	Report To: Craig Eady	Attention: Craig Eady
Address: 3534 Rutherford Rd. Taylors, SC 29687	Copy To:	Company Name: Terracon
		Address: same
Email To: cdeady@terracon.com	Purchase Order No:	Pace Quote Reference:
Phone: 864-292-2901 Fax: 864-292-6361	Project Name: Cattlebridge	Pace Project Manager:
Requested Due Date/TAT: STANDARD	Project Number: 86117104	Pace Profile #:

REGULATORY AGENCY

NPDES / GROUND WATER / DRINKING WATER
UST / RCRA / OTHER _____

Site Location STATE: SC

Section D Required Client Information

Matrix Codes MATRIX / CODE: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED Composite Start DATE	Composite Start TIME	Composite End/Grab DATE	Composite End/Grab TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test (Y/N): VOC-8260 (FULL)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	MW-12	WT	G			11/13/13	1450											✓		013
2	MW-13	↓	↓			11/13/13	1235											✓		014
3	Field Blank					11/13/13	1145											✓		015
4	Trip Blank																	✓		016
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	[signature]	11/19/13	1400	[signature]	11/19/13	1400	
	~~[signature]~~	~~11/20/13~~					
	Benny			B Moody - Pace	11-20-13	11:35	
	B Moody	11-20-13	17:05	[signature] Pace	11/20/13	1705	4.8 / Y / N / Y

Temp in C / Received on Ice (Y/N) / Custody Sealed Cooler (Y/N) / Samples Intact (Y/N)

ORIGINAL

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ryan C. Haynes

SIGNATURE of SAMPLER: [signature] DATE Signed (MM/DD/YY): 11/19/13

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days

APPENDIX F

SC DHEC MONITORING WELL APPROVAL

D H E C

PROMOTE PROTECT PROSPER

Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

September 25, 2013

Mr. Thom Morgan
Castlebridge Properties LLC
PO Box 128
Hazelwood, NC 28738

RE: Approval
Monitoring Well Sampling Results
Castlebridge Properties, LLC Property
File # 057423

Dear Mr. Morgan:

The South Carolina Department of Health and Environmental Control (Department) received the above referenced report on August 9, 2013. This report summarizes the results of recent sampling activities at the Castlebridge property located at 200 and 280 National Avenue in Spartanburg, SC. This report also recommends the installation of six permanent monitoring wells.

After reviewing the report, the Department concurs with the installation of the six monitoring wells. A monitoring well approval is attached.

If you have any questions, please contact me at longkd@dhec.sc.gov or (803) 898-0774.

Sincerely,

Keisha D. Long

Keisha D. Long
State Remediation Section
Bureau of Land and Waste Management

CC: R. Gary Stewart, P.E., State Remediation
Cindy Carter, Upstate EQC - Spartanburg
✓Craig D. Eady, P.G., Terracon
File # 057423

D H E C

PROMOTE PROTECT PROSPER

Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

Monitoring Well Approval

Date of Issuance: September 24, 2013 **Approval #:** MW-09332

Approval is hereby granted to: Craig Eady, Terracon
3534 Rutherford Road
Taylors, South Carolina 29687

Facility: Castlebridge Properties, LLC Property, 200/280 National Avenue
VCC 07-5712-RP
Spartanburg County

This approval is for the installation of six (6) permanent groundwater monitoring wells. The wells will be installed in the locations as illustrated in Figure 3 and per the construction details included in the Monitoring Well Sampling Results report dated July 1, 1013. These monitoring wells are to be installed following all of the applicable requirements of R.61-71.

Please note that R.61-71 requires the following:

1. All wells shall be drilled, constructed, and abandoned by a South Carolina certified well driller per R.61-71.D.1.

2. All wells shall be properly developed per R.61-71.H.2.d. A Water Well Record Form or other form provided or approved by the Department shall be completed and submitted within 30 days after well completion or abandonment unless another schedule has been approved by the Department. The form should contain the "as-built" construction details and all other information required by R.61-71.H.1.f

3. All analytical data and water levels obtained from each monitoring well shall be submitted to the Project Manager (Keisha Long) within 30 days of receipt of laboratory results unless another schedule has been approved by the Department as required by R.61-71.H.1.d.

4. All monitoring wells shall be labeled as required by R.61-71.H.2.c.

5. If any of the information provided to the Department changes, including the proposed drilling date, the Project Manager (Keisha Long) shall be notified at least twenty-four (24) hours prior to well construction as required by R.61-71.H.1.a.

This approval is pursuant to the provisions of Section 44-55-40 of the 1976 South Carolina Code of Laws and R.61-71 of the South Carolina Well Standards and Regulations, dated April 25, 2008.

Carol C. Minsk

Carol C. Minsk, Hydrogeologist
Division of Site Assessment, Remediation and Revitalization
Bureau of Land and Waste Management

cc: Keisha Long