

South Carolina 2003 Reportable Diseases by County

County	AIDS	Aseptic Meningitis	Campylobacteriosis	Chickenpox	Chlamydia	Cryptosporidiosis	Escherichia coli O157:h7 infection	Gonorrhea	Haemophilus influenzae infections, type B, invasive	Hepatitis A (Acute)	Hepatitis B (Acute)	Hepatitis C (Acute)
South Carolina	734	0	234	349	14875	17	7	8643	13	56	200	30
Abbeville	*			1	72			51				
Aiken	10		6		364			202	2	2	5	1
Allendale	*		2	1	90			58			1	
Anderson	15		15	2	306		1	308	2		4	8
Bamberg	8		1		135			58			1	
Barnwell	12		1		82			30				
Beaufort	13		11	3	418			144			4	
Berkeley	9		10	8	257	2		120		2	2	1
Calhoun	5		1	2	24			10				
Charleston	69		29	37	1880	2		1158	4	6	22	1
Cherokee	4			4	177			114		1	1	
Chester	*		1		142			65		1	1	1
Chesterfield	*		2		133	1		83			1	
Clarendon	7		5	1	146			80				
Colleton	8			1	137			42			2	
Darlington	19			5	214	1		210		1	5	1
Dillon	6			2	194	1		127				
Dorchester	13		8	15	330			153	1		6	
Edgefield	*		1		51	1		41		1	1	
Fairfield	4		1	1	131			58			1	
Florence	30		3	24	538			339			7	1
Georgetown	12		5	1	231	1		106			4	
Greenville	65		25	74	1075	1	1	607		3	16	
Greenwood	10		1	11	251			280		3	3	
Hampton	8				300			253	1		1	
Horry	24		12		548		1	440	1	4	20	
Jasper	*		1		79			41		1		1
Kershaw	7		5	2	193			97		2	7	
Lancaster	11		3	18	206	1	1	123		4	1	1
Laurens	7		2	7	176			74			4	
Lee	10				101			66				1
Lexington	23		19	15	337	2		166		1	4	
Marion	6		1	2	191			189			1	
Marlboro	5		1		145			93		1	2	
McCormick	*				27			23			1	
Newberry	4		1		152			71		1	2	2
Oconee	*		16		69		1	39		2	1	
Orangeburg	31		1	5	606			295		2	8	
Pickens	4		5	38	95		1	71			4	
Richland	145		18	8	1844		1	987		8	26	6
Saluda	*				46			14				
Spartanburg	27		3	15	821			446	1	1	8	
Sumter	44		7	3	673			222	1	2	8	1
Union	6		1		85			59			2	
Williamsburg	13			1	197			131		1	1	
York	19		10	42	492	4		258		6	12	4

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).

South Carolina 2003 Reportable Diseases by County

County	HIV/AIDS	Influenza	Legionellosis	Listeriosis	Lyme Disease	Lymphogranuloma venereum	Meningococcal Disease	Multiple drug-resistant pneumococcus	Mumps	Pertussis	Rabies, Animal	Rocky Mountain Spotted Fever
South Carolina	858	712	10	9	18	0	29	0	6	223	256	52
Abbeville	*	2							1		7	
Aiken	18	4			1						6	
Allendale	*										1	
Anderson	16	2			1		1			6	10	3
Bamberg	5										2	
Barnwell	9	1										
Beaufort	22	1			2		1			1	1	
Berkeley	11	9	1							3	5	3
Calhoun	*	5									6	
Charleston	80	49	2		1		5			21	29	1
Cherokee	5						1				2	
Chester	5	11								1	6	2
Chesterfield	7	2									4	
Clarendon	8	12							1		2	
Colleton	10	1	1							1	4	1
Darlington	13		1						1			
Dillon	9	1		1							1	
Dorchester	15	29			1		2			4	8	
Edgefield	*	1									3	
Fairfield	6	5			1						1	1
Florence	40	25			1					2	6	3
Georgetown	13	7								114	3	3
Greenville	75	4	1	1	2		6			5	14	2
Greenwood	14	7					1		2	1	4	2
Hampton	8									2		
Horry	36	18	1		1		1			37	13	3
Jasper	6									1	1	
Kershaw	13	3								2	8	
Lancaster	7	37	1		1						2	5
Laurens	7	3								2	17	
Lee	6										1	
Lexington	31	74					1		1	3	10	1
Marion	5	19									2	1
Marlboro	*	3									1	
McCormick	*	1			1					1		
Newberry	6	17		4							10	
Oconee	*						1			1	1	
Orangeburg	31	32		2						1	8	1
Pickens	*	3	1				2				4	4
Richland	179	189			2		1			7	9	5
Saluda	*	8								1	6	
Spartanburg	29	2		1	1		2			1	15	2
Sumter	48		1				1				4	1
Union	10						2					1
Williamsburg	11	2								5	2	1
York	26	123			2		1				17	6

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).

South Carolina 2003 Reportable Diseases by County

County	Salmonellosis	Shigellosis	Syphilis, Congenital	Syphilis, Infectious	Toxic Shock Syndrome	Tuberculosis	Vancomycin- resistant enterococcus					
South Carolina	881	572	12	92	0	254	589					
Abbeville	4	2				1						
Aiken	21	1				2	8					
Allendale	6	1		1		1	5					
Anderson	30	136		16		2	19					
Bamberg		1					1					
Barnwell	8	4				4	2					
Beaufort	50	5				9	10					
Berkeley	25	1				12	21					
Calhoun	2					2	2					
Charleston	112	6		3		19	136					
Cherokee	4			1		5	6					
Chester	12	7		7		2	3					
Chesterfield	15	3				2	1					
Clarendon	4	2				2	2					
Colleton	5			1		5	14					
Darlington	7	1		4		8	4					
Dillon	11					5	1					
Dorchester	28	3		1		9	15					
Edgefield	6					1	1					
Fairfield		1	1	3			2					
Florence	25	5	2	1		17	9					
Georgetown	36	20				5	14					
Greenville	55	9		3		11	144					
Greenwood	13	2		2		6	3					
Hampton	2	2				1	6					
Horry	97	32	1	2		25	17					
Jasper	2					1						
Kershaw	19	2				1	4					
Lancaster	11	60		1		1	5					
Laurens	4	2				2	10					
Lee	2					4	4					
Lexington	36	30		2		6	9					
Marion	8					12	6					
Marlboro	6					2						
McCormick	5											
Newberry	4	1		1		2	1					
Oconee	7	2	1				2					
Orangeburg	18	1		6		5	7					
Pickens	9	3				1	4					
Richland	74	99		18		20	28					
Saluda	1	3				1	1					
Spartanburg	16			2		11	21					
Sumter	34	31	3	7		10	9					
Union	4					1	2					
Williamsburg	5	5		1		3	5					
York	38	89	4	9		15	25					

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).

South Carolina 2003 Case Rates of Reportable Diseases by County

(Rates per 100,000 population)

County	AIDS	Asceptic Meningits	Campylobacteriosis	Chickenpox	Chlamydia	Cryptosporidiosis	Escherichia coli 0157:h7 infection	Gonorrhea	Haemophilus influenzae infections, type B, invasive	Hepatitis A (Acute)	Hepatitis B (Acute)	Hepatitis C (Acute)
South Carolina	17.9	0	5.7	8.5	362.2	0.4	0.2	210.4	0.3	1.4	4.9	0.7
Abbeville	7.6			3.8	272.5			193				
Aiken	6.9		4.1		250.6			139	1.4	1.4	3.4	0.7
Allendale	27.4		18.3	9.1	822			529.7			9.1	
Anderson	8.8		8.8	1.2	179.4		0.6	180.6	1.2		2.3	4.7
Bamberg	49		6.1		827.5			355.5			6.1	
Barnwell	51.3		4.3		350.3			128.2				
Beaufort	10.2		8.6	2.3	326.6			112.5			3.1	
Berkeley	6.2		6.9	5.5	176.9	1.4		82.6		1.4	1.4	0.7
Calhoun	32.5		6.5	13	156.2			65.1				
Charleston	21.8		9.2	11.7	593.9	0.6		365.8	1.3	1.9	6.9	0.3
Cherokee	7.5			7.5	330.7			213		1.9	1.9	
Chester	5.8		2.9		415.1			190		2.9	2.9	2.9
Chesterfield	6.9		4.6		307.8	2.3		192.1			2.3	
Clarendon	21.3		15.2	3	443.8			243.2				
Colleton	20.6			2.6	353.1			108.2			5.2	
Darlington	28			7.4	315	1.5		309.1		1.5	7.4	1.5
Dillon	19.4			6.5	627.5	3.2		410.8				
Dorchester	12.9		7.9	14.9	327.3			151.7	1		6	
Edgefield	12.1		4		205.1	4		164.9		4	4	
Fairfield	16.7		4.2	4.2	545.8			241.6			4.2	
Florence	23.6		2.4	18.9	422.8			266.4			5.5	0.8
Georgetown	20.6		8.6	1.7	396.5	1.7		181.9			6.9	
Greenville	16.6		6.4	18.9	274.7	0.3	0.3	155.1		0.8	4.1	
Greenwood	14.8		1.5	16.3	372.1			415.1		4.4	4.4	
Hampton	37.5				1407			1187	4.7		4.7	
Horry	11.6		5.8		266		0.5	213.6	0.5	1.9	9.7	
Jasper	14.3		4.8		376.7			195.5		4.8		4.8
Kershaw	13.1		9.3	3.7	359.9			180.9		3.7	13.1	
Lancaster	17.7		4.8	28.9	331.1	1.6	1.6	197.7		6.4	1.6	1.6
Laurens	9.9		2.8	9.9	249.6			105			5.7	
Lee	48.9				493.9			322.7				4.9
Lexington	10.3		8.5	6.7	151.2	0.9		74.5		0.4	1.8	
Marion	17.2		2.9	5.7	546.3			540.6			2.9	
Marlboro	17.4		3.5		505.5			324.2		3.5	7	
McCormick	19.6				264.2			225.1			9.8	
Newberry	10.8		2.7		412			192.4		2.7	5.4	5.4
Oconee	2.9		23.6		101.6		1.5	57.4		2.9	1.5	
Orangeburg	34		1.1	5.5	664.5			323.5		2.2	8.8	
Pickens	3.5		4.4	33.6	84		0.9	62.8			3.5	
Richland	44.1		5.5	2.4	560.3		0.3	299.9		2.4	7.9	1.8
Saluda	5.2				239			72.7				
Spartanburg	10.4		1.2	5.8	316.6			172	0.4	0.4	3.1	
Sumter	41.8		6.7	2.9	639.7			211	1	1.9	7.6	1
Union	20.4		3.4		288.3			200.1			6.8	
Williamsburg	35.6			2.7	539.9			359		2.7	2.7	
York	10.9		5.8	24.2	283.2	2.3		148.5		3.5	6.9	2.3

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Rates may be based on small cell sizes. Please interpret with caution.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).

South Carolina 2003 Case Rates of Reportable Diseases by County

(Rates per 100,000 population)

County	HIV/AIDS	Influenza	Legionellosis	Listeriosis	Lyme Disease	Lymphogranuloma venereum	Meningococcal Disease	Multiple drug-resistant pneumococcus	Mumps	Pertussis	Rabies, Animal	Rocky Mountain Spotted Fever
South Carolina	20.9	17.3	0.2	0.2	0.4	0	0.7	0	0.1	5.4	N/A	1.3
Abbeville	11.4	7.6							3.8		N/A	
Aiken	12.4	2.8			0.7						N/A	
Allendale	18.3										N/A	
Anderson	9.4	1.2			0.6		0.6			3.5	N/A	1.8
Bamberg	30.6										N/A	
Barnwell	38.5	4.3									N/A	
Beaufort	17.2	0.8			1.6		0.8			0.8	N/A	
Berkeley	7.6	6.2	0.7							2.1	N/A	2.1
Calhoun	13	32.5									N/A	
Charleston	25.3	15.5	0.6		0.3		1.6			6.6	N/A	0.3
Cherokee	9.3						1.9				N/A	
Chester	14.6	32.2								2.9	N/A	5.8
Chesterfield	16.2	4.6									N/A	
Clarendon	24.3	36.5							3		N/A	
Colleton	25.8	2.6	2.6							2.6	N/A	2.6
Darlington	19.1		1.5						1.5		N/A	
Dillon	29.1	3.2		3.2							N/A	
Dorchester	14.9	28.8			1		2			4	N/A	
Edgefield	12.1	4									N/A	
Fairfield	25	20.8			4.2						N/A	4.2
Florence	31.4	19.6			0.8					1.6	N/A	2.4
Georgetown	22.3	12								195.7	N/A	5.1
Greenville	19.2	1	0.3	0.3	0.5		1.5			1.3	N/A	0.5
Greenwood	20.8	10.4					1.5		3	1.5	N/A	3
Hampton	37.5									9.4	N/A	
Horry	17.5	8.7	0.5		0.5		0.5			18	N/A	1.5
Jasper	28.6									4.8	N/A	
Kershaw	24.2	5.6								3.7	N/A	
Lancaster	11.3	59.5	1.6		1.6						N/A	8
Laurens	9.9	4.3								2.8	N/A	
Lee	29.3										N/A	
Lexington	13.9	33.2					0.4		0.4	1.3	N/A	0.4
Marion	14.3	54.3									N/A	2.9
Marlboro	7	10.5									N/A	
McCormick		9.8			9.8					9.8	N/A	
Newberry	16.3	46.1		10.8							N/A	
Oconee	2.9						1.5			1.5	N/A	
Orangeburg	34	35.1		2.2						1.1	N/A	1.1
Pickens	2.7	2.7	0.9				1.8				N/A	3.5
Richland	54.4	57.4			0.6		0.3			2.1	N/A	1.5
Saluda	5.2	41.6								5.2	N/A	
Spartanburg	11.2	0.8		0.4	0.4		0.8			0.4	N/A	0.8
Sumter	45.6		1				1				N/A	1
Union	33.9						6.8				N/A	3.4
Williamsburg	30.1	5.5								13.7	N/A	2.7
York	15	70.8			1.2		0.6				N/A	3.5

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Rates may be based on small cell sizes. Please interpret with caution.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).

South Carolina 2003 Case Rates of Reportable Diseases by County

(Rates per 100,000 population)

County	Salmonellosis	Shigellosis	Syphilis, Congenital	Syphilis, Infectious	Toxic Shock Syndrome	Tuberculosis	Vancomycin- resistant enterococcus						
South Carolina	21.5	13.9	0.3	2.2	0	6.2	14.3						
Abbeville	15.1	7.6				3.8							
Aiken	14.5	0.7				1.4	5.5						
Allendale	54.8	9.1		9.1		9.1	45.7						
Anderson	17.6	79.7		9.4		1.2	11.1						
Bamberg		6.1					6.1						
Barnwell	34.2	17.1				17.1	8.5						
Beaufort	39.1	3.9				7	7.8						
Berkeley	17.2	0.7				8.3	14.5						
Calhoun	13					13	13						
Charleston	35.4	1.9		0.9		6	43						
Cherokee	7.5			1.9		9.3	11.2						
Chester	35.1	20.5		20.5		5.8	8.8						
Chesterfield	34.7	6.9				4.6	2.3						
Clarendon	12.2	6.1				6.1	6.1						
Colleton	12.9			2.6		12.9	36.1						
Darlington	10.3	1.5		5.9		11.8	5.9						
Dillon	35.6					16.2	3.2						
Dorchester	27.8	3		1		8.9	14.9						
Edgefield	24.1					4	4						
Fairfield		4.2	4.2	12.5			8.3						
Florence	19.6	3.9	1.6	0.8		13.4	7.1						
Georgetown	61.8	34.3				8.6	24						
Greenville	14.1	2.3		0.8		2.8	36.8						
Greenwood	19.3	3		3		8.9	4.4						
Hampton	9.4	9.4				4.7	28.1						
Horry	47.1	15.5	0.5	1		12.1	8.3						
Jasper	9.5					4.8							
Kershaw	35.4	3.7				1.9	7.5						
Lancaster	17.7	96.4		1.6		1.6	8						
Laurens	5.7	2.8				2.8	14.2						
Lee	9.8					19.6	19.6						
Lexington	16.2	13.5		0.9		2.7	4						
Marion	22.9					34.3	17.2						
Marlboro	20.9					7							
McCormick	48.9												
Newberry	10.8	2.7		2.7		5.4	2.7						
Oconee	10.3	2.9	1.5				2.9						
Orangeburg	19.7	1.1		6.6		5.5	7.7						
Pickens	8	2.7				0.9	3.5						
Richland	22.5	30.1		5.5		6.1	8.5						
Saluda	5.2	15.6				5.2	5.2						
Spartanburg	6.2			0.8		4.2	8.1						
Sumter	32.3	29.5	2.9	6.7		9.5	8.6						
Union	13.6					3.4	6.8						
Williamsburg	13.7	13.7		2.7		8.2	13.7						
York	21.9	51.2	2.3	5.2		8.6	14.4						

Notes: Data provided by the Division of Acute Epidemiology, Tuberculosis Control, and HIV/AIDS/STD, SC DHEC.

All data are provisional. Sexually transmitted diseases are categorized by year of diagnosis.

Rates may be based on small cell sizes. Please interpret with caution.

Due to confidentiality restrictions, cell sizes of 3 or fewer AIDS or HIV/AIDS cases are set to missing (*).