

# Catherine B. Templeton, Director Promoting and protecting the health of the public and the environment

August 14, 2013

Mr. J. Cliff McCowan Senior EHS Specialist Kinder Morgan Southeast Terminals, LLC 205 Sweetwater Road North Augusta, SC 29841

Re: Modification to Attachments A and B for the General Conditional Major Operating Permit for Petroleum Distribution Operations No. GCM-0980-0005

Dear Mr. McCowan:

Enclosed are Attachments A and B to GCM-0980-0005. This modified permit has the same expiration date as the previous General Conditional Major Operating Permit and will remain valid through September 30, 2022. This modified permit is being issued to incorporate changes into your existing Permit as described in the enclosed Record of Revisions.

Please be advised that this facility's periodic reporting period is not affected by this modification. In addition, there have been no changes to the General Conditional Major for Petroleum Distribution Operations. It has not been included and you should retain the copy you were previously issued.

It is important for you and/or an authorized representative responsible for the overall operation of this facility to read this issued permit carefully and to understand all requirements. If any errors or omissions are discovered, please notify Hetal Patel of my staff, via e-mail at patelhy@dhec.sc.gov, or call 803-898-3850 immediately.

Sincerely,

Elizabeth J. Basil

Director, Engineering Services Division

Elyden j Band

Bureau of Air Quality

EJB: hyp:sap

Enclosure

cc: Permit File: 0980-0005

ec: Mark Harvley, BEHS

Connie Turner, Air Toxics Section

Dennis Camit, Engineering Services Division

### South Carolina Board of Health and Environmental Control Guide to Board Review Pursuant to S.C. Code Ann. § 44-1-60 Effective April 1, 2013

The decision of the South Carolina Department of Health and Environmental Control (Department) becomes the final agency decision fifteen (15) calendar days after notice of the decision has been mailed to the applicant, permittee, licensee and affected persons who have requested in writing to be notified, unless a written request for final review accompanied by a filing fee in the amount of \$100 is filed with Department by the applicant, permittee, licensee or affected person.

Applicants, permittees, licensees, and affected parties are encouraged to engage in mediation during the final review process.

If the Board declines in writing to schedule a final review conference, the Department's decision becomes the final agency decision and an applicant, permittee, licensee, or affected person may request a contested case hearing before the Administrative Law Court within thirty (30) calendar days after notice is mailed that the Board declined to hold a final review conference.

#### I. Filing of Request for Final Review

- 1. A written Request for Final Review (RFR) and the required filing fee of one hundred dollars (\$100) must be received by Clerk of the Board within fifteen (15) calendar days after notice of the staff decision has been mailed to the applicant, permittee, licensee, or affected persons. If the 15th day occurs on a weekend or State holiday, the RFR must be received by the Clerk on the next working day. RFRs will not be accepted after 5:00 p.m.
- 2. RFRs shall be in writing and should include, at a minimum, the following information:
  - The grounds for amending, modifying, or rescinding the staff decision;
  - a statement of any significant issues or factors the Board should consider in deciding how to handle the matter;
  - the relief requested; and
  - a copy of the decision for which review is requested.
- 3. RFRs should be filed in person or by mail at the following address:

South Carolina Board of Health and Environmental Control Attention: Clerk of the Board 2600 Bull Street Columbia, South Carolina 29201

Alternatively, RFR's may be filed with the Clerk by facsimile (803-898-3393) or by electronic mail (boardclerk@dhec.sc.gov).

- 4. The filing fee may be paid by cash, certified check or credit card. If a RFR is filed by facsimile or electronic mail, the filing fee may be mailed to the Clerk of the Board and the envelope must be postmarked within the time allowed for filing a RFR.
- 5. If there is any perceived discrepancy in compliance with this RFR filing procedure, the Clerk should consult with the Chairman or, if the Chairman is unavailable, the Vice-Chairman. The Chairman or the Vice-Chairman will determine whether the RFR is timely and properly filed and direct the Clerk to (1) process the RFR for consideration by the Board or (2) return the RFR and filing fee to the requestor with a cover letter explaining why the RFR was not timely or properly filed. Processing an RFR for consideration by the Board shall not be interpreted as a waiver of any claim or defense by the agency in subsequent proceedings concerning the RFR.
- 6. If the RFR will be processed for Board consideration, the Clerk will send an Acknowledgement of RFR to the Requestor and the applicant, permittee, or licensee, if other than the Requestor.
- 7. The Clerk will email the RFR to staff and Office of General Council and request a Department Response within eight (8) working days. Upon receipt of the Department Response, the Clerk will forward the RFR and Department Response to all Board members for review, and all Board members will confirm receipt of the RFR to the Clerk by email. If a Board member does not confirm receipt of the RFR within twenty-four (24) hour period, the Clerk will contact the Board member and confirm receipt. If a Board member believes the RFR should be considered by the RFR Committee, he or she will respond to the Clerk's email within forty-eight (48) hours and will request further review. If no Board member requests further review of the RFR within the forty-eight (48) hour period, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, stating the Board will not hold a Final Review Conference. Contested case guidance will be included with the letter.

NOTE: If the time periods described above end on a weekend or State holiday, the time is automatically extended to 5:00 p.m. on the next business day.

- 8. If the RFR is to be considered by the RFR Committee, the Clerk will notify the Presiding Member of the RFR Committee and the Chairman that further review is requested by the Board.
- 9. Following RFR Committee or Board consideration of the RFR, if it is determined no Conference will be held, the Clerk will send a letter by certified mail to the Requester, with copy by regular mail to the applicant, permitee, or licensee if not the Requestor, stating the Board will not hold a Conference. Contested case guidance will be included with the letter.

#### II. Final Review Conference Scheduling

- 1. If a Conference will be held, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, informing the Requestor of the determination.
- 2. The Clerk will request Department staff provide the Administrative Record.
- 3. The Clerk will send Notice of Final Review Conference to the parties at least ten (10) days before the Conference. The Conference will be publically noticed and should:
  - include the place, date and time of the Conference;
  - state the presentation times allowed in the Conference;
  - state evidence may be presented at the Conference;
  - if the conference will be held by committee, include a copy of the Chairman's order appointing the committee; and
  - inform the Requestor of his or her right to request a transcript of the proceedings of the Conference prepared at Requestor's expense.
- 4. If a party requests a transcript of the proceedings of the Conference and agrees to pay all related costs in writing, including costs for the transcript, the Clerk will schedule a court reporter for the Conference.

#### III. Final Review Conference and Decision

- 1. The order of presentation in the Conference will, subject to the presiding officer's discretion, be as follows:
  - Department staff will provide an overview of the staff decision and the applicable law to include [10 minutes]:
    - Type of decision (permit, enforcement, etc.) and description of the program.
    - Parties
    - Description of facility/site
    - Applicable statutes and regulations
    - Decision and materials relied upon in the administrative record to support the staff decision.
  - Requestor(s) will state the reasons for protesting the staff decision and may provide evidence to support amending, modifying, or rescinding the staff decision. [15 minutes] *NOTE: The burden of proof is on the Requestor(s)*
  - Rebuttal by Department staff [15 minutes]
  - Rebuttal by Requestor(s) [10 minutes]
    - Note: Times noted in brackets are for information only and are superseded by times stated in the Notice of Final Review Conference or by the presiding officer.
- 2. Parties may present evidence during the conference; however, the rules of evidence do not apply.
- 3. At any time during the conference, the officers conducting the conference may request additional information and may question the Requestor, the staff, and anyone else providing information at the conference.
- 4. The presiding officer, in his or her sole discretion, may allow additional time for presentations and may impose time limits on the Conference.
- 5. All Conferences are open to the public.
- 6. The officers may deliberate in closed session.
- 7. The officers may announce the decision at conclusion of the Conference or it may be reserved for consideration.
- 8. The Clerk will mail the written final agency decision (FAD) to parties within 30 days after the Conference. The written decision must explain the basis for the decision and inform the parties of their right to request a contested case hearing before the Administrative Law Court. The FAD will be sent by certified mail, return receipt requested.
- 9. Communications may also be sent by electronic mail, in addition to the forms stated herein, when electronic mail addresses are provided to the Clerk.

The above information is provided as a courtesy; parties are responsible for complying with all applicable legal requirements.

### ATTACHMENT A

### **Facility Information**

### Kinder Morgan Southeast Terminals, LLC GCM-0980-0005 Page 1 of 3

#### **GENERAL INFORMATION**

#### A - APPLICABLE PERMIT DATES

ISSUED DATE: October 1, 2012
EXPIRATION DATE: September 30, 2022
EFFECTIVE COVERAGE DATE: October 1, 2012

#### **B-FACILITY INFORMATION**

FEDERAL EMPLOYER IDENTIFICATION NO.: 76-0380342 SIC CODE(S): 4226 NAICS CODE(S): 493190 EPA (AIRS) FACILITY ID NUMBER: 4503700005

#### C - FACILITY PHYSICAL ADDRESS

FACILITY STREET ADDRESS: 205 Sweetwater Road CITY, STATE, ZIP FACILITY IS LOCATED IN: North Augusta, SC 29841

COUNTY FACILITY IS LOCATED IN: Edgefield

	RECORD OF REVISIONS FOR GCM-0980-0005				
Revision Number	Final Revision Date	Description of Change			
01	06-21-2013	Added Equip. IDs 4, 10, 51, 61, 101, and 151. Added 6.9 x 10 <sup>6</sup> BBL/yr in Maximum Size/Maximum Throughput column to Equip. ID LR. Added SC Reg. 61-62.5, Standard 5 Part T and 40 CFR 63 Subparts A and BBBBBB when in gasoline service to Equip. ID LR. Removed SC Reg. 61-62.5, Standard 5 Part O from Equip. ID 402. Removed SC Reg. 61-62.5, Standard 5 Part P and 40 CFR 63 Subparts A and BBBBBB from Equip. IDs 401 and 403. Removed distillate service for Equip. ID 501. Added 40 CFR 60 Subparts A and Ka to Equip. ID 501.			
02	08-14-2013	Revision to incorporate construction permit 0980-0005-CB for the addition of Tank 101, Tank, 151 and modifications to Unit ID's 03 and 04 to Section D, Equipment Installed Table. Added to Equipment ID's 003 and 61 to the Exempt Equipment List.			

Send copies of all revisions to Permit File.

# ATTACHMENT A

# **Facility Information**

# Kinder Morgan Southeast Terminals, LLC GCM-0980-0005 Page 2 of 3

### D - EQUIPMENT INSTALLED

Equip ID	Exempt Yes / No	Equipment Description	Maximum Size / Maximum Throughput	Fuels Used/ Materials Handled	Installation Date/ Modification Date	Emission Point ID
LR	No	Loading Rack (SC Reg. 61-62.5, Standard 5 Part T) (40 CFR 63 Subpart A and BBBBBB when storing gasoline)	306,600,000 gallons/yr Gasoline, and 306,600,000 galons/yr Distillate	Gasoline/ Distillate	1964/2012	LR
101	No	Above ground internal floating roof storage tank (40 CFR 60 Subpart A, CFR 60 Subpart Kb and 40 CFR 63 Part BBBBBB when storing gasoline)	420,000 gallon	Gasoline/ Distillate	2012	101
151	No	Above ground internal floating roof storage tank (40 CFR 60 Subpart A, CFR 60 Subpart Kb and 40 CFR 63 Part BBBBBB when storing gasoline)	630,000 gallon	Gasoline/ Distillate	2012	151
401	No	Internal floating roof storage tank (SC Reg. 61-62.5, Standard 5 Part O) (40 CFR 63 Subpart A and BBBBBB when storing gasoline)	37,000 barrel (1.554 x 10 <sup>6</sup> gallon)	Gasoline/ Distillate	1964	401
403	No	External floating roof storage tank (SC Reg. 61-62.5, Standard 5 Part P)	35,000 barrel (1.47 x 10 <sup>6</sup> gallon)	Ultra-Low Diesel (ULSD)	1964/2012	403
501	No	External floating roof storage tank (SC Reg. 61-62.5, Standard 5 Part P) (40 CFR 63 Subpart A and BBBBBB)	44,900 barrel (1.8858 x 10 <sup>6</sup> gallon)	Gasoline	1964/2012	501
402	No	Fixed roof storage tank (SC Reg. 61-62.5, Standard 5 Part O)			1964	402
Additive	No	Fixed roof storage tank	200 8 harrel		1991	Additive
002	Yes	Skid mounted horizontal lubricity storage tank	47.6 barrel (2,000 gallon)	Additive	2004	
N/A	Yes	Storage tank	5,000 gallon	Water	Pre-1996	
N/A	Yes	Tote for storage	550 gallon	Red dye		
02x	Yes	Additional piping and associated hardware (valves, pumps, and threaded/flanged connections) needed for butane blending process			2006	
003	Yes	4,000 gallon lubricity additive storage tank	4,000 gallon	Additive	2012	Additive
61	Yes	30,000 gallon above ground ethanol storage tank	30,000 gallon	Ethanol 95%/gasoline 5%	2012	

# ATTACHMENT A

# **Facility Information**

# Kinder Morgan Southeast Terminals, LLC GCM-0980-0005 Page 3 of 3

### **E - CONTROL DEVICES**

Control Device ID	Equipment ID	Control Device Description	Installation Date/ Modification Date	Pollutant(s) Controlled
CD- VCU	LR	Vapor Combustion Unit, J. Zink Model GV-ZTOF, forced draft, thermal oxidizer, two-staged	1991	VOCs/HAPs

### **ATTACHMENT B**

### **Modeled Emission Rates**

### Kinder Morgan Southeast Terminals, LLC GCM-0980-0005 Page 1 OF 1

The emission rates listed herein are not considered federally enforceable limitations but are used to evaluate ambient air quality impact. Until the Department makes a determination that a facility is causing or contributing to an exceedance of a state or federal ambient air quality standard, increases to these emission rates are not in themselves considered violations of these ambient air quality standards.

AMBIENT AIR QUALITY STANDARDS - STANDARD NO. 2					
Emission Point ID	Modeled Emission Rates (lbs/hr)				
Emission Point ID	$PM_{10}$	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>X</sub>	
Vapor Combustion Unit				1.1684	

AMBIENT AIR QUALITY STANDARDS - STANDARD NO. 2					
Emission Point ID	Modeled Emission Rates (lbs/hr)				
Emission Fount ID	CO	Lead	HF	NO <sub>2</sub>	
Additive Tank		2.68E-08			
Tank 401		9.22E-07			
Tank 402		2.00E-07			
Tank 403		2.75E-06			
Tank 501		2.76E-06			
Vapor Combustion Unit	2.9209	1.75E-05			
Fugitive Sources		3.09E-04			

TOXIC AIR POLLUTANTS MODELED - STANDARD NO. 8					
	Modeled Emission Rates (lbs/hr)				
<b>Emission Point ID</b>	Benzene	Cumene	Ethyl Benzene	Hexane	Toluene
	71-43-2	98-82-8	100-41-4	110-54-3	108-88-3
Facility Wide	1.33	0.02	0.15	2.34	2.84

TOXIC AIR POLLUTANTS MODELED - STANDARD NO. 8				
Modeled Emission Rates (lbs/hr)				
<b>Emission Point ID</b>	<b>Isooctane(2, 2, 4-trimethylpentane)</b>	Xylene		
	540-84-1	1330-20-7		
Facility Wide	2.97	0.84		