

# Flu Watch

# Week Ending February 16, 2013 (MMWR Week 7)

All data are provisional and may change as more reports are received.

In this issue:	
I. ILINet	2
II. Virologic surveillance	4
III. Rapid antigen tests	7
IV. Hospitalizations and deaths	8
V. Syndromic surveillance	11
VI. Activity level definitions	15
VII. SC influenza surveillance components	16
VIII. National Surveillance	17

#### MMWR Week 7 at a Glance:

**Influenza Activity Level: REGIONAL**Note: Activity level definitions are found on page 15

ILI Activity Status (South Carolina baseline is 2.05%\*): Below baseline in the Upstate (.33%) and in the Midlands (1.52%). Above baseline along the Coast (5.19%). The state ILI percentage was 1.07%. These data reflect reports from 14 (43.8%) providers.

**SC Viral Isolate and RT-PCR Activity:** 24 positive specimens were reported. Since 9/30/12, 930 positive specimens have been reported.

**Positive Rapid Flu Test Activity:** 479 positive rapid tests were reported. Since 9/30/12, 43,553 positive rapid tests have been reported.

**Hospitalizations:** 29 lab confirmed hospitalizations were reported. Since 9/30/12, 1424 hospitalizations have been reported.


**Deaths:** No lab confirmed deaths were reported. Since 9/30/12, 38 deaths have been reported.

Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths


	Current week	Previous week	Change from previous week
Percent of ILI visits reported by ILINet providers	1.07%	1.10%	▼ .03
Number of positive confirmatory tests	24	12	<b>1</b> 2
Number of lab confirmed flu hospitalizations	29	19	<b>1</b> 0
Number of lab confirmed flu deaths	0	1	<b>V</b> 1

## I. ILINet Influenza-Like Illness Surveillance

**During the most recent MMWR week**, 1.07% of patient visits to SC ILINet providers were due to ILI. This is below the state baseline **(2.05%)**. This ILI percentage compares to .81 % this time last year. Reports were received from providers in 10 counties, representing 6 of the 8 regions. The statewide percentage of ER visits with fever-flu syndrome was 7.02%.



\*The SC baseline is the mean percentage of patient visits for ILI during non-influenza weeks (weeks when percent of positive lab tests was below 20%) for the previous three seasons plus two standard deviations.



<sup>\*</sup>Only includes hospitals participating in SC syndromic surveillance

# Influenza-Like Illness Reported by Sentinel Providers February 10, 2013 – February 16, 2013

County	ILI %	County	ILI %
Abbeville		Greenwood	NR
Aiken	0%	Hampton	5.19%
Allendale		Horry	NR
Anderson	0%	Jasper	NR
Bamberg		Kershaw	1.79%
Barnwell		Lancaster	
Beaufort	NR	Laurens	NR
Berkeley	NR	Lee	
Calhoun		Lexington	NR
Charleston	NR	Marion	
Cherokee		Marlboro	
Chester		McCormick	NR
Chesterfield		Newberry	
Clarendon		Oconee	
Colleton		Orangeburg	
Darlington		Pickens	NR
Dillon	NR	Richland	2.39%
Dorchester	NR	Saluda	0%
Edgefield		Spartanburg	.35%
Fairfield		Sumter	NR
Florence	.79%	Union	
Georgetown	NR	Williamsburg	
Greenville	.36%	York	.67%

NR: No reports received ---: No enrolled providers

Geographic Region	ILI %	# of Reporters
Upstate-Regions 1 -2	.33	7
Midlands-Regions 3-5	1.52	6
Coastal-Regions 6-8	5.19	1



<sup>\*</sup>County ILI percentages are affected by the number of reporting providers within that county.

Positive confirmatory influenza test results* Current MMWR Week (2/10/13 – 2/16/13)					
	BOL	Other clinical labs			
Number of specimens tested	21	NA			
Number of positive specimens	12	12			
Influenza A unsubtyped		2			
Influenza A H1N1	5	1			
Influenza A H3N2	5	2			
Influenza B	2	7			
Other					

Includes culture, RT-PCR, DFA, and IFA

During the previous MMWR week, 24 positive specimens were reported.


Positive confirmatory influenza test results*  Cumulative (09/30/12 – 2/16/13)				
	BOL	Other clinical labs		
Number of specimens tested	398	NA		
Number of positive specimens	274 (68.8%)	656		
Influenza A unsubtyped		304 (46.3%)		
Influenza A H1N1	19 (6.9%)	9 (1.4)		
Influenza A H3N2	240 (87.6%)	304 (46.3%)		
Influenza B	15 (5.5%)	38 (5.8%)		
Other		1 (.15%)		

Includes culture, RT-PCR, DFA, and IFA

# Positive Confirmatory Tests by County Current Week 2/10/13 – 2/16/13


County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville		Dillon		Marion	
Aiken		Dorchester		Marlboro	
Allendale	6	Edgefield		McCormick	
Anderson		Fairfield		Newberry	
Bamberg		Florence		Oconee	
Barnwell		Georgetown		Orangeburg	
Beaufort	6	Greenville		Pickens	
Berkeley		Greenwood		Richland	7
Calhoun		Hampton		Saluda	
Charleston	3	Horry		Spartanburg	
Cherokee		Jasper		Sumter	1
Chester		Kershaw	1	Union	
Chesterfield		Lancaster		Williamsburg	
Clarendon		Laurens		York	
Colleton		Lee		Unknown	
Darlington		Lexington			

Map of Positive Confirmatory Tests by County Cumulative 09/30/12 – 2/16/13



# Positive Confirmatory Tests by County and Type Cumulative 9/30/12 – 2/16/13


	A	A	В	A	Unk		A	A	В	A	Unk
	H1N1	H3N2		Unsub			H1N1	H3N2		Unsub	
Region 1						Region 2					
Abbeville		1				Cherokee				1	
Anderson		8	1	5		Greenville		2		5	
Edgefield		1		6		Pickens		3			
Greenwood		22	1	3		Spartanburg			2	4	
Laurens		2		4		Union					
McCormick		1				Region 4					
Oconee						Chesterfield		1	1	1	
Saluda		1				Clarendon	1	1		3	
Region 3						Darlington		1		1	
Chester				2		Dillon					
Fairfield						Florence		1	1	5	
Lancaster		3		7		Kershaw	1	8		4	
Lexington		5		24		Lee		2		1	
Newberry				1		Marion			1		
Richland	1	14	8	55		Marlboro		1			
York		10	3	13		Sumter		32	5	3	
Region 5						Region 6					
Aiken	1	3	8	135	1	Georgetown		4			
Allendale	4					Horry		19	1	5	
Bamberg						Williamsburg				3	
Barnwell			1	3		Region 8					
Calhoun				1		Beaufort	16	76	3	8	
Orangeburg		4		3		Colleton			2		
Region 7						Hampton		1		2	
Berkeley		17	6			Jasper		2			
Charleston	3	212	8	8							
Dorchester		38	5			Unknown		16	1	1	




**During the past MMWR week,** 479 positive rapid antigen tests were reported. Of these, 185 were influenza A, 290 were influenza B, 3 were influenza A/B, and 1 was unknown. This compares to 122 this time last year. 42,553 positive rapid tests have been reported this year.

Positive Rapid Flu Tests by County February 10, 2013 – February 16, 2013

County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville		Dillon		Lexington	100
Aiken		Dorchester	1	Marion	21
Allendale		Edgefield		Marlboro	1
Anderson		Fairfield	9	McCormick	
Bamberg		Florence	34	Newberry	17
Barnwell		Georgetown		Oconee	
Beaufort	20	Greenville	66	Orangeburg	14
Berkeley	3	Greenwood		Pickens	3
Calhoun		Hampton	14	Richland	84
Charleston	1	Horry		Saluda	
Cherokee	2	Jasper	2	Spartanburg	23
Chester		Kershaw	13	Sumter	10
Chesterfield	2	Lancaster	7	Union	
Clarendon	9	Laurens		Williamsburg	
Colleton	3	Lee		York	
Darlington	20				







# IV. Influenza hospitalizations and deaths


**During the past MMWR week**, 29 lab confirmed\* influenza hospitalizations were reported. No lab confirmed deaths were reported.

	Total number*			
Number of Reporting	49			
Hospitals (Current week)				
	Current MMWR Week (2/10/13-2/16/13)	Cumulative (since 09/30/12)		
Hospitalizations	29	1424		
Deaths	0	38		

<sup>\*</sup>These data are provisional. Lab confirmation for hospitalizations and deaths includes culture, PCR, DFA, IFA, and rapid test.








Lab Confirmed Influenza Deaths by County September 30, 2012 – February 16, 2013						
County	Deaths	County	Deaths			
Aiken	2	Lexington	4			
Barnwell	1	McCormick	1			
Beaufort	2	Newberry	1			
Charleston	1	Oconee	4			
Cherokee	1	Pickens	3			
Clarendon	1	Richland	3			
Georgetown	1	Spartanburg	2			
Greenville	5	Sumter	1			
Horry	1	Williamsburg	1			
Jasper	1	York	2			
Total Deaths		38				

# V. South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)



#### **Cumulative Sums Analysis (CUSUM):**

C1 = Flags because of sharp rise in counts from 1 day to the next

C2 = Flags because of aberrant, initial, rapid rise in counts and peak in counts


C3 = Flags because of a gradual rise in counts over a short time

The SC Statewide Fever-Flu Syndrome graph above illustrates the <u>daily</u> counts of hospital emergency department (ED) visits with an Influenza-like Illness (ILI) for the past 21 days. A total of <u>21 hospital</u> facilities are reporting to the SC-DARTS system. These 21 include: AnMed Health (Region 1); Self Regional (Region 1); Oconee Medical Center (Region 1); Palmetto Health Alliance (Region 2 & 3); Greenville Hospital System (Region 2); Kershaw Health (Region 4); McLeod Health (Region 4); Elgin Urgent Care (Region 4); Medical University of South Carolina (Region 7); Roper (Region 7); St. Francis (Region 7); Trident (Region 7); Colleton (Region 8); and Hampton Regional (Region 8).


#### **Statewide CUSUM Flag Alerts Description:**

No flags for the past week.


Below are the fever-flu syndrome graphs by Region for the past 180 days (weekly interval).




Region1 Hospitals (# of Facilities): AnMed Health (3); Self-Regional (1); Oconee Medical Center (1);




Region 2 Hospitals (# of Facilities): Greenville Hospital System (4); Palmetto Health Easley (1)




Region 3 Hospitals (# of Facilities): Palmetto Health Baptist (1), Palmetto Health Richland (1)



Region 4 Hospitals (# of Facilities): Kershaw Health (1); McLeod Health (1); Elgin Urgent Care (1)



Region 7 Hospitals (# of Facilities): Medical University of South Carolina (1), Roper (1), St. Francis (1), Trident (1)



Region 8 Hospitals (# of Facilities): Hampton Regional (1), Colleton (1)

# VI. Influenza activity levels

Activity Level	ILI activity/Outbreaks		Laboratory data
No activity	Low	And	No lab confirmed cases
	Not increased	And	Isolated lab-confirmed cases
Sporadic			OR
	Not increased	And	Lab confirmed outbreak in one institution
	Increased ILI in 1 region; ILI		Recent (within the past 3 weeks) lab evidence of
	activity in other regions is not	And	influenza in region with increased ILI
	increased		
			OR
Local	2 or more institutional		Recent (within the past 3 weeks) lab evidence of
	outbreaks (ILI or lab		influenza in region with the outbreaks; virus activity is
	confirmed) in 1 region; ILI	And	no greater than sporadic in other regions
	activity in other regions is not		
	increased		
	Increased ILI in 2-3 regions	And	Recent (within the past 3 weeks) lab confirmed
		Tilla	influenza in the affected regions
Regional			OR
	Institutional outbreaks (ILI or	And	Recent (within the past 3 weeks) lab confirmed
	lab confirmed) in 2-3 regions	Allu	influenza in the affected regions
	Increased ILI and/or		Recent (within the past 3 weeks) lab confirmed
Widespread	institutional outbreaks (ILI or	And	influenza in the state.
widespicau	lab confirmed) in at least 4 of	Aliu	
	the regions		

# VII. South Carolina Influenza Surveillance Components

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

#### **Mandatory Reporting**

#### Positive confirmatory test reporting

Positive influenza culture, PCR, DFA, and IFA results from commercial laboratories should be reported to DHEC within 7 days electronically via CHESS or using a DHEC 1129 card.

#### Positive rapid antigen test reporting

Summary numbers of positive rapid influenza tests and influenza type identified should be sent to the Uregional U health department by fax or email before noon on Monday for the preceding week.

#### Influenza death reporting

Lab confirmed influenza deaths in adults should be reported to DHEC within 7 days. Lab confirmed influenza deaths in children under age 18 should be reported within 24 hours. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza. Hospitals should report deaths to their regional health department by noon on Monday for the preceding week.

#### Influenza hospitalizations

DHEC requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their <u>regional</u> health department by noon on Monday for the preceding week.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

#### Voluntary Networks

### <u>Influenza-Like Illness (ILINet) Sentinel Providers</u> <u>Network</u>

ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature of U≥U100°F) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.

# South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)

SC-DARTS is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. Syndromic reports are distributed back to the hospital on a daily basis.


To join the SC-DARTS system or for more information, please contact: Alecia Alianell at 803-898-0269 or alianeat@dhec.sc.gov.

# VIII. National Surveillance MMWR Week 6 (2/3-2/9)

During week 6 (February 3 - 9, 2013), influenza activity remained elevated in the United States, but decreased in most areas.

- o <u>Viral Surveillance:</u> Of 7,608 specimens tested and reported by collaborating laboratories, 1,499 (19.7%) were positive for influenza.
- o <u>Pneumonia and Influenza Mortality:</u> The proportion of deaths attributed to pneumonia and influenza (P&I) was above the epidemic threshold.
- o <u>Influenza-Associated Pediatric Deaths:</u> Five pediatric deaths were reported.
- o <u>Influenza-Associated Hospitalizations:</u> A cumulative rate for the season of 32.1 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported. Of reported hospitalizations, more than 50% were among adults 65 years and older.
- Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 3.2%. This is above the national baseline of 2.2%. All 10 regions reported ILI above region-specific baseline levels. Eleven states and New York City experienced high ILI activity; 10 states experienced moderate activity; the District of Columbia and 13 states experienced low activity, and 16 states experienced minimal activity.
- Geographic Spread of Influenza: Thirty-one states reported widespread influenza activity; Puerto Rico and 14 states reported regional influenza activity; the District of Columbia and 4 states reported local influenza activity; Guam and one state reported sporadic influenza activity, and the U.S. Virgin Islands did not report.

A description of surveillance methods is available at: <a href="http://www.cdc.gov/flu/weekly/overview.htm">http://www.cdc.gov/flu/weekly/overview.htm</a>



Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet 2012-13 Influenza Season Week 6 ending Feb 09, 2013

Data collected in ILINet may disproportionately represent certain populations within a state, and therefore, may not accurately depict the full picture of influenza activity for the whole state.

Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.

Differences in the data presented here by CDC and independently by some state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.

<sup>\*</sup>This map uses the proportion of outpatient visits to health care providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.