## SUMMARY SHEET BOARD OF HEALTH AND ENVIRONMENTAL CONTROL November 8, 2018

\_\_\_\_\_ ACTION/DECISION

# X INFORMATION

- 1. TITLE: Administrative and Consent Orders issued by the Office of Environmental Affairs.
- **2. SUBJECT:** Administrative and Consent Orders issued by the Office of Environmental Affairs during the period September 1, 2018 through September 30, 2018.
- **3.** FACTS: For the period of September 1, 2018 through September 30, 2018, the Office of Environmental Affairs issued ninety (90) Consent Orders with total assessed civil penalties in the amount of one-hundred eighty-one thousand, three hundred ninety-five dollars \$181,395.00. No Administrative Orders were issued for the period of September 1, 2018 through September 30, 2018.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Agreements	Consent Orders	Assessed Penalties
Land and Waste Management					
UST Program	0	0	0	1	\$1,000.00
Aboveground Tanks	0	0	0	0	0
Solid Waste	0	0	0	1	\$3,500.00
Hazardous Waste	0	0	0	1	\$38,000.00
Infectious Waste	0	0	0	0	0
Mining	0	0	0	0	0
SUBTOTAL	0	0	0	3	\$42,500.00
Water					
Recreational Water	0	0	0	32	\$35,660.00
Drinking Water	0	0	0	2	\$2,000.00
Water Pollution	0	0	0	5	\$14,680.00
Dam Safety	0	0	0	0	0
SUBTOTAL	0	0	0	39	\$52,340.00
Air Quality					
SUBTOTAL	0	0	0	5	\$40,830.00
Environmental Health Services					
Food Safety	0	0	0	43	\$45,725.00
Onsite Wastewater	0	0	0	0	0
SUBTOTAL	0	0	0	43	\$45,725.00
OCRM					
SUBTOTAL	0	0	0	0	0
TOTAL	0	0	0	90	\$181,395.00

Submitted by:

Mina U. Ruci

Myra C. Reece Director of Environmental Affairs

# ENVIRONMENTAL AFFAIRS ENFORCEMENT REPORT BOARD OF HEALTH AND ENVIRONMENTAL CONTROL November 8, 2018

### **BUREAU OF LAND AND WASTE MANAGEMENT**

### Underground Storage Tank Enforcement

1) Order Type and Number: Consent Order 18-0157-UST Order Date: September 10, 2018 Individual/Entity: **Tiger Stop South, LLC** Blue Water 17 Facility: 100 Buckwalter Place Boulevard Location: Bluffton, SC 29910 Mailing Address: 78 Ashley Point Drive, Suite 300 Charleston, SC 29407 Beaufort County: Previous Orders: None Permit/ID Number: 19611 Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 et seq. (2002 and Supp. 2014); and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann. Regs. 61-92.280.20(c)(1)(ii) (2017).

<u>Summary</u>: Tiger Stop South, LLC (Individual/Entity) owns and operates underground storage tanks located in Bluffton, South Carolina. On July 23, 2018, the Department conducted a routine inspection and issued a Notice of Alleged Violation because there was a stick in the drop tube shutoff valve on the diesel tank. The stick was removed while the Department's Inspector was on site. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Control Regulation, as follows: failed to maintain overfill prevention equipment on an underground storage tank system.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)**.

### Solid Waste Enforcement

g, Inc.
II

<u>Violations Cited</u>: South Carolina Solid Waste Policy and Management Act of 1991, 15A S.C. Code Ann. Laws, § 44-96-10 et seq. (2002 & Supp. 2016) (Act) and Solid Waste Management: Solid Waste Landfills and Structural Fill, 8 S.C. Code Ann. Regs., R. 61-107.19 (2012) (Regulation).

<u>Summary</u>: P.A.R. Grading & Hauling, Inc. (Individual/Entity), located in Spartanburg, South Carolina, owns and operates PAR Grading Class 1 Landfill. The Department conducted routine inspections on July 6, 2017, August 14, 2017, and March 28, 2018. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act and the Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation as follows: unauthorized waste was dumped inside of the working face; unauthorized waste was dumped outside of the working face in a permitted mining area, and unauthorized waste was not removed within seventy-two (72) hours.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of three thousand, five hundred dollars **(\$3,500.00)**.

<u>Order Type and Number</u> : Order Date:	Consent Order 18-19-HW September 24, 2018
Individual/Entity:	Johnson Controls Battery Group, Inc.
Facility:	Johnson Controls Battery Group, Inc.
Location:	1800 Paper Mill Road
	Florence, SC 29506
Mailing Address:	Same
County:	Florence
Previous Orders:	14-07-HW (\$7,000.00)
	15-17-HW (\$15,000.00)
	16-04-HW (\$35,000.00)
	17-15-HW (\$10,000.00)
Permit/ID Number:	SCR 000 771 451
Violations Cited:	The South Carolina Hazardous Waste Management
Act, S.C. Code Ann. §§ 44-56-10	et seq. (2018), and the South Carolina Hazardous
Waste Management Regulation, 6 S	S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2016)

and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2017).

# Hazardous Waste Enforcement

Summary: Johnson Controls Battery Group, Inc. (Individual/Entity) operates a battery recycling center at its facility located at 1800 Paper Mill Road, in Florence, South Carolina. The Department and EPA conducted an inspection on April 10, 2018. The Individual/Entity violated the South Carolina Hazardous Waste Management Act and the Hazardous Waste Management Regulations as follows: failed to ensure each container is labeled or marked clearly with the EPA Hazardous Waste Number(s) and the words: "Hazardous Waste - federal laws prohibit improper disposal;" failed to accurately determine if a waste was a hazardous waste; failed to maintain and operate the facility to minimize the possibility of any unplanned sudden or non-sudden release of hazardous waste; failed to clean up a hazardous waste discharge that occurred during processing; failed to maintain the primary barrier of the containment building so that it was free of cracks or gaps; failed to maintain the level of stored/treated waste within the containment walls so that the height of the wall was not exceeded; failed to maintain the annual waste minimization report in the operating record; failed to include the

types and quantities of hazardous waste shipped offsite on the fourth quarter 2017 report; failed to submit a revised copy of the contingency plan to the local authorities, and State and local emergency response teams; failed to ensure facility personnel successfully completed the training program required by regulation in section R.61-79.265.16(a) within six (6) months of employment; failed to maintain lamps in a manner to prevent a release and to keep such containers closed; failed to label or mark clearly each container of universal lamps; accumulated universal waste lamps onsite for longer than one year; and, failed to demonstrate the length of time universal waste had been accumulated from the date it became a waste.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of thirtyeight thousand dollars **(\$38,000.00)**.

# **BUREAU OF WATER**

#### 4) Order Type and Number: Consent Order 18-159-RW Order Date: September 4, 2018 Individual/Entity: Paramount Hotels, LLC Hampton Inn Newberry Facility: Location: 1201 Nance Street Newberry, SC 29108 Mailing Address: 205 Regency Executive Park Drive Charlotte, NC 28217 County: Newberry Previous Orders: 16-097-RW (\$510.00) 36-1001B Permit/ID Number: Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Paramount Hotels, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 11, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the depth marker tiles were unsettled and some were cracked; a ladder was missing bumpers; the pool furniture was not at least four feet from the edge of the pool; only one bathroom was provided and there was no soap in the bathroom; the drinking water fountain was not operating; the pump room was not locked; the pH level was not within the acceptable range of water quality standards; the main drain grates were not in place; the shepherd's crook was not attached to a non-telescoping pole and was not the appropriate length; the pool rules sign did not have all of the required rules; the bound and numbered log book was not maintained on a daily basis; and the bound and numbered log book was not maintained at least 3 times per week by the pool operator of record. On June 14, 2018, a follow-up inspection was conducted, and it was determined that all of the deficiencies had been addressed.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

# **Recreational Waters Enforcement**

18-160-RW
018
est Homeowners Association
t
Forest Drive
ach, SC 29582
80.00)
Regs. 61-51(J)

<u>Summary</u>: Tilghman Forest Homeowners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 1, 2018, and June 19, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; a ladder was missing bumpers; a skimmer lid was cracked; the pool rules sign was faded; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis. On August 2, 2018, a follow-up inspection was conducted, and it was determined that all of the deficiencies had been addressed.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand, one hundred twenty dollars **(\$1,120.00)**.

6) <u>Order Type and Number</u> :	Consent Order 18-161-RW
<u>Order Date</u> :	September 4, 2018
<u>Individual/Entity</u> :	<b>Palmetto Investment Group, Inc.</b>
<u>Facility</u> :	Hampton Inn
Location:	1021 Clemson Frontage Road
Mailing Address:	Columbia, SC 29223 Same
<u>County</u> :	Richland
<u>Previous Orders</u> :	None
Permit/ID Number:	40-1075B
Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Palmetto Investment Group, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 31, 2018, and July 9, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there were non-pool related items stored in the equipment room; the chlorine and pH levels were not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record; a bolt cover was missing; and the step edge tile stripe was not within one inch of the edge of the step.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

7)	<u>Order Type and Number</u> : Order Date:	Consent Order 18-162-RW September 4, 2018
	Individual/Entity:	Palmetto Bay Villas HPR No. 1 Owners
	<del></del> _	Association, Inc.
	<u>Facility</u> :	Palmetto Bay Villas
	Location:	53 Delander Court
		Hilton Head Island, SC 29928
	Mailing Address:	P.O. Box 6476
	-	Hilton Head Island, SC 29938
	<u>County</u> :	Beaufort
	Previous Orders:	None
	Permit/ID Number:	07-069-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Palmetto Bay Villas HPR No. 1 Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 15, 2018, and July 16, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there were cracked floats on the lifeline; the deck and pool coping were chipped; a skimmer cover was broken; the chlorine level was not within the acceptable range of water quality standards; the closing time posted on the pool rules sign was not accurate; and the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

8)	Order Type and Number: Order Date:	Consent Order 18-163-RW September 4, 2018
	Individual/Entity:	Historic Charleston, LLC
	Facility:	Homewood Suites by Hilton
	Location:	415 Meeting Street
		Charleston, SC 29403
	Mailing Address:	8832 Blakeney Professional Drive
		Charlotte, NC 28277
	County:	Charleston
	Previous Orders:	None
	Permit/ID Number:	10-1279B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

Summary: Historic Charleston, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 23, 2018, and June 26, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the log book was not properly bound or numbered and was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

9)	Order Type and Number:	Consent Order 18-164-RW
	Order Date:	September 4, 2018
	Individual/Entity:	Bordeleaux Owners Association, Inc.
	Facility:	Bordeleaux Condos
	Location:	220 3 <sup>rd</sup> Avenue
		Charleston, SC 29403
	Mailing Address:	Same
	<u>County</u> :	Charleston
	Previous Orders:	16-212-RW (\$680.00)
	Permit/ID Number:	10-1171B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Bordeleaux Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 30, 2018, and June 29, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring rope was too short; the shepherd's crook was not permanently attached to the handle; the bound and numbered log book was not maintained on a daily basis; and there were chlorine pucks in the skimmer baskets.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

10)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 18-165-RW September 7, 2018
	Individual/Entity:	Spinnaker at Shipyard Owners' Association
	Facility:	Spinnaker at Shipyard
	Location:	44 Barcelona Road
		Hilton Head, SC 29928
	Mailing Address:	20 Executive Park Road, Suite 200
		Hilton Head, SC 29928
	<u>County</u> :	Beaufort
	Previous Orders:	15-102-RW (\$680.00)
	Permit/ID Number:	07-1202C & 07-259-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Spinnaker at Shipyard Owners' Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a kiddle pool and a spa. On May 25, 2018, and June 27, 2018, the kiddle pool and spa were inspected, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and a skimmer lid was not secure.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of two thousand, forty dollars **(\$2,040.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

11)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-166-RW September 7, 2018 <b>WC Columbia, LLC</b> Pulaski Square Apartments 520 Pendleton Street
	Mailing Address:	Columbia, SC 29201 500 South Front Street, 10 <sup>th</sup> Floor Columbus, OH 43215
	<u>County</u> : <u>Previous Orders</u> : <u>Permit/ID Number</u> : <u>Violations Cited</u> :	Richland None 40-1147B S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: WC Columbia, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2018, and June 29, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the water level was too low; the pool equipment room was not locked; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; only one "Shallow Water – No Diving Allowed" sign was posted; only one "No Lifeguard On Duty – Swim At Your Own Risk" sign was posted; the bound and numbered log book was not maintained on a daily basis; and there were chlorine sticks in the skimmer baskets.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

12)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> :	Consent Order 18-167-RW September 7, 2018 <b>HMV Hotels, LLC</b> Holiday Inn & Suites
	Location:	2225 Boundary Street Beaufort, SC 29901
	Mailing Address:	P.O. Box 2146 Beaufort, SC 29901
	<u>County</u> :	Beaufort
	Previous Orders:	None
	Permit/ID Number:	07-1113B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: HMV Hotels, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 17, 2018, and June 27, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid.

13)	Order Type and Number:	Consent Order 18-168-RW
	Order Date:	September 7, 2018
	Individual/Entity:	Forest Oaks Apartments (SC) Owner, LLC
	Facility:	Forest Oaks Apartments
	Location:	1878 Ginger Cake Circle
		Rock Hill, SC 29732
	Mailing Address:	Same
	<u>County</u> :	York
	Previous Orders:	17-128-RW (\$680.00)
	Permit/ID Number:	46-159-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Forest Oaks Apartments (SC) Owner, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 13, 2018, and July 11, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the chlorine level was not within the acceptable range of water quality standards; only one "Shallow Water – No Diving Allowed" sign was posted; the cyanuric acid level was above the water quality standards acceptable limit; and the bound and numbered log book was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

14)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-169-RW September 10, 2018 Select Hotels, Inc. Country Inn & Suites 1739 Mandeville Road Florence, SC 29501
	Mailing Address:	Same
	<u>County</u> :	Florence
	Previous Orders:	16-029-RW (\$680.00)
	Permit/ID Number: Violations Cited:	21-130-1 S.C. Code Ann. Regs. 61-51(J)
		9 ()

<u>Summary</u>: Select Hotels, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On July 16, 2018, and August 9, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; a ladder step was broken; the pool floor was dirty; the pool furniture was not at least four feet from the edge of the pool; the bathroom did not have paper towels or soap; the drinking water fountain and foot rinse shower were not operating properly; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis; and the disinfection equipment was not operating properly.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The civil penalty has been paid.

15)	<u>Order Type and Number</u> : Order Date:	Consent Order 18-170-RW September 10, 2018
	Individual/Entity:	Townes at Brookwood Homeowners Association, Inc.
	Facility:	Townes at Brookwood
	Location:	33 Bay Springs Drive
		Simpsonville, SC 29681
	Mailing Address:	P.O. Box 5539
		Greenville, SC 29606
	<u>County</u> :	Greenville
	Previous Orders:	None
	Permit/ID Number:	23-1201B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Townes at Brookwood Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 4, 2018, and July 19, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a gate did not self-close and latch; the bound and numbered log book was not maintained on a daily basis; the chlorine level was not within the acceptable range of water quality standards; and the pool rules sign was not completely filled out.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

16)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-171-RW September 17, 2018 <b>Upstate Southern Pines, LLC</b> Southern Pines Apartments 350 Bryant Road Spartanburg, SC 29303
	Mailing Address:	Same
	<u>County</u> :	Spartanburg
	Previous Orders:	None
	Permit/ID Number: Violations Cited:	42-076-1 & 42-077-1 S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Upstate Southern Pines, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of two pools. On July 11, 2018, and August 8, 2018, the pools were inspected, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was missing a bumper; the drinking water fountain was not operating; the flow meter was missing; the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was faded; the bound and numbered log book was not maintained on a daily basis; a bolt cover was in disrepair; and tiles were missing on the pool floor.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

17)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-172-RW September 17, 2018 <b>MBN Breakers, Inc.</b> Breakers Central Tower 2000 North Ocean Boulevard
	Mailing Address:	Myrtle Beach, SC 29577 7400 North Kings Highway Myrtle Beach, SC 29572
	<u>County</u> : <u>Previous Orders</u> : <u>Permit/ID Number</u> : <u>Violations Cited</u> :	Horry None 26-E80-1, 26-E84-1, and 26-E85-1 S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: MBN Breakers, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and two spas. On June 4, 2018, the pool and spas were inspected, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; there was no drinking water fountain; the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the main drain grates were not visible; and the bound and numbered log book was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, twenty dollars **(\$1,020.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

18)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> :	Consent Order 18-173-RW September 17, 2018 MC Suite, Inc.
	Facility:	Comfort Suites
	Location:	1025 Jockey Court
		Summerville, SC 29483
	Mailing Address:	Same
	<u>County</u> :	Berkeley
	Previous Orders:	13-080-DW (\$400.00)
		14-133-DW (\$1,600.00)
	Permit/ID Number:	08-1002B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: MC Suite, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 11, 2018, and July 11, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; a ladder was missing bumpers; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the bound and numbered log book was not maintained on a daily basis; and the cyanuric acid levels were not recorded weekly.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount

of two thousand, seven hundred twenty dollars **(\$2,720.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

19)	Order Type and Number:	Consent Order 18-174-RW
	Order Date:	September 17, 2018
	Individual/Entity:	Heartwood Place Homeowners Association
	Facility:	Heartwood Place
	Location:	300 Faye Court
		Greer, SC 29650
	Mailing Address:	Same
	County:	Spartanburg
	Previous Orders:	None
	Permit/ID Number:	42-206-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Heartwood Place Homeowners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 26, 2018, and July 26, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine level was not within the acceptable range of water quality standards; and the pool rules sign was not completely filled out.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

20)	Order Type and Number: Order Date: Individual/Entity: Facility: Location:	Consent Order 18-175-RW September 18, 2018 <b>Arvisk, LLC</b> Cottages at Landrum 293 Page Creek Boulevard
		Landrum, SC 29356
	Mailing Address:	Same
	<u>County</u> :	Spartanburg
	Previous Orders:	None
	Permit/ID Number:	42-1027B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Arvisk, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 21, 2018, and July 23, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there were chlorine sticks in the skimmer baskets; the drinking water fountain was not operating; the foot rinse shower was not operating; the chlorine level was not with the acceptable range of water quality standards; the facility address was not posted at the emergency notification device; a handrail was not tight and secure; and the emergency notification device was not operating properly. On July 26, 2018, a follow-up inspection was conducted, and it was determined that all of the deficiencies had been addressed. <u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid.

· -	<u>Drder Type and Number</u> : Drder Date:	Consent Order 18-176-RW September 18, 2018
<u> </u>	ndividual/Entity:	Diamondrock Charleston Owner, LLC
<u>F</u>	acility:	Renaissance Charleston
<u>L</u>	ocation:	68 Wentworth Street
		Charleston, SC 29401
Ν	<u>/lailing Address</u> :	2 Bethesda Metro Center, Suite 1400
		Bethesda, MD 20814
<u>C</u>	County:	Charleston
<u>P</u>	Previous Orders:	None
<u>P</u>	Permit/ID Number:	10-1001B
<u>\</u>	/iolations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Diamondrock Charleston Owner, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 23, 2018, and June 26, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis on the first inspection; and the bound and numbered log book was not available for review on the second inspection.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

22)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-177-RW September 18, 2018 Landmark at Pine Court, LLC Landmark at Pine Court 3900 Bentley Drive Columbia, SC 29210
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit/ID Number</u> : <u>Violations Cited</u> :	Same Richland 15-018-RW (\$680.00) 40-288-1 S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Landmark at Pine Court, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 12, 2018, and July 9, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the chlorine level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope; the shepherd's crook was not permanently attached to the handle; the bound and numbered log book was not maintained on a daily basis; and the cyanuric acid level was above the water quality standards acceptable limit. <u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**.

23) Order Type and Number: Consent Order 18-178-RW Order Date: September 18, 2018 Individual/Entity: Meeting Street Realty Company, LLC Facility: Elan Midtown Apartments Location: 441 Meeting Street Charleston, SC 29403 Same Mailing Address: County: Charleston Previous Orders: None Permit/ID Number: 10-1222B S.C. Code Ann. Regs. 61-51(J) Violations Cited:

<u>Summary</u>: Meeting Street Realty Company, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 23, 2018, and June 26, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the drinking water fountain was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the bound and numbered log book was not maintained on a daily basis; and the life ring was not United States Coast Guard approved.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

24)	<u>Order Type and Number</u> : <u>Order Date:</u> <u>Individual/Entity</u> : Facility:	Consent Order 18-179-RW September 18, 2018 <b>TD Ripley Hotel SH, LLC</b> Springhill Suites
	Location:	98 Ripley Point Drive Charleston, SC 29407
	Mailing Address:	60 Pointe Circle Greenville, SC 29615
	County:	Charleston
	Previous Orders:	15-066-RW (\$340.00)
	Permit/ID Number:	10-567-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: TD Ripley Hotel SH, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a spa. On June 19, 2018, and July 23, 2018, the spa was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis. On August 10, 2018, a follow-up inspection was conducted, and it was determined that all of the deficiencies had been addressed.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The civil penalty has been paid.

25)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 18-180-RW September 19, 2018
	Individual/Entity:	Palmetto Hospitality of Spartanburg, LLC
	Facility:	AC Hotel
	Location:	225 West Main Street
		Spartanburg, SC 29306
	Mailing Address:	100 Dunbar Street, Suite 402
		Spartanburg, SC 29306
	<u>County</u> :	Spartanburg
	Previous Orders:	None
	Permit/ID Number:	42-1106B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Palmetto Hospitality of Spartanburg, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 6, 2018, and July 13, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

26)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 18-181-RW September 19, 2018
	Individual/Entity:	Carriage House Association
	Facility:	Carriage House Condos
	Location:	1468 Dover Road
		Spartanburg, SC 29301
	Mailing Address:	Same
	<u>County</u> :	Spartanburg
	Previous Orders:	None
	Permit/ID Number:	42-034-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Carriage House Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 7, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; the water level was too low; all of the skimmers were missing weirs; the bathrooms did not have soap; the facility address was not posted at the emergency notification device; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis. <u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**. The civil penalty has been paid.

27)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 18-182-RW September 19, 2018
	Individual/Entity:	Ashley Oaks H.O.A. and Swim Club, Inc.
	<u>Facility</u> :	Ashley Oaks
	Location:	7 Sourwood Court
		Blythewood, SC 29016
	Mailing Address:	219 Winding Oak Way
		Blythewood, SC 29016
	<u>County</u> :	Richland
	Previous Orders:	None
	Permit/ID Number:	40-1028B
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Ashley Oaks H.O.A. and Swim Club, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 29, 2018, June 28, 2018, and August 6, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; bolt covers were not secure; a ladder was missing bumpers; the pool floor was not clean; a skimmer was missing weirs; the pump room was not locked and had leaking pipes; chemicals were being stored in the pump room; the step edge stripe was not within one inch of the edge of the step; a light was out of its niche; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record; the cyanuric acid levels were not recorded every week; and the bound and numbered log book was filled out in advance.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of two thousand, forty dollars **(\$2,040.00)**.

28)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 18-183-RW September 19, 2018
	Individual/Entity:	Waterway Landing Homeowner's
		Association II, Inc.
	<u>Facility</u> :	Waterway Landing
	Location:	201 Second Avenue Extension
		North Myrtle Beach, SC 29582
	Mailing Address:	P.O. Box 769
		North Myrtle Beach, SC 29597
	<u>County</u> :	Horry
	Previous Orders:	None
	Permit/ID Number:	26-101-1 and 26-102-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Waterway Landing Homeowner's Association II, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and a spa. On June 1, 2018, and June 20, 2018, the pool and spa were inspected, and violations were issued

for failure to properly operate and maintain; and on August 2, 2018, the spa was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; a skimmer was missing a weir; there were no bathrooms; the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; and the bound and numbered log book was not maintained on a daily basis.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of two thousand, two hundred forty dollars **(\$2,240.00)**.

29)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> :	Consent Order 18-184-RW September 20, 2018 Wexford Plantation Homeowners
	Facility	Association, Inc. Wexford Plantation
	Facility:	
	Location:	111 Wexford Club Drive Hilton Head Island, SC 29928
	Mailing Address:	Same
	County:	Beaufort
	Previous Orders:	None
	Permit/ID Number:	07-247-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

Summary: Wexford Plantation Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 6, 2018, and July 9, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; and the cyanuric acid level was above the water quality standards acceptable limit.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

30)	Order Type and Number:	Consent Order 18-185-RW
	Order Date:	September 20, 2018
	Individual/Entity:	Royal Park, LLC
	Facility:	Country Club of South Carolina
	Location:	3525 McDonald Boulevard
		Florence, SC 29506
	Mailing Address:	6727 Langley Ave
		St. Louis, MO 62123
	County:	Florence
	Previous Orders:	None
	Permit/ID Number:	21-069-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

<u>Summary</u>: Royal Park, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 1, 2018 (first inspection), June 1, 2018 (second inspection), and July 26, 2018, the pool was inspected, and violations were issued for failure to properly operate and maintain; and on the June 1, 2018 second inspection, the pool was inspected, and a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was no transition line; a ladder was missing bumpers; the pool furniture was not at least four feet from the edge of the pool; the bathroom did not have paper towels or soap; the chlorine level was not within the acceptable range of water quality standards; there was no shepherd's crook; the emergency notification device was not operational; and the pool was operating prior to receiving Department approval.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of two thousand, three hundred eighty dollars **(\$2,380.00)**.

31)	<u>Order Type and Number</u> : Order Date:	Consent Order 18-186-RW September 20, 2018
	Individual/Entity:	BLVD Group, LLC
	Facility:	Sea Aire
	Location:	403 24 <sup>th</sup> Avenue
		Myrtle Beach, SC 29577
	Mailing Address:	3000 North Ocean Boulevard
		Myrtle Beach, SC 29577
	<u>County</u> :	Horry
	Previous Orders:	None
	Permit/ID Number:	26-171-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: BLVD Group, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 29, 2018, June 25, 2018, and August 2, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a skimmer was missing a weir; the drinking water fountain was not operating; the "no diving" tiles were not compliant; a bolt cover was missing; the pool deck was uneven and had sharp edges; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring rope was too short; the shepherd's crook was not permanently attached to the pole; and the emergency notification device was not operating.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of two thousand, forty dollars **(\$2,040.00)**. The civil penalty has been paid.

32)	<u>Order Type and Number:</u> <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 18-187-RW September 20, 2018 Palmetto Bluff Development, LLC Canoe Club 101 Myrtle View Street
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit/ID Number</u> :	Bluffton, SC 29910 476 Mount Pelia Road Beaufort, SC 29910 None 07-1133C

Violations Cited:

S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Palmetto Bluff Development, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 26, 2018, and July 23, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

33)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> :	Consent Order 18-188-RW September 24, 2018 Gramling Brothers Real Estate and Development, Inc.
	<u>Facility</u> : <u>Location</u> :	Morgan Forest 351 Wilkins Road Campobello, SC 29322
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit/ID Number</u> : <u>Violations Cited</u> :	Same Spartanburg None 42-200-1 S.C. Code Ann. Regs. 61-51(J)

<u>Summary</u>: Gramling Brothers Real Estate and Development, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a kiddie pool. On June 21, 2018, and July 23, 2018, the kiddie pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the chlorine level was not within the acceptable range of water quality standards; and the facility address was not posted at the emergency notification device.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

34) Order Type and Number: Order Date: Individual/Entity: Facility: Location:	Consent Order 18-189-RW September 25, 2018 Fund VI - Westbury Mews, LLC Westbury Mews 1425 Old Trolley Road Summerville, SC 29485
<u>Mailing Address</u> :	Same
<u>County</u> :	Dorchester
<u>Previous Orders</u> :	None
<u>Permit/ID Number</u> :	18-065-1
<u>Violations Cited</u> :	S.C. Code Ann. Regs. 61-51(J)

Summary: Fund VI - Westbury Mews, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 1, 2018, and July 5, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and the gate did not selfclose and latch.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

35)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> :	Consent Order 18-190-RW September 27, 2018 Sea Marsh Tower II Homeowners Association, Inc.
	Facility:	Sea Marsh II
	Location:	6108 North Ocean Boulevard
		North Myrtle Beach, SC 29577
	Mailing Address:	Same
	County:	Horry
	Previous Orders:	None
	Permit/ID Number:	26-B15-1
	Violations Cited:	S.C. Code Ann. Regs. 61-51(J)

Summary: Sea Marsh Tower II Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 12, 2018, and July 5, 2018, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the cyanuric acid level was above the water quality standards acceptable limit; the life ring did not have a permanently attached rope; the emergency notification device was not operational; the pool rules sign was not legible; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; the current pool operator of record information was not posted to the public; the chlorine level was not within the acceptable range of water quality standards; and the 911 address did not match the facility address.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

# **Drinking Water Enforcement**

36) Order Type and Number: Order Date: Individual/Entity: Facility: Location: Consent Order 18-027-DW September 4, 2018 **Grainger's, Inc.** Longtown Corner Store and Windmill Restaurant 9145 Longtown Road Ridgeway, SC 29130

Mailing Address:	1410 Horse Head Brand Road Lugoff, SC 29078
<u>County</u> :	Fairfield
Previous Orders:	None
Permit/ID Number:	2070904
Violations Cited:	S.C. Code Ann. Regs. 61-58.17.K(1)(b)

<u>Summary</u>: Grainger's, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On July 20, 2018, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level (MCL) for E. coli.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation; and pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

37)	Order Type and Number:	Consent Order 18-028-DW
	Order Date:	September 24, 2018
	Individual/Entity:	Sand Mountain, LLC
	Facility:	Sand Mountain Mobile Home Park
	Location:	3547 Fish Hatchery Road
		Gaston, SC 29053
	Mailing Address:	128 Forty Love Point
		Chapin, SC 29036
	<u>County</u> :	Lexington
	Previous Orders:	None
	Permit/ID Number:	3260183
	Violations Cited:	S.C. Code Ann. Regs. 61-58.17.F(2)

<u>Summary</u>: Sand Mountain, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On August 8, 2018, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: failed to monitor for total coliforms during the months of February and May 2018.

<u>Action</u>: The Individual/Entity is required to: submit a standard operating procedure to ensure that all monitoring and reporting requirements are complied with per State Primary Drinking Water Regulation 61-58; pay a civil penalty in the amount of two thousand dollars **(\$2,000.00)**; and pay a stipulated penalty in the amount of two thousand dollars (\$2,000.00) should any requirement of the Order not be met. The civil penalty has been paid. The Individual/Entity submitted the standard operating procedure which was approved by the Department.

# Water Pollution Enforcement

38) Order Type and Number: Order Date: Individual/Entity: Facility:

Consent Order 18-035-W September 4, 2018 City of Abbeville Water Treatment Plant

Location:	406 Vienna Street
	Abbeville County, SC
Mailing Address:	P.O. Box 639
	Abbeville, SC 29620
<u>County</u> :	Abbeville
Previous Orders:	None
Permit/ID Number:	SCG646044
Violations Cited:	Pollution Control Act, S.C Code Ann § 48-1- 110
(d) (2008 & Supp. 2017); Water P	ollution Control Permits, 3 S.C. Code Ann Regs. 61-
9.122.41 (a) and (d) (2011).	

<u>Summary</u>: The City of Abbeville (Individual/Entity) owns and is responsible for the proper operation and maintenance of a water treatment plant (WTP) located in Abbeville County, South Carolina. On April 7, 2017, a Notice of Violation was issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for acute effluent toxicity (Acute Toxicity).

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan (CAP) to address the deficiencies; perform accelerated Acute Toxicity testing if it experiences a test failure immediately following completion of the CAP; submit quarterly progress reports in the event that accelerated testing becomes necessary; and, pay a civil penalty in the amount of two thousand, eight hundred dollars **(\$2,800.00)**.

39)	Order Type and Number:	Consent Order 18-036-W
	Order Date:	September 10, 2018
	Individual/Entity:	Milliken & Company
	Facility:	Enterprise Plant WWTF
	Location:	Highway 288
		Marietta, SC
	Mailing Address:	P.O. Box 1926 M-482
		Spartanburg, SC 29304
	<u>County</u>	Greenville
	Previous Orders:	None
	Permit/ID Number:	SC0003191
	Violations Cited:	Pollution Control Act, S.C Code Ann § 48-1- 110
	(d) (2008 & Supp. 2017); Water Po	ollution Control Permits, 3 S.C. Code Ann Regs. 61-
	9.122.41 (a) and (d) (2011).	

<u>Summary</u>: Milliken & Company (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Greenville County, South Carolina. On January 18, 2018, and April 18, 2018, Notices of Violation were issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for Biochemical Oxygen Demand (BOD) and antimony.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies; submit compliance progress reports every ninety (90) days; and, pay a civil penalty in the amount of three thousand, four hundred dollars **(\$3,400.00)**.

40)	Order Type and Number:	Consent Order 18-037-W
	Order Date:	September 24, 2018
	Individual/Entity:	Bamberg Board of Public Works
	Facility:	Bamberg WWTF
	Location:	277 Mt. Carmel Cemetery Road
		Bamberg SC
	Mailing Address:	P.O. Box 300
		Bamberg, SC 29003
	<u>County</u> :	Bamberg
	Previous Orders:	None
	Permit/ID Number:	ND0063398
	Violations Cited:	Pollution Control Act, S.C Code Ann § 48-1- 110
	(d) (Supp. 2008 and 2017); W	/ater Pollution Control Permits, 3 S.C. Code Ann Regs.
	61-9.122.41 (a) and (d) (2011	).

Summary: Bamberg Board of Public Works (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Bamberg County, South Carolina. On October 4, 2017, a Notice of Violation was issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for Fecal Coliform.

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies; and, pay a civil penalty in the amount of two thousand, four hundred dollars **(\$2,400.00)**.

41)	<u>Order Type and Number</u> : Order Date:	Consent Order 18-038-W September 25, 2018
	Individual/Entity:	Town of Lynchburg
	Facility:	Town of Lynchburg WWTF
	Location:	Off US Highway 76 in Lee County, about 2 miles
		Northeast of Lynchburg
	Mailing Address:	P.O. Box 147
		Lynchburg, SC 29080
	<u>County</u> :	Lee
	Previous Orders:	None
	Permit/ID Number:	SC0042676
	Violations Cited:	S.C. Code Ann. § 48-1-110(d) (Supp. 2016); and
24 S.C. Code Ann. Regs. 61-9.122.41(a) (2016).		.41(a) (2016).

<u>Summary</u>: Town of Lynchburg (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Lee County, South Carolina. On September 29, 2017, and November 8, 2018, Notices of Violation were issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for *Escherichia coli* (E. coli) and Biochemical Oxygen Demand Percent Removal (BOD % Removal).

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies; and, pay a civil penalty in the amount of four thousand, four hundred eighty dollars **(\$4,480.00)** in four (4) equal installment payments.

42)	Order Type and Number:	Consent Order 18-039-W
	Order Date:	September 25, 2018
	Individual/Entity:	Berkeley County School District
	Facility:	Cross Elementary School WWTF
	Location:	1325 Ranger Drive
		Cross, SC 29436
	Mailing Address:	Same
	County:	Berkeley
	Previous Orders:	None
	Permit/ID Number:	SC0034479
	Violations Cited:	S.C. Code Ann. § 48-1-110(d) (Supp. 2016); and
	24 S.C. Code Ann. Regs. 61-9.12	22.41(a) (2011).

<u>Summary</u>: Berkeley County School District (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Berkeley County, South Carolina. On August 17, 2017, and May 23, 2018, Notices of Violation were issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for Total Copper (TC).

<u>Action</u>: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies; and, pay a civil penalty in the amount of one thousand, six hundred dollars **(\$1,600.00)**.

## **BUREAU OF AIR QUALITY**

43)	<u>Order Type and Number</u> : Order Date:	Consent Order 18-038-A September 10, 2018
	Individual/Entity:	Mr. Frank McClary
	Facility:	Commercial Property
	Location:	109 West Main Street
		Andrews, SC 29510
	Mailing Address:	109 North Farr Avenue
		Andrews, SC 29510
	County:	Georgetown
	Previous Orders:	None
	Permit/ID Number:	U1611315
	Violations Cited:	EPA 40 CFR 61 Subpart M and 7 S.C. Code Ann.
	Regs. 61-86.1	

<u>Summary</u>: Mr. Frank McClary (Individual/Entity), owns the property located at 109 West Main Street, Andrews, South Carolina (Site). On May 16, 2016, the Department conducted an investigation at the Site in response to a complaint of demolition activity. The Individual/Entity has violated South Carolina Air Pollution Regulations as follows: failed to

ensure that a building inspection was performed prior to the start of demolition; failed to submit a written notice of intent to demolish to the Department; failed to ensure that the required work practice requirements were adhered to; failed to obtain a Department-issued asbestos project license; and, failed to ensure that each worker met the applicable training and licensing requirements at the Site.

<u>Action</u>: The Individual/Entity is required to: henceforth comply with all requirements of EPA 40 CFR 61 Subpart M and 7 S.C. Code Ann. Regs. 61-86.1; and, pay a civil penalty in the amount of seven thousand, five hundred dollars **(\$7,500.00)**.

44) Order Type and Number: Consent Order 18-039-A September 19, 2018 Order Date: Individual/Entity: JW Aluminum Company Facility: JW Aluminum Company Location: 435 Old Mount Holly Road Goose Creek SC 29445 Mailing Address: Same County: Berkeley Previous Orders: None Permit/ID Number: 0420-0033 Violations Cited: U.S. Environmental Protection Agency ("EPA")

regulations at 40 CFR Part 63, and 5 South Carolina Code Ann. Regs. 61-62.63, National Emission Standards for Hazardous Air Pollutants for Source Categories, Subpart RRR, National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production (collectively, "Subpart RRR"); 5 S.C. Code Ann. Regs. 61-62.5 (Supp. 2017), Air Pollution Control Standards, Standard No. 4, Emissions from Process Industries ("Standard 4"); and, 5 S.C. Code Ann. Regs. 61-62.1 (Supp. 2017), Section II, Permit Requirements

<u>Summary</u>: JW Aluminum Company (Individual/Entity), located in Goose Creek, South Carolina, manufactures aluminum coil. The Individual/Entity exceeded its emission limit for HCI during a Department-approved source test conducted on February 2, 2016, through February 4, 2016. The Individual/Entity demonstrated compliance with the emission limit during a Department-approved re-test conducted on June 1, 2016, through June 3, 2016. A Department inspector performed a visual observation at the facility on June 7, 2016, and observed an exceedance of its opacity limit. Lastly, the Individual/Entity disclosed that it did not record fan amperage readings, pressure drop readings, and liquid flow reading each shift during source operation on several dates in April, May, and June of 2016, in a semi-annual report received by the Department on October 31, 2016. The Individual/Entity has violated the regulations as follows: failed to limit HCI emissions to a maximum of 0.40 lb/ton of charge; failed to limit opacity to 20%; failed to record fan amperage readings, pressure drop readings, pressure drop readings, pressure drop readings, pressure drop readings, and liquid flow reading each shift during source operation on several dates in April, May, and June 2016.

<u>Action</u>: The Individual/Entity is required to: pay a civil penalty in the amount of seven thousand dollars **(\$7,000.00)**.

45) <u>Order Type and Number</u>: <u>Order Date</u>: <u>Individual/Entity</u>: <u>Facility</u>: Consent Order 18-041-A September 24, 2018 Giant Cement Company Giant Cement Company

Location:	654 Judge Street
	Harleyville, SC 29448
Mailing Address:	P.O. Box 218
-	Harleyville, SC 29448
County:	Dorchester
Previous Orders:	17-033-A (\$10,000.00)
Permit/ID Number:	0900-0002
Violations Cited:	U.S. EPA 40 CFR 63, 5 S.C. Code Ann.
Regs. 61-62.63, Subpart EEE, and	5 S.C. Code Ann. Regs. 61-62.1, Section II,
Permit Requirements	

<u>Summary</u>: Giant Cement Company (Individual/Entity), is a Portland cement manufacturing plant. The Individual/Entity submitted a semiannual report that indicated it exceeded its established temperature for the baghouse and THC concentrations during its semiannual reporting period. The Individual/Entity violated South Carolina Air Pollution Control Regulations as follows: failed to comply with established temperature operating limit and established THC concentration operating limit.

<u>Action</u>: The Individual/Entity is required to: comply with Subpart EEE, including established temperature, and THC concentration operating limits; and pay to the Department a civil penalty in the amount of ten thousand dollars **(\$10,000.00)**.

46)	Order Type and Number:	Consent Order 18-040-A
	Order Date:	September 27, 2018
	Individual/Entity:	Leigh Fibers, Inc.
	Facility:	Leigh Fibers, Inc.
	Location:	1101 Syphrit Road
		Wellford, SC 29385
	Mailing Address:	Same
	County:	Spartanburg
	Previous Orders:	N/A
	Permit/ID Number:	2060-0084
	Violations Cited:	5 S.C. Code Ann. Regs. 61-62.1, Section II, Permit
	Requirements	

<u>Summary</u>: Leigh Fibers, Inc. (Individual/Entity), located in Wellford, South Carolina, operates a textile processing facility. On December 12, 2017, the Department conducted a comprehensive inspection. The Individual/Entity has violated South Carolina Air Pollution Control Regulations as follows: failed to take and/or document corrective action when control devices operated outside of established operational ranges; failed to obtain a construction permit or permission from the Department prior to altering two control devices; failed to submit an updated operational range for RDF-08 to the Department for review and approval; failed to conduct year-end reviews for changes to permitted processes; and failed to record daily pressure drop readings for each baghouse.

<u>Action</u>: The Individual/Entity is required to: henceforth obtain permission and/or the appropriate Department-issued permits prior to altering the process, including any control device; henceforth maintain established operational ranges for each applicable control device and update those ranges according to the requirements of the General Permit; henceforth record daily pressure drop readings for each baghouse during source operation, and maintain records of baghouse pressure drop readings, including corrective actions taken, on site in written or electronic logs for a period of at least five (5) years from the date generated;

henceforth keep an OSIL with the General Permit and conduct year-end reviews of the permit; and pay a civil penalty in the amount of ten thousand dollars **(\$8,000.00)**.

47)	Order Type and Number:	Consent Order 18-042-A
	Order Date:	September 28, 2018
	Individual/Entity:	WeylChem US Inc.
	Facility:	WeylChem US Inc.
	Location:	2114 Larry Jeffers Road
		Elgin, SC 29045
	Mailing Address:	Same
	County:	Kershaw
	Previous Orders:	15-046-A (\$9,000.00)
		18-017-A
	Permit/ID Number:	1380-0017
	Violations Cited:	U.S. EPA 40 CFR 63 and 5 S.C. Code Ann.
	Regs. 61-62.63, Subparts GGG	, MMM, and FFFF; and 5 S.C. Code Ann. Regs.
	61-62.1, Section II	

<u>Summary</u>: WeylChem US Inc. (Individual/Entity), located in Elgin, South Carolina, produces specialty chemicals such as general organic chemicals, specialty organic chemicals, pharmaceutical intermediates, flavor enhancers, herbicides, and pesticides. The Department conducted a review of semiannual and quarterly reports from the Individual/Entity. During the review, the Department determined the Individual/Entity exceeded the established operating temperature parameter for regenerative thermal oxidizer (RTO). The Individual/Entity violated South Carolina Air Pollution Control Regulations as follows: failed to demonstrate compliance with the established minimum daily average temperature for its RTO.

<u>Action</u>: The Individual/Entity is required to: comply with applicable NESHAP regulations and its Title V Permit by maintaining the established minimum daily average operating temperature for its RTO; and pay to the Department a civil penalty in the amount of twelve thousand, nine hundred and sixty dollars **(\$8,330.00)**.

### **BUREAU OF ENVIRONMENTAL HEALTH SERVICES**

### Food Safety Enforcement

48) Order Type and Number: Order Date: Individual/Entity: Facility: Location:

> Mailing Address: County: Previous Orders: Permit Number: Violations Cited:

Consent Order 2018-206-01-028 September 4, 2018 Vaqueros Mexican Restaurant Vaqueros Mexican Restaurant 133 East Queen Street Pendleton, SC 29670 Same Anderson None 04-206-03745 S.C. Code Ann. Regs. 61-25 Summary: Vaqueros Mexican Restaurant (Individual/Entity), located in Pendleton, South Carolina, is a restaurant. The Department conducted inspections on July 25, 2017, July 26, 2017, and June 21, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods and failed to provide equipment sufficient in number and capacity to maintain food temperatures for cooling and heating food and holding cold and hot food.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

49)	Order Type and Number:	Consent Order 2018-206-01-029
	Order Date:	September 4, 2018
	Individual/Entity:	Redwood Cafeteria
	<u>Facility</u> :	Redwood Cafeteria
	Location:	2404 Belton Highway
		Anderson, SC 29621
	Mailing Address:	687 JT Ashley Road
		Honea Path, SC 29654
	<u>County</u> :	Anderson
	Previous Orders:	None
	Permit Number:	04-206-03462
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Redwood Cafeteria (Individual/Entity), located in Anderson, South Carolina, is a restaurant. The Department conducted inspections on August 19, 2016, August 17, 2017, and June 29, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of five hundred fifty dollars **(\$550.00)**.

50)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-02-045 September 4, 2018 <b>Cazbah</b> Cazbah 16 West McBee Avenue Greenville, SC 29601
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Greenville None 23-206-07178 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Cazbah (Individual/Entity), located in Greenville, South Carolina, is a restaurant. The Department conducted inspections on January 13, 2017, September 20, 2017, and June 26, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that when time without temperature

control is used as a public health control, the food in unmarked containers or packages shall be discarded.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

51)	Order Type and Number:	Consent Order 2018-206-03-056
	Order Date:	September 4, 2018
	Individual/Entity:	Cozy Corner Deli
	Facility:	Cozy Corner Deli
	Location:	3674 Highway 51 North, Suite 102
		Fort Mill, SC 29715
	Mailing Address:	Same
	County:	York
	Previous Orders:	None
	Permit Number:	46-206-03027
	Violations Cited:	S.C. Code Ann. Regs. 61-25

Summary: Cozy Corner Deli (Individual/Entity), located in Fort Mill, South Carolina is a restaurant. The Department conducted inspections on May 20, 2017, May 19, 2018, and May 25, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

52)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> :	Consent Order 2018-206-03-063 September 4, 2018 Southern Grill 321
	<u>Facility</u> :	Southern Grill 321
	Location:	300 Sharon Road
		York, SC 29745
	Mailing Address:	Same
	County:	York
	Previous Orders:	2017-206-03-104 (\$2,400.00)
	Permit Number:	46-206-03175
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Southern Grill 321 (Individual/Entity), located in York, South Carolina, is a restaurant. The Department conducted an inspection on May 24, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to properly cool cooked time/temperature control for safety foods and failed to use effective methods to cool cooked time/temperature control for safety foods.

53)	<u>Order Type and Number</u> : <u>Order Date:</u> <u>Individual/Entity</u> : <u>Facility</u> : Location:	Consent Order 2018-206-03-064 September 4, 2018 <b>Waffle House #446</b> Waffle House #446 2846 Charleston Highway
	Mailing Address:	West Columbia, SC 29169 P.O. Box 6450 Norcross, GA 30091
	<u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Lexington 2017-206-03-084 (\$800.00) 32-206-00102 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Waffle House #446 (Individual/Entity), located in West Columbia, South Carolina, is a restaurant. The Department conducted an inspection on May 21, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)**.

54)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-075 September 4, 2018 <b>Millstone Pizza &amp; Taphouse LLC</b> Millstone Pizza & Taphouse LLC 121 Caldwell Street, Suite 102 Rock Hill, SC 29730
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same York None 46-206-03051 S.C. Code Ann. Regs. 61-25

Summary: Millstone Pizza & Taphouse LLC (Individual/Entity), located in Rock Hill, South Carolina, is a restaurant. The Department conducted inspections on June 5, 2017, June 15, 2017, and May 22, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of six hundred fifty dollars **(\$650.00)**.

55) <u>Order Type and Number</u>: Consen <u>Order Date</u>: Septem <u>Individual/Entity</u>: Jersey I <u>Location</u>: 725 Chr Bock Hi

Consent Order 2018-206-03-086 September 4, 2018 Jersey Mike's Subs Jersey Mike's Subs 725 Cherry Road, Suite 176 Rock Hill, SC 29732

Mailing Address:	Same
County:	York
Previous Orders:	2017-206-03-079 (\$800.00)
Permit Number:	46-206-03275
Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Jersey Mike's Subs (Individual/Entity), located in Rock Hill, South Carolina, is a restaurant. The Department conducted an inspection on May 30, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)**.

56)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-088 September 4, 2018 Hudson's Smokehouse BBQ Hudson's Smokehouse BBQ 4952 Sunset Boulevard Lexington, SC 29072
	Mailing Address:	Same
	County:	Lexington
	Previous Orders:	2014-206-03-111 (\$500.00)
	Permit Number:	32-206-03120
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Hudson's Smokehouse BBQ (Individual/Entity), located in Lexington, South Carolina, is a restaurant. The Department conducted inspections on June 7, 2016, August 30, 2016, September 9, 2016, July 6, 2017, July 14, 2017, September 20, 2017, January 24, 2018, June 8, 2018, and June 12, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods, failed to ensure that the retail food establishment that packages time/temperature control for safety food using a reduced oxygen packaging method shall implement a HACCP plan, failed to maintain the premises free of insects, rodents, and other pests, and failed to clearly mark the date by which food shall be consumed on the premises, sold, or discarded when held at a temperature of 41°F or less for a maximum of seven (7) days. This applies only to refrigerated, ready-toeat, time/temperature control for safety foods prepared and held in a food establishment for more than twenty-four (24) hours.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four thousand dollars **(\$4,000.00)**.

57) Order Type and Number: Order Date: Individual/Entity: Facility: Location: Consent Order 2018-206-03-092 September 4, 2018 **Buffalo Creek Bar & Grill** Buffalo Creek Bar & Grill 750 Marina Way

	Prosperity, SC 29127
Mailing Address:	Same
County:	Newberry
Previous Orders:	None
Permit Number:	36-206-01301
Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Buffalo Creek Bar & Grill (Individual/Entity), located in Prosperity, South Carolina, is a restaurant. The Department conducted inspections on June 30, 2017, July 7, 2017, June 8, 2018, and June 14, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain the premises free of insects, rodents, and other pests.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

<u></u> <u></u> <u></u>	<u>Drder Type and Number</u> : <u>Drder Date</u> : <u>ndividual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-097 September 4, 2018 <b>Cajun Yard Dog</b> Cajun Yard Dog 900 Crossroads Plaza Fort Mill, SC 29708
<u>C</u> <u>P</u> <u>P</u>	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : /iolations Cited:	Same York None 46-206-04071 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Cajun Yard Dog (Individual/Entity), located in Fort Mill, South Carolina, is a restaurant. The Department conducted inspections on October 10, 2017, June 29, 2018, and July 6, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-03-103 September 4, 2018
Individual/Entity:	Wendy's #40
Facility:	Wendy's #40
Location:	270 Carowinds Boulevard
	Fort Mill, SC 29708
Mailing Address:	8040 Arrowridge Boulevard
	Charlotte, NC 28273
<u>County</u> :	York
Previous Orders:	None
Permit Number:	46-206-01172
Violations Cited:	S.C. Code Ann. Regs. 61-25
	Order Date: Individual/Entity: Facility: Location: Mailing Address: County: Previous Orders: Permit Number:

<u>Summary</u>: Wendy's #40 (Individual/Entity), located in Fort Mill, South Carolina, is a restaurant. The Department conducted inspections on September 21, 2016, September 20, 2017, and July 17, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

60)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-03-104 September 4, 2018
	Individual/Entity:	Red Robin
	Facility:	Red Robin
	Location:	100 Columbiana Circle, Suite 1024
		Columbia, SC 29212
	Mailing Address:	6312 South Fiddlers Green #200N
		Greenwood Village, CO 80111
	<u>County</u> :	Lexington
	Previous Orders:	None
	Permit Number:	32-206-06391
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Red Robin (Individual/Entity), located in Columbia, South Carolina, is a restaurant. The Department conducted inspections on April 16, 2018, June 26, 2018, July 6, 2018, and July 16, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand, six hundred dollars **(\$1,600.00)**.

61)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-107 September 4, 2018 <b>CNM Convenience Store</b> CNM Convenience Store 4060 Peachtree Street Hickory Grove, SC 29717
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same York None 46-206-03302 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: CNM Convenience Store (Individual/Entity), located in Hickory Grove, South Carolina, is a convenience store. The Department conducted inspections on April 18, 2017, September 20, 2017, and July 18, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that when time without temperature control is used as a public health control, the food in unmarked containers or packages shall be discarded.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

62)	Order Type and Number:	Consent Order 2018-206-03-108
	Order Date:	September 4, 2018
	Individual/Entity:	Firehouse Subs
	<u>Facility</u> :	Firehouse Subs
	Location:	7467 Saint Andrews Road
		Irmo, SC 29063
	Mailing Address:	P.O. Box 50645
		Columbia, SC 29250
	<u>County</u> :	Lexington
	Previous Orders:	None
	Permit Number:	32-206-06513
	Violations Cited:	S.C. Code Ann. Regs. 61-25

Summary: Firehouse Subs (Individual/Entity), located in Irmo, South Carolina, is a restaurant. The Department conducted inspections on September 25, 2017, October 3, 2017, July 10, 2018, and July 18, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand, four hundred seventy-five dollars **(\$1,475.00)**.

63)	Order Type and Number: Order Date:	Consent Order 2018-206-03-110 September 4, 2018
	Individual/Entity:	Food Lion #232 Deli
	Facility:	Food Lion #232 Deli
	Location:	1260 East Main Street
		Rock Hill, SC 29730
	Mailing Address:	P.O. Box 1330
		Salisbury, NC 28145
	<u>County</u> :	York
	Previous Orders:	None
	Permit Number:	46-206-01101
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Food Lion #232 Deli (Individual/Entity), located in Rock Hill, South Carolina, is a deli. The Department conducted inspections on September 7, 2016, September 15, 2016, September 5, 2017, and July 17, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand, six hundred dollars **(\$1,600.00)**.

64)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-116 September 4, 2018 <b>Charanda of Newport</b> Charanda of Newport 4811 Old York Road Rock Hill, SC 29732
	Mailing Address:	Same
	County:	York
	Previous Orders:	None
	Permit Number:	46-206-02830
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Charanda of Newport (Individual/Entity), located in Rock Hill, South Carolina, is a restaurant. The Department conducted inspections on August 19, 2016, August 18, 2017, and July 9, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure there was no bare hand contact with ready-to-eat foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

65)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-05-008 September 4, 2018 <b>Restaurant at the Wilcox</b> Restaurant at the Wilcox 100 Colleton Avenue Southwest Aiken, SC 29801
	Mailing Address:	Same
	County:	Aiken
	Previous Orders:	None
	Permit Number:	02-206-02556
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Restaurant at the Wilcox (Individual/Entity), located in Aiken, South Carolina, is a restaurant. The Department conducted inspections on June 30, 2017, February 15, 2018, July 12, 2018, and July 19, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

k Italian
talian
1-25
t

Summary: Harborside Seafood & Italian (Individual/Entity), located in Georgetown, South Carolina, is a restaurant. The Department conducted inspections on June 21, 2017, February 7, 2018, February 15, 2018, June 18, 2018, June 19, 2018, June 29, 2018, and August 8, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to use effective methods to cool cooked time/temperature control for safety foods; failed to properly cool cooked time/temperature control for safety foods; failed to maintain the premises free of insects, rodents, and other pests; failed to protect food from contamination by storing in a clean, dry location, where it is not exposed to splash, dust, or other contamination, at least 6 inches above the floor; failed to keep food contact surfaces, nonfood contact surfaces, and utensils clean and free of accumulation of dust, dirt, food residue and other debris; failed to clean the physical facilities as often as necessary to keep them clean; failed to properly thaw time/temperature control for safety foods; and failed to clearly mark the date by which food shall be consumed on the premises, sold, or discarded when held at a temperature of 41°F or less for a maximum of seven (7) days. This applies only to refrigerated, ready-to-eat, time/temperature control for safety foods prepared and held in a food establishment for more than twenty-four (24) hours.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of three thousand, five hundred dollars **(\$3,500.00)**.

67)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-06-089 September 4, 2018 <b>Dragon Pan</b> Dragon Pan 201 Fresh Drive, Suite B Myrtle Beach, SC 29579
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Horry None 26-206-12805 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Dragon Pan (Individual/Entity), located in Myrtle Beach, South Carolina, is a restaurant. The Department conducted inspections on February 13, 2017, October 10, 2017, and July 11, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to clearly mark the date by which food shall be consumed on the premises, sold, or discarded when held at a temperature of 41°F or less for a maximum of seven (7) days. This applies only to refrigerated, ready-to-eat, time/temperature control for safety foods prepared and held in a food establishment for more than twenty-four (24) hours.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four hundred dollars **(\$400.00)**.

Order Type and Number:	Consent Order 2018-206-06-091
	September 4, 2018
Individual/Entity:	Sarku Hibachi Buffet
<u>Facility</u> :	Sarku Hibachi Buffet
Location:	901 Highway 17 North
	Surfside Beach, SC 29575
Mailing Address:	Same
<u>County</u> :	Horry
Previous Orders:	None
Permit Number:	26-206-13670
Violations Cited:	S.C. Code Ann. Regs. 61-25
	Order Date: Individual/Entity: Facility: Location: Mailing Address: County: Previous Orders: Permit Number:

<u>Summary</u>: Sarku Hibachi Buffet (Individual/Entity), located in Surfside Beach, South Carolina, is a restaurant. The Department conducted inspections on May 3, 2018, May 4, 2018, and July 3, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that equipment and utensils were designed and constructed to be durable and to retain their characteristic qualities under normal use conditions.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four hundred dollars **(\$400.00)**.

69)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-07-052 September 4, 2018 <b>Quick Food Mart 2</b> Quick Food Mart 2 2703 Highway 17-A South Summerville, SC 29483
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Dorchester None 18-206-09326 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Quick Food Mart 2 (Individual/Entity), located in Summerville, South Carolina, is a convenience store. The Department conducted inspections on August 11, 2017, July 13, 2018, and July 24, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that when time without temperature control is used as a public health control, the food in unmarked containers or packages shall be discarded and failed to clearly mark the date by which food shall be consumed on the premises, sold, or discarded when held at a temperature of 41°F or less for a maximum of seven (7) days. This applies only to refrigerated, ready-to-eat,

time/temperature control for safety foods prepared and held in a food establishment for more than twenty-four (24) hours.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

70)	Order Type and Number:	Consent Order 2018-206-08-010
	Order Date:	September 4, 2018
	Individual/Entity:	Huddle House
	Facility:	Huddle House
	Location:	801 Elm Street
		Hampton, SC 29924
	Mailing Address:	2265 Armstrong Court
		Conyers, GA 30094
	<u>County</u> :	Hampton
	Previous Orders:	None
	Permit Number:	25-206-01219
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Huddle House (Individual/Entity), located in Hampton, South Carolina, is a restaurant. The Department conducted inspections on November 14, 2016, September 22, 2017, and July 20, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

71)	<u>Order Type and Number:</u> <u>Order Date</u> :	Consent Order 2018-206-06-067 September 6, 2018
	Individual/Entity:	Sole Italian Restaurant
	Facility:	Sole Italian Restaurant
	Location:	3401 A-B North Kings Highway
		Myrtle Beach, SC 2977
	Mailing Address:	8236 Forest Lake Drive
	-	Conway, SC 29526
	<u>County</u> :	Horry
	Previous Orders:	None
	Permit Number:	26-206-12832
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Sole Italian Restaurant (Individual/Entity), located in Myrtle Beach, South Carolina, is a restaurant. The Department conducted inspections on August 11, 2017, June 7, 2018, and June 14, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

72)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-06-087 September 6, 2018
		•
	Individual/Entity:	Nacho Hippo
	<u>Facility</u> :	Nacho Hippo
	Location:	850 North Beach Boulevard
		North Myrtle Beach, SC 29582
	Mailing Address:	2504 S Kings Highway
		Myrtle Beach, SC 295770
	<u>County</u> :	Horry
	Previous Orders:	None
	Permit Number:	26-206-12984
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Nacho Hippo (Individual/Entity), located in North Myrtle Beach, South Carolina, is a restaurant. The Department conducted inspections on June 25, 2018, July 5, 2018, and July 11, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

73)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-07-030 September 6, 2018 <b>Boxcar Betty's</b> Boxcar Betty's 1922 Savannah Highway Charleston, SC 29407
	Mailing Address:	Same
	<u>County</u> :	Charleston
	Previous Orders:	None
	Permit Number:	10-206-09115
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Boxcar Betty's (Individual/Entity), located in Charleston, South Carolina, is a restaurant. The Department conducted inspections on February 2, 2017, February 3, 2017, June 29, 2017, May 29, 2018, and June 6, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

74)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-07-048 September 6, 2018 Senor Tequila Senor Tequila 612 Coleman Boulevard Mt. Pleasant, SC 29464
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Charleston None 10-206-05229 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Senor Tequila (Individual/Entity), located in Mount Pleasant, South Carolina, is a restaurant. The Department conducted inspections on July 26, 2017, July 25, 2018, and July 26, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods and failed to provide equipment sufficient in number and capacity to maintain food temperatures for cooling and heating food and holding cold and hot food.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

75)	Order Type and Number: Order Date:	Consent Order 2018-206-02-044 September 17, 2018
	Individual/Entity:	Nose Dive
	Facility:	Nose Dive
	Location:	116 South Main Street
		Greenville, SC 29601
	Mailing Address:	207 South Main Street
		Greenville, SC 29601
	<u>County</u> :	Greenville
	Previous Orders:	None
	<u>Permit Number</u> :	23-206-10176
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Nose Dive (Individual/Entity), located in Greenville, South Carolina, is a restaurant. The Department conducted inspections on September 18, 2017, September 20, 2017, and June 19, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

76)	Order Type and Number:	Consent Order 2018-206-02-046
	Order Date:	September 17, 2018
	Individual/Entity:	Larkin's on the River
	Facility:	Larkin's on the River

318 South Main Street
Greenville, SC 29601
156 Water's Edge Court
Lake Lure, NC 28746
Greenville
2015-206-02-039 (\$1,200.00)
23-206-08759
S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Larkin's on the River (Individual/Entity), located in Greenville, South Carolina, is a restaurant. The Department conducted inspections on January 24, 2017, October 16, 2017, and July 26, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that when time without temperature control is used as a public health control, the food in unmarked containers or packages shall be discarded.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

77)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-02-047 September 17, 2018 <b>Cantinflas Mexican Restaurant</b> Cantinflas Mexican Restaurant 10 South Main Street Greenville, SC 29601
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Greenville 2016-206-02-030 (\$400.00) 23-206-07370 S.C. Code Ann. Regs. 61-25

Summary: Cantinflas Mexican Restaurant (Individual/Entity), located in Greenville, South Carolina, is a restaurant. The Department conducted inspections on October 2, 2017, July 12, 2018, and July 17, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)**.

 Order Type and Number:
 Consent

 Order Date:
 Septem

 Individual/Entity:
 Sun Min

 Facility:
 Sun Min

 Location:
 7509 St

 Mailing Address:
 Same

 County:
 Lexingto

 Previous Orders:
 2017-20

Consent Order 2018-206-03-101 September 17, 2018 **Sun Ming Chinese Restaurant** Sun Ming Chinese Restaurant 7509 St. Andrews Road Irmo, SC 29063 Same Lexington 2017-206-03-096 (\$800.00)

<u>Permit Number</u> :	32-206-03110
Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Sun Ming Chinese Restaurant (Individual/Entity), located in Irmo, South Carolina, is a restaurant. The Department conducted an inspection on July 23, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of one thousand dollars **(\$1,000.00)**.

79)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-106 September 17, 2018 Angelo's Zesto Angelo's Zesto 4001 North Main Street Columbia, SC 29201
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Richland None 40-206-02612 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Angelo's Zesto (Individual/Entity), located in Columbia, South Carolina, is a restaurant. The Department conducted inspections on June 8, 2017, August 2, 2017, August 8, 2017, August 18, 2017, September 1, 2017, September 13, 2017, September 21, 2017, October 2, 2017, May 9, 2018, and July 5, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to keep food contact surfaces, nonfood contact surfaces, and utensils clean and free of accumulation of dust, dirt, food residue and other debris and failed to ensure that equipment is maintained in a state of repair and condition that meets the regulation requirements.

80) <u>Order Type a</u> <u>Order Date</u> : <u>Individual/En</u> <u>Facility</u> : <u>Location</u> :		Consent Order 2018-206-06-057 September 17, 2018 Ichiro's Express Ichiro's Express 442 North Main Street Hemingway, SC 29554
Mailing Addre	<u>255</u> :	3456 Forestbrook Road Myrtle Beach, SC 29588
<u>County</u> : <u>Previous Orde</u> <u>Permit Numb</u> <u>Violations Cit</u>	<u>er</u> :	Williamsburg None 45-206-00436 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Ichiro's Express (Individual/Entity), located in Hemingway, South Carolina, is a restaurant. The Department conducted inspections on February 7, 2018, March 30, 2018, and May 29, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain the premises free of insects, rodents, and other pests.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four hundred dollars **(\$400.00)**.

81)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-06-074 September 17, 2018
	Individual/Entity:	Buzz's Roost
	<u>Facility</u> :	Buzz's Roost
	Location:	917 B Front Street
		Georgetown, SC 29440
	Mailing Address:	Same
	County:	Georgetown
	Previous Orders:	2016-206-06-137 (\$800.00)
	Permit Number:	22-206-06265
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Buzz's Roost (Individual/Entity), located in Georgetown, South Carolina, is a restaurant. The Department conducted inspections on March 21, 2017, January 22, 2018, February 1, 2018, February 2, 2018, April 3, 2018, and June 19, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to keep shellstock tags or labels attached to the container in which the shellstock are received until the container is empty; failed to clean non-food contact surfaces at a frequency to preclude accumulation of soil residues; failed to maintain the physical facilities in good repair; and failed to clean the physical facilities as often as necessary to keep them clean.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of two thousand, six hundred dollars **(\$2,600.00)**.

82)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-06-083 September 17, 2018
	Individual/Entity:	Uncle Tito's
	Facility:	Uncle Tito's
	Location:	4124 Highway Business 17 South, Unit C
		Murrells Inlet, SC 29576
	Mailing Address:	130 Gray Moss Road
		Murrells Inlet, SC 29576
	<u>County</u> :	Georgetown
	Previous Orders:	None
	Permit Number:	22-206-06065
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Uncle Tito's (Individual/Entity), located in Murrells Inlet, South Carolina, is a restaurant. The Department conducted inspections on December 13, 2016, September

26, 2017, and July 5, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to clearly mark the date by which food shall be consumed on the premises, sold, or discarded when held at a temperature of 41°F or less for a maximum of seven (7) days. This applies only to refrigerated, ready-to-eat, time/temperature control for safety foods prepared and held in a food establishment for more than twenty-four (24) hours.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four hundred dollars **(\$400.00)**.

83)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-06-085 September 17, 2018
	Individual/Entity:	Moose Lodge #2351
	Facility:	Moose Lodge #2351
	Location:	9763 Moose Road
		Murrells Inlet, SC 29576
	Mailing Address:	P.O. Box 14947
		Surfside Beach, SC 29587
	<u>County</u> :	Horry
	Previous Orders:	2018-206-06-062 (\$400.00)
	Permit Number:	26-206-07212
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Moose Lodge #2351 (Individual/Entity), located in Murrells Inlet, South Carolina, operates a restaurant. The Department conducted inspections on October 10, 2017, May 1, 2018, and July 9, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that, if hot held, cooked time/temperature control for safety foods that have been cooled are reheated to a temperature of at least 165°F (74°C) for fifteen seconds.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

84)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-07-050 September 17, 2018 <b>The Cottages on Charleston Highway</b> The Cottages on Charleston Highway 16 Patriots Point Road Mt. Pleasant, SC 29464
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Charleston None 10-206-05917 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: The Cottages on Charleston Highway (Individual/Entity), located in Mount Pleasant, South Carolina, is a restaurant. The Department conducted inspections on April 18, 2017, April 16, 2018, May 24, 2018, June 25, 2018, and June 27, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to

ensure that a person in charge, is certified by a food protection manager certification program that is recognized by the Conference for Food Protection.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of six hundred dollars **(\$600.00)**.

85)	Order Type and Number:	Consent Order 2018-206-03-076
	<u>Order Date</u> :	September 18, 2018
	Individual/Entity:	Umi Japanese Restaurant
	Facility:	Umi Japanese Restaurant
	Location:	510 B C Moore Drive
		Chester, SC 29706
	Mailing Address:	102 Crescent Drive
	-	Chester, SC 29706
	<u>County</u> :	Chester
	Previous Orders:	None
	Permit Number:	12-206-00695
	Violations Cited:	S.C. Code Ann. Regs. 61-25

Summary: Umi Japanese Restaurant (Individual/Entity), located in Chester, South Carolina, is a restaurant. The Department conducted inspections on August 16, 2017, June 19, 2018, and June 27, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

86)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-03-111 September 18, 2018 <b>Zorba's of St Andrews</b> Zorba's of St Andrews 6169 St. Andrews Road Columbia, SC 29212
	<u>Mailing Address</u> : <u>County</u> : <u>Previous Orders</u> : <u>Permit Number</u> : <u>Violations Cited</u> :	Same Lexington 2015-206-03-100 (\$800.00) 32-206-00882 S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Zorba's of St Andrews (Individual/Entity), located in Columbia, South Carolina, is a restaurant. The Department conducted inspections on September 6, 2017, July 12, 2018, and July 18, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure there was no bare hand contact with ready-to-eat foods.

<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-06-081 September 19, 2018
Individual/Entity:	Shoney's #2237
Facility:	Shoney's #2237
Location:	1206 South Kings Highway
	Myrtle Beach, SC 29577
Mailing Address:	1717 Elm Hill Pike, Suite B1
	Nashville, TN 37210
<u>County</u> :	Horry
Previous Orders:	None
Permit Number:	26-206-10268
Violations Cited:	S.C. Code Ann. Regs. 61-25
	Order Date: Individual/Entity: Facility: Location: Mailing Address: County: Previous Orders: Permit Number:

<u>Summary</u>: Shoney's #2237 (Individual/Entity), located in Myrtle Beach, South Carolina, is a restaurant. The Department conducted inspections on September 21, 2017, March 22, 2018, and July 13, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain the premises free of insects, rodents, and other pests.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of four hundred dollars **(\$400.00)**.

88)	Order Type and Number:	Consent Order 2018-206-06-090
	Order Date:	September 20, 2018
	Individual/Entity:	McDonald's #5838
	Facility:	McDonald's #5838
	Location:	2931 Highway 17 South
		Murrells Inlet, SC 29576
	Mailing Address:	107 Burmaster Drive
	-	Columbia, SC 29229
	County:	Horry
	Previous Orders:	None
	Permit Number:	26-206-12864
	Violations Cited:	S.C. Code Ann. Regs. 61-25
		-

<u>Summary</u>: McDonald's #5838 (Individual/Entity), located in Murrells Inlet, South Carolina, is a restaurant. The Department conducted inspections on August 10, 2017, October 4, 2017, and July 2, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods and failed to ensure written procedures were in place and made available to the Department when the facility uses time as a public health control.

89)	<u>Order Type and Number</u> : <u>Order Date</u> :	Consent Order 2018-206-03-117 September 21, 2018
	Individual/Entity:	Quick Stop
	Facility:	Quick Stop
	Location:	9102 Farrow Road
		Columbia, SC 29203
	Mailing Address:	Same
	County:	Richland
	Previous Orders:	2014-206-03-025 (\$500.00);
		2015-206-03-028 (\$1,000.00)
	Permit Number:	40-206-06837
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Quick Stop (Individual/Entity), located in Columbia, South Carolina, is a convenience store. The Department conducted inspections on August 22, 2017, June 12, 2018, June 21, 2018, and June 28, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that equipment is maintained in a state of repair and condition that meets the regulation requirements and failed to clearly and individually identify with the common name of the material on all working containers used for storing poisonous or toxic materials such as cleaners and sanitizers taken from bulk supplies.

<u>Action</u>: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

90)	<u>Order Type and Number</u> : <u>Order Date</u> : <u>Individual/Entity</u> : <u>Facility</u> : <u>Location</u> :	Consent Order 2018-206-06-084 September 21, 2018 Famous Wok Famous Wok 10835 Kings Road Myrtle Beach, SC 29572
	Mailing Address:	Same
	County:	Horry
	Previous Orders:	None
	Permit Number:	26-206-08828
	Violations Cited:	S.C. Code Ann. Regs. 61-25

<u>Summary</u>: Famous Wok (Individual/Entity), located in Myrtle Beach, South Carolina, is a restaurant. The Department conducted inspections on July 13, 2017, January 30, 2018, and July 5, 2018. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

<sup>&</sup>lt;sup>\*</sup> Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.