

SUMMARY SHEET  
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL  
August 13, 2020

\_\_\_\_\_ ACTION/DECISION

X  INFORMATION

1. **TITLE:** Administrative and Consent Orders issued by the Office of Environmental Affairs.
2. **SUBJECT:** Administrative and Consent Orders issued by the Office of Environmental Affairs during the period May 1, 2020, through June 30, 2020.
3. **FACTS:** For the reporting period of May 1, 2020, through June 30, 2020, the Office of Environmental Affairs issued forty-three (43) Consent Orders with total assessed civil penalties in the amount of one hundred fifty-five thousand, six hundred seventy-seven dollars and fifty cents (\$155,677.50). Also, fifteen (15) Administrative Orders were reported during this period with total assessed civil penalties in the amount of four thousand dollars (\$4,000.00).

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
<b>Land and Waste Management</b>				
UST Program	0	0	5	\$5,425.00
Aboveground Tanks	0	0	0	0
Solid Waste	0	0	7	\$12,400.00
Hazardous Waste	1	\$4,000.00	2	\$7,100.00
Infectious Waste	0	0	2	\$29,600.00
Mining	0	0	0	0
<b>SUBTOTAL</b>	<b>1</b>	<b>\$4,000.00</b>	<b>16</b>	<b>\$44,525.00</b>
<b>Water</b>				
Recreational Water	0	0	0	0
Drinking Water	0	0	3	0
Water Pollution	0	0	8	\$93,402.50
Dam Safety	0	0	0	0
<b>SUBTOTAL</b>	<b>0</b>	<b>0</b>	<b>11</b>	<b>\$93,402.50</b>
<b>Air Quality</b>				
<b>SUBTOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Environmental Health Services</b>				
Food Safety	0	0	12	\$14,250.00
Onsite Wastewater	14	0	4	\$3,500.00
<b>SUBTOTAL</b>	<b>14</b>	<b>0</b>	<b>16</b>	<b>\$17,750.00</b>
<b>OCRM</b>				
<b>SUBTOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>TOTAL</b>	<b>15</b>	<b>\$4,000.00</b>	<b>43</b>	<b>\$155,677.50</b>

Submitted by:

*Myra C. Reece*

Myra C. Reece

Director of Environmental Affairs

**ENVIRONMENTAL AFFAIRS ENFORCEMENT REPORT  
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL  
August 13, 2020**

**BUREAU OF LAND AND WASTE MANAGEMENT**

**Underground Storage Tank Enforcement**

- 1)     Order Type and Number:                     Consent Order 19-0300-UST  
       Order Date:                                 May 19, 2020  
       Individual/Entity:                         **Shiv One, LLC**  
       Facility:                                     Coosawhatchie General Store  
       Location:                                     6282 West Frontage Road  
   Coosawhatchie, SC 29936  
       Mailing Address:                             Same  
       County:                                     Jasper  
       \*Previous Orders:                             19-0228-UST (\$870.00)  
       Permit/ID Number:                         10422  
       Violations Cited:                         The State Underground Petroleum  
   Environmental Response Bank Act of 1988 (SUPERB Act), S.C. Code Ann. § 44-  
   2-10 et seq. (2018), and South Carolina Underground Storage Tank Control  
   Regulation, 7 S.C. Code Ann., R.61-92 280.93(a) and 280.110(c) (2012 & Supp.  
   2018).

Summary: Shiv One, LLC (Individual/Entity), owns underground storage tanks located in Jasper County, South Carolina. The Department conducted an inspection on July 5, 2019 and issued a Notice of Alleged Violation. The Individual/Entity has violated the SUPERB Act and South Carolina Underground Storage Tank Control Regulation as follows: failed to maintain corrosion protection on a temporarily closed USTs for a twelve (12) month period. As of May 19, 2020, the Entity has begun testing its USTs.

Action: The Individual/Entity is required to: submit either a passing metal integrity test results for all USTs or a completed UST Tank and Sludge Disposal Form, permanently close the USTs, and submit a UST Closure and Assessment Report. The Department assessed a total civil penalty in the amount of fourteen thousand dollars (\$14,000.00). The Individual shall pay a civil penalty in the amount of five hundred dollars (**\$500.00**) and pay a suspended penalty in the amount of thirteen thousand dollars (\$13,500.00) should any requirement of the Order not be met.

2)     Order Type and Number:                     Consent Order 19-0495-UST  
       Order Date:                                 May 19, 2020  
       Individual/Entity:                         **Low Country Legacy Real Estate LLC**  
       Facility:                                     Highway 21 Mini Mart  
       Location:                                     2706 B Trask Parkway  
   Burton, SC 29902  
       Mailing Address:                         P. O. Box 2522  
   Bluffton, SC 29910  
       County:                                     Beaufort  
       Previous Orders:                             None  
       Permit/ID Number:                         14441  
       Violations Cited:                         The State Underground Petroleum  
   Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann., § 44-  
   2-10 *et seq* (2018); and South Carolina Underground Storage Tank Control  
   Regulation, 7 S.C. Code Ann., Regs. 61-92.280.34(c), 280.43(d), 280.242(b)(3),  
   and 280.242(b)(4) (2012 & Supp. 2019).

Summary: Low Country Legacy Real Estate LLC (Individual/Entity) owns a compartmented underground storage tank (UST) located in Burton, South Carolina. A Transfer of Ownership/Notice of Alleged Violation was issued October 4, 2019. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Control Regulation as follows: failed to conduct release detection using automatic tank gauge for an UST system; failed to provide records to the Department upon request; and, failed to conduct monthly inspections and physically visit the Facility once a quarter.

Action: The Individual/Entity is required to: submit tank tightness test results for each compartment of the UST; submit evidence that the UST compartments contain less than one inch (1) of residue; and submit a Class A/B operator log. The Department has assessed a total civil penalty in the amount of two thousand, twenty-five dollars (\$2,025.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, twenty-five dollars (**\$2,025.00**).

3)     Order Type and Number:                     Consent Order 19-0518-UST  
       Order Date:                                 May 26, 2020  
       Individual/Entity:                         **Cindy Cody Johnson**  
       Facility:                                     Johnson Country Store  
       Location:                                     305 Main Street  
   Lowndesville, SC 29640  
       Mailing Address:                         2221 Coal Pit Road  
   Greer, SC 29651  
       County:                                     Abbeville  
       Previous Orders:                             None  
       Permit/ID Number:                         15936

Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988, S.C. Code Ann. § 44-2-10 et seq. (2016) (SUPERB Act); and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs. 61-92, 280.93(a) and 280.110(c) (2012 and Supp. 2019)

Summary: Cindy Cody Johnson (Individual/Entity) owns and operates underground storage tanks (USTs) in Lowndesville, South Carolina. The Department issued a Notice of Alleged Violation on November 1, 2019, as a result of a file review. The Individual/Entity has violated the SUPERB Act and South Carolina Underground Storage Tank Control Regulation as follows: failed to demonstrate financial responsibility for an UST system and failed to provide evidence of financial assurance to the Department upon request.

Action: The Individual/Entity is required to: submit a completed Certificate of Financial Responsibility (CFR) form and provide evidence of financial assurance. The Department has assessed a total civil penalty in the amount of one thousand, four hundred dollars (\$1,400.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, four hundred dollars (**\$1,400.00**).

4) Order Type and Number: Consent Order 20-0036-UST  
Order Date: June 22, 2020  
Individual/Entity: **Trisha of Orangeburg, Inc.**  
Facility: Oak Ridge Food Mart  
Location: 1560 Loblolly Drive  
Santee, SC 29142  
Mailing Address: 252 Mount Hope Drive  
County: Orangeburg  
Previous Orders: None  
Permit/ID Number: 18205  
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann., § 44-2-10 et seq. (2018); and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs. 61-92.280.41(b)(1)(i)(B)(2012 & Supp. 2019).

Summary: Trisha of Orangeburg (Individual/Entity) owns underground storage tanks (USTs) located in Santee, South Carolina. The Department conducted an inspection on January 24, 2020. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Control Regulation as follows: failed to have a line tightness test conducted and failed to have monthly leak detection conducted.

Action: The Individual/Entity has provided all testing data. The Department has assessed a total civil penalty in the amount of five hundred dollars (\$500.00). The Individual/Entity shall pay a civil penalty in the amount of five hundred dollars (**\$500.00**).

- 5) Order Type and Number: Consent Order 20-0046-UST  
Order Date: June 30, 2020  
Individual/Entity: **Samer Express, LLC**  
Facility: Glenn Road Convenience  
Location: 295 Glenn Road  
West Columbia, SC 29172  
Mailing Address: Same  
County: Lexington  
Previous Orders: None  
Permit/ID Number: 19853  
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann., § 44-2-10 et seq. (2018); and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs. 61-92.280.20(c)(1)(ii) (2012 & Supp. 2019).

Summary: Samer Express, LLC (Individual/Entity) owns underground storage tanks (USTs) located in Lexington, South Carolina. The Department conducted an inspection on February 12, 2020. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Control Regulation as follows: failed to maintain an overfill prevention device.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

### **Solid Waste Enforcement**

- 6) Order Type and Number: Consent Order 20-02-SW  
Order Date: May 13, 2019  
Individual/Entity: **Dillon County**  
Facility: Dillon County Class 2 Landfill  
Location: 901 Landfill Road  
Dillon, SC  
Dillon County, SC  
Mailing Address: P.O. Box 449  
Dillon, SC 29536  
County: Dillon  
Previous Orders: None  
Permit/ID Number: 171001-1202  
Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991 (Act), Solid Waste Management: Solid Waste Landfills

and Structural Fill Regulation (Regulation), R.61-107.19, Part IV.C.5., Part IV.C.7., Part IV. C.10. and Permit # 171001-1202 (Permit)

Summary: Dillon County (Individual/Entity), is responsible for operating a Class 2 Landfill in Dillon, South Carolina. The Department conducted inspections on July 2, 2019, August 2, 2019, August 12, 2019, September 4, 2019, September 12, 2019, September 16, 2019, October 14, 2019, and November 4, 2019. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act, Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation, and the Permit 171001-1202 as follows: failed to ensure that the working face of the landfill is confined to as small an area as equipment can safely and efficiently operate; failed to ensure that all slopes do not exceed thirty-three percent (33%); failed to place cover over exposed waste with at least six (6) inches of clean soil; and failed to effectively control dust, odors, fire hazards, litter and vectors so they do not constitute nuisances or hazards.

Action: The Individual/Entity is required to: cover all exposed waste material with at least six (6) inches of clean earth cover, or other suitable cover material to be approved by the Department; and ensure that all slopes do not exceed thirty-three percent (33%). The Department has assessed a total civil penalty in the amount of two thousand, one hundred dollars (\$2,100.00). The Individual Entity shall pay a civil penalty in the amount of seven hundred dollars (**\$700.00**) and pay a suspended penalty in the amount of one thousand, four hundred dollars (\$1,400.00) should any requirement of the Order is not met.

7) <u>Order Type and Number:</u>	Consent Order 20-18-SW
<u>Order Date:</u>	May 18, 2020
<u>Individual/Entity:</u>	<b>Peek Pavement Marking, LLC</b>
<u>Facility:</u>	Peek Pavement Marking, LLC
<u>Location:</u>	186 Ben Abi Road Spartanburg, SC 29307
<u>Mailing Address:</u>	4600 Peek Industrial Drive Columbus, GA 31309
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	N/A
<u>Violations Cited:</u>	The South Carolina Solid Waste Policy and Management Act of 1991, S.C. Code Ann. §§ 44-96-10 <u>et seq.</u> (2018 and Supp. 2019), the Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation 61-107.19 (2012 and Supp. 2019), and the Solid Waste Management: Used Oil Regulations 61-107.279 (2012 and Supp. 2019).

Summary: Peek Pavement Marking, LLC (Individual/Entity) provides road marking services and is located at 186 Ben Abi Road, Spartanburg, South Carolina. The Department conducted inspections on January 6, 2020, and January 7, 2020. The Individual/Entity violated the South Carolina Solid Waste Policy and Management Act, the Solid Waste Landfills and Structural Fill Regulations, and the Used Oil Regulations as

follows: failed to obtain a permit from the Department prior to operating a Class Two Landfill and failed to label or mark containers used to store used oil with the words “Used Oil.” The Department received photographs and landfill disposal receipts demonstrating all solid waste had been removed from the Site, properly disposed, and the area had been seeded.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of four thousand, five hundred dollars (\$4,500.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand, five hundred dollars (**\$4,500.00**).

8)     Order Type and Number:                     Consent Order 20-12-SW  
          Order Date:                                 May 27, 2020  
          Individual/Entity:                         **3406 Properties, LLC & Cut Above  
  Enterprises, LLC**  
          Facility:                                     Cut Above Enterprises, LLC  
          Location:                                    3406 Rutherford Road Extension  
  Taylors, SC 29687  
          Mailing Address:                         Same  
          County:                                     Greenville  
          Previous Orders:                         None  
          Permit/ID Number:                     N/A  
          Violations Cited:                     Solid Waste Policy and Management Act of  
  1991, S.C. Code Ann. 44-96-440 et seq. (Rev. 2018 & Supp. 2019); Solid Waste  
  Management: Compost and Mulch Production from Land-Clearing Debris, Yard  
  Trimblings, and Organic Residuals, R.61-107.4, Part II.A.3., Part II.B.1.a., Part  
  II.B.2., and Part III.A.1. (2018)

Summary: 3406 Properties, LLC and Cut Above Enterprises, LLC (Individuals/Entities), own a property and operate a landscaping service in Taylors, South Carolina. The Department conducted inspections on October 17, 2019, December 2, 2019, January 17, 2020, March 16, 2020. The Individuals/Entities have violated the Solid Waste Policy and Management Act and the Solid Waste Management: Compost and Mulch Production from Land-Clearing Debris, Yard Trimmings and Organic Residuals Regulation as follows: failed to obtain a permit to operate a compost facility from the Department, in that the amount of material allowed at a facility to be exempt from permit requirement was exceeded and exceeded the amount of unprocessed material allowed on site without meeting required buffer specifications.

Action: The Individual/Entities are required to: dispose of the waste at a permitted solid waste facility; provide the Department with disposal receipts; obtain a Compost/Mulch Production Permit if the amount of landscaping debris on the property will exceed 80 cubic yards. The Department assessed a total civil penalty in the amount of one thousand, one hundred dollars (\$1,100.00). The Individuals/Entities shall pay a civil penalty in the amount of one thousand, one hundred dollars (**\$1,100.00**).

- 9)     Order Type and Number:                     Consent Order 20-14-SW  
       Order Date:                                 May 27, 2020  
       Individual/Entity:                         **Carolina Plastics**  
       Facility:                                     Carolina Plastics  
       Location:                                     882 Academy Road  
   Long Creek, SC  
       Mailing Address:                         105 Warehouse Road  
   Seneca, SC 29672  
  
       County:                                     Oconee  
       Previous Orders:                             None  
       Permit/ID Number:                         N/A  
       Violations Cited:                         South Carolina Solid Waste Policy and  
Management Act of 1991, S.C. Code Ann. §§ 44-96-290(A) (2018 & Supp.  
2018) (Act) and the Solid Waste Management: Solid Waste Landfills and  
Structural Fill Regulation, R.61-107.19, Part V.A.258.1.c. (2002 and Supp. 2016)  
(Regulation)

Summary: Carolina Plastics (Individual/Entity), located in Long Creek, South Carolina, is responsible for operating a Class Three landfill without a permit from the Department. Inspections were conducted on October 4, 2019 and December 5, 2019. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act and Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation as follows: operated a Class Three landfill without a permit issued by the Department.

Action: The Individual/Entity is required to: remove all solid waste debris from the Site; dispose of it at a permitted solid waste management facility; and submit disposal receipts. The Department has assessed a total civil penalty in the amount of three thousand dollars (\$3,000.00). The Individual/Entity shall pay a civil penalty in the amount of five hundred dollars (**\$500.00**) and pay a suspended penalty in the amount of two thousand, five hundred dollars (\$2,500.00) should any requirement of the Order not be met.

- 10)    Order Type and Number:                     Consent Order 20-13-SW  
       Order Date:                                 June 11, 2020  
       Individual/Entity:                         **Earl Williams**  
       Facility:                                     TMS # 105-32  
       Location:                                     1641 Sandy Run Creek Road  
   Silverstreet, SC 29145  
       Mailing Address:                         1877 Williams Road  
   Silverstreet, SC 29145  
  
       County:                                     Newberry  
       Previous Orders:                             None  
       Permit/ID Number:                         N/A



Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991, S.C. Code Ann. §§ 44-96-10 et seq. (2002 & Supp. 2018); Solid Waste Management: Waste Tires, R.61-107.3 (2015) Part III.A.1.

Summary: Earl Williams (Individual/Entity), owns property in Silverstreet, South Carolina. The Department conducted inspections on January 28, 2020, February 18, 2020, and April 3, 2020. The Individual/Entity violated the South Carolina Solid Waste Policy and Management Act and the Solid Waste Management: Waste Tires Regulation as follows: operated a waste tire collection facility without a Department issued permit.

Action: The Individual/Entity is required to: remove all tires from the Site and submit disposal receipts as proof of proper disposal. The Department has assessed a total civil penalty in the amount of fifteen thousand, seven hundred fifty dollars (\$15,750.00). The Individual/Entity shall pay a **suspended penalty** in the amount of fifteen thousand, seven hundred fifty dollars (**\$15,750.00**) should any requirement of the Order not be met.

11) Order Type and Number: Consent Order 20-16-SW  
Order Date: June 19, 2020  
Individual/Entity: **SAXON Development Venture, LLC and Henderson Brandt & Vieth PA C/O**  
Facility: SAXON Development, Property  
Location: 11 Front Street  
Spartanburg, SC  
Mailing Address: 360 East Henry Street, Suite 101  
Spartanburg, SC 29302  
County: Spartanburg  
Previous Orders: None  
Permit/ID Number: N/A  
Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991, S.C. Code Ann. §§ 44-96-290(A) (2018 & Supp. 2018) (Act) and the Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation, R.61-107.19, Part II.B.1. (2016) (Regulation)

Summary: SAXON Development Venture, LLC and Henderson Brandt & Vieth PA C/O (Individual/Entity), located in Spartanburg, South Carolina, is responsible for operating a structural fill without a permit. The Department conducted inspections on August 8, 2019, August 9, 2019 and August 14, 2019. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act and Solid Waste Management; Solid Waste Landfills and Structural Fill Regulation as follows: operated a structural fill without a permit issued by the Department.

Action: The Individual/Entity is required to: cease disposal of solid waste debris onto the Property and dispose of any remaining solid waste debris at a permitted solid waste management facility; remove loose solid waste debris from the dam/land bridge, dispose of it at a permitted solid waste management facility and submit disposal receipts to the

Department; complete closure activities to include, applying a two-foot thick final earth cover and seed the finished surface area with native grasses or other suitable cover, recording with the Register of Deeds a notation in the record of ownership of the property that will, in perpetuity, notify any potential purchaser of the property that the land, or a portion thereof, has been filled with solid waste debris; remove all solid waste material not compacted during closure activities, dispose of it at a permitted solid waste management facility and submit disposal receipts. The Department has assessed a total civil penalty in the amount ten thousand, two hundred dollars (\$10,200.00). The Individual/Entity shall a civil penalty in the amount of two thousand, seven hundred dollars (**\$2,700.00**) and pay a suspended penalty in the amount of seven thousand, five hundred dollars (\$7,500.00) should any requirement of the Order is not met.

12) Order Type and Number: Consent Order 20-17-SW  
Order Date: June 19, 2020  
Individual/Entity: **Newberry County**  
Facility: Newberry County Transfer Station  
Location: 11374 SC-34  
Newberry, SC 29108  
Mailing Address: Same  
County: Newberry  
Previous Orders: None  
Permit/ID Number: 361001-6001  
Violations Cited: South Carolina Solid Waste Policy and Management Act of 1991 (Act), Solid Waste Management: Transfer of Solid Waste (Regulation), R.61-107.7, Part C.2., Part E.10., Part F.2., Part F.7., and Permit # 361001-6001 (Permit)

Summary: Newberry County (Individual/Entity) is responsible for operating a Transfer Station in Newberry, South Carolina. The Department conducted inspections on February 4, 2020, and March 4, 2020. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act, Solid Waste Management: Transfer of Solid Waste Regulation and Permit 361001-6001 as follows: failed to contain spillage or leakage of solid waste on the storage site; failed to contain all waste in the tipping area; failed to maintain a neat and orderly appearance; and failed to remove all putrescible waste within twenty-four (24) hours of receipt or store waste in a manner to promote vector and odor control.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand, nine hundred dollars (\$2,900.00). The Individual Entity shall pay a civil penalty in the amount of two thousand, nine hundred dollars (**\$2,900.00**).



Mailing Address: Same  
County: Newberry  
Previous Orders: None  
Permit/ID Number: SCD 006 540 983  
Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018), and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2018).

Summary: Valmont Composite Structures (Individual/Entity) specializes in manufacturing lighting poles at its facility located in Newberry, South Carolina. The Department conducted an inspection on December 5, 2019. The Individual/Entity has violated the South Carolina Hazardous Waste Management Act and the Hazardous Waste Management Regulations as follows: failed to accumulate non-acute hazardous waste in containers at or near any point of generation where wastes initially accumulate; failed to ensure that containers holding hazardous waste were closed at all times during the accumulation, except when adding, removing, or consolidating waste, or when temporary venting of a container is necessary; failed to mark or label its containers with the words “Hazardous Waste” and an indication of the hazards of the content; failed to mark the date upon which each period of accumulation begins; failed to submit a quick reference guide to the local emergency responders; failed to manage lamps in a way that prevents release of any universal waste or component of a universal waste to the environment; and failed to demonstrate the length of time that the universal waste had been accumulated from the date it became a waste or received.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand dollars (**\$4,000.00**).

15) Order Type and Number: Consent Order 20-04-HW  
Order Date: June 30, 2020  
Individual/Entity: **Palmetto Plating Company, Inc.**  
Facility: Palmetto Plating Company, Inc.  
Location: 510 Saco Lowell Road  
Easley, SC 29641  
Mailing Address: Same  
County: Pickens  
Previous Orders: None  
Permit/ID Number: SCR 000 004 739  
Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018), and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2018).

Summary: Palmetto Plating Company, Inc. (Individual/Entity) specializes in providing metal finishing services at its facility located in Easley, South Carolina. The Department conducted an inspection on September 13, 2019. The Individual/Entity violated the South Carolina Hazardous Waste Management Act and the Hazardous Waste Management Regulations as follows: failed to accurately determine if a waste was a hazardous waste; failed to close containers of hazardous during accumulation, except when adding or removing waste; failed to label containers with the words “Hazardous Waste” and an indication of the hazards of the contents; and failed to remove excess hazardous waste from satellite accumulation within three (3) consecutive calendar days, and date the container holding the excess with the date the excess amount began accumulating.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, one hundred dollars (\$3,100.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, one hundred dollars (**\$3,100.00**).

### **Infectious Waste Enforcement**

16) <u>Order Type and Number:</u>	Consent Order 20-02-IW
<u>Order Date:</u>	June 10, 2020
<u>Individual/Entity:</u>	<b>Medical University of South Carolina</b>
<u>Facility:</u>	Medical University of South Carolina
<u>Location:</u>	171 Ashley Avenue Charleston, SC 29425
<u>Mailing Address:</u>	Same
<u>County:</u>	Charleston
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	SC10-0031G
<u>Violations Cited:</u>	The South Carolina Infectious Waste Management Regulations, S.C. Code Ann. Regs. 61-105 (Supp. 2010) (SCIWMR), promulgated pursuant to the South Carolina Infectious Waste Management Act, S.C. Code Ann. §44-93-10 et seq. (2002).

Summary: Medical University of South Carolina (Individual/Entity) is a hospital located in Charleston, South Carolina. The Department received a complaint with documentation and photographs on August 12, 2019. The Individual/Entity has violated the Infectious Waste Management Regulations as follows: failed to manage infectious waste in a manner which prevents exposure to the public or release to the environment; failed to offer infectious waste for offsite transport only to a transporter who maintains a current registration with the Department; failed to segregate infectious waste from solid waste as close to the point of generation as practical to avoid commingling of the waste; failed to assure that infectious waste is packaged in accordance with the requirements and to prevent any release of infectious waste from its packaging before storing, transporting, or offering for transport offsite; failed to use plastic bags of red or orange color and have

sufficient strength to prevent tearing; failed to contain infectious waste in containers that are appropriate for the type and quantity of waste and must be compatible with selected storage, transportation, and treatment processes; failed to treat infectious waste prior to disposal; and , failed to report to the Department within twenty-four (24) hours and immediately investigate and confirm all suspected releases of infectious waste.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of fourteen thousand, eight hundred dollars (\$14,800.00). The Individual/Entity shall pay a civil penalty in the amount of fourteen thousand, eight hundred dollars (**\$14,800.00**).

17) Order Type and Number: Consent Order 20-01-IW  
Order Date: June 19, 2020  
Individual/Entity: **Ashley River Tower**  
Facility: Ashley River Tower  
Location: 25 Courtenay Drive  
Charleston, SC 29425  
Mailing Address: 316 Courtenay Drive  
Charleston, SC 29425  
County: Charleston  
Previous Orders: None  
Permit/ID Number: SC10-2208G  
Violations Cited: The South Carolina Infectious Waste Management Regulations, S.C. Code Ann. Regs. 61-105 (Supp. 2010) (SCIWMR), promulgated pursuant to the South Carolina Infectious Waste Management Act, S.C. Code Ann. §44-93-10 et seq. (2002).

Summary: Ashley River Tower (Individual/Entity) is a hospital located at 25 Courtenay Dr., Charleston, South Carolina. The Department received a complaint with documentation and photographs on August 12, 2019. The Individual/Entity has violated the Infectious Waste Management Regulations as follows: failed to manage infectious waste in a manner which prevents exposure to the public or release to the environment; failed to offer infectious waste for offsite transport only to a transporter who maintains a current registration with the Department; failed to segregate infectious waste from solid waste as close to the point of generation as practical to avoid commingling of the waste; failed to assure that infectious waste is packaged in accordance with the requirements and to prevent any release of infectious waste from its packaging before storing, transporting, or offering for transport offsite; failed to use plastic bags of red or orange color and have sufficient strength to prevent tearing; failed to contain infectious waste in containers that are appropriate for the type and quantity of waste and must be compatible with selected storage, transportation, and treatment processes; failed to treat infectious waste prior to disposal; and , failed to report to the Department within twenty-four (24) hours and immediately investigate and confirm all suspected releases of infectious waste.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of fourteen thousand, eight hundred dollars (\$14,800.00). The Individual/Entity shall pay a civil penalty in the amount of fourteen thousand, eight hundred dollars (**\$14,800.00**).

## BUREAU OF WATER

### Drinking Water Enforcement

18) Order Type and Number: Consent Order 20-015-DW  
Order Date: May 6, 2020  
Individual/Entity: **Shady Acres Water Co.**  
Facility: Shady Acres  
Location: 178 Hunter Drive  
Chapin, SC 29036  
Mailing Address: Same  
County: Lexington  
Previous Orders: 19-004-DW (\$4,000.00)  
Permit/ID Number: 3250060  
Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)

Summary: Shady Acres Water Co. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On March 13, 2020, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level (MCL) for E. coli.

Action: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation. The Department has assessed a total civil penalty in the amount of eight thousand dollars (\$8,000.00). The Individual/Entity shall pay a **stipulated penalty** in the amount of eight thousand dollars (**\$8,000.00**) should any requirement of the Order not be met.

19) Order Type and Number: Consent Order 20-016-DW  
Order Date: May 18, 2020  
Individual/Entity: **Gerardo V. Contreras, Individually and d.b.a. L&D Apartments**  
Facility: L&D Apartments  
Location: 118 Dean Road  
Saluda, SC 29138  
Mailing Address: Same

County: Saluda  
Previous Orders: None  
Permit/ID Number: 4170300  
Violations Cited: S.C. Code Ann. Regs. 61-58.17.K(1)

Summary: Gerardo V. Contreras, Individually and d.b.a. L&D Apartments (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On April 2, 2020, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level (MCL) for E. coli.

Action: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

20) Order Type and Number: Consent Order 20-017-DW  
Order Date: May 18, 2020  
Individual/Entity: **The City of Belton**  
Facility: The City of Belton  
Location: 306 Anderson Street  
Belton, SC 29627  
Mailing Address: Same  
County: Anderson  
Previous Orders: None  
Permit/ID Number: 0410004  
Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b)

Summary: The City of Belton (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On February 21, 2020, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level (MCL) for total trihalomethanes.

Action: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.



## Water Pollution Enforcement

21) Order Type and Number: Consent Order 20-012-W  
Order Date: May 5, 2020  
Individual/Entity: **Aiken County PSA**  
Facility: Horse Creek WWTF  
Location: 70 PSA Road  
Beech Island, SC 29842  
Mailing Address: Same  
County: Aiken  
Previous Orders: None  
Permit/ID Number: NPDES Permit SC0024457  
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (2008 & Supp. 2016), Water Pollution Control Permits, 3 S.C. Code Ann Regs. 61-9.122.41(a) (2011), and Part III. A of NPDES Permit SC0024457

Summary: Aiken County PSA/Horse Creek WWTF (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Aiken County, South Carolina. On November 27, 2019, a Notice of Violation was issued as a result of a failure to comply with certain permitted effluent limitations from April 2019 through October 2019 as reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with permitted effluent limitations for E. Coli.

Action: The Individual/Entity is required to: submit notification of the completion for all corrective actions and demonstrate a six-month compliance confirmation monitoring period once corrective actions are complete. The Department has assessed a total civil penalty in the amount of five thousand, forty dollars (\$5,040.00). The Individual/Entity shall pay a civil penalty of five thousand, forty dollars (**\$5,040.00**).

22) Order Type and Number: Consent Order 20-013-W  
Order Date: May 6, 2020  
Individual/Entity: **Arabella Farm Event Center, LLC**  
Facility: Arabella Farm Event Center  
Location: 125 Buck Ridge Road  
Sunset, SC 29685  
Mailing Address: Same  
County: Pickens  
Previous Orders: None  
Permit/ID Number: N/A  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-90(A) (Supp. 2018); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.26 (b) 14 (x) (2011).

Summary: Arabella Farm Event Center, LLC (Individual/Entity) is responsible for land disturbing activity on property located in Pickens County, South Carolina. On August 20, 2019, a Warning Notice was issued as a result of failure to maintain sediment and erosion controls and unauthorized discharges of sediment associated with land disturbing activity. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: discharged sediment into the environment, including waters of the state, in a manner other than in compliance with a permit issued by the Department, and initiated land disturbing activities prior to obtaining a permit from the Department.

Action: The Individual/Entity is required to: complete the process of obtaining permit coverage from Pickens County; submit a revised SWPPP; submit a stabilization plan for the pasture area; submit an engineer's report stating the site is in compliance with the approved SWPPP; submit an assessment plan addressing impacts of sediment to specified unnamed tributaries; and submit an assessment report and a list of remediation activities. The Department has assessed a total civil penalty in the amount of six thousand dollars (\$6,000.00). The Individual/Entity shall pay a civil penalty in the amount of six thousand dollars (**\$6,000.00**).

23) <u>Order Type and Number:</u>	Consent Order 20-014-W
<u>Order Date:</u>	May 12, 2020
<u>Individual/Entity:</u>	<b>City of Lancaster</b>
<u>Facility:</u>	Catawba River WWTF
<u>Location:</u>	Lockwood Lane Lancaster, SC 29721
<u>Mailing Address:</u>	P.O. Box 1149 Lancaster, SC 29721
<u>County:</u>	Lancaster
<u>Previous Orders:</u>	18-017-W (\$3,400.00)
<u>Permit/ID Number:</u>	SC0046892
<u>Violations Cited:</u>	Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (2008 & Supp. 2019), and Water Pollution Control Permits Regulation, S.C. Code Ann. Regs. 61-9.122.41(a) (2011), and NPDES Permit SC0046892

Summary: City of Lancaster/Catawba River WWTF (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Lancaster County, South Carolina. On March 2, 2020, a Notice of Violation was issued as a result of E.coli violations as reported on discharge monitoring reports. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the permitted effluent limitations for E.coli of its National Pollutant Discharge Elimination System permit.

Action: The Individual/Entity is required to: submit a CAP and a schedule of implementation to address the deficiencies. The Department has assessed a total civil penalty in the amount of four thousand, two hundred dollars (\$4,200.00). The

Individual/Entity shall pay a civil penalty in the amount of four thousand, two hundred dollars (**\$4,200.00**).

24) Order Type and Number: Consent Order 20-015-W  
Order Date: May 18, 2020  
Individual/Entity: **Total Environmental Solutions, Inc.**  
Facility: TESI Lockhart WWTF  
Location: 400 River Street  
Union County, SC  
Mailing Address: P.O. Box 14059  
Baton Rouge, LA 70898  
County: Union  
Previous Orders: None  
Permit/ID Number: SCG570019  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (a) (1) and (d) (2008 & Supp. 2019); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (e) (1) (2011); Standards for Wastewater Facility Construction, S.C. Code Ann. Regs. 61-67.100 (E) (7) and 300 (A) (1) (2015).

Summary: Total Environmental Solutions, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Union County, South Carolina. On June 7, 2019, a notice of unsatisfactory inspection was issued as a result of deficiencies observed by Department staff during an inspection. The Individual/Entity has violated the Pollution Control Act, Water Pollution Control Permit, and Standards for Wastewater Facility Construction Regulations as follows: failed to properly operate and maintain the WWTF and constructed and placed into operation a temporary piping system without first obtaining the appropriate permits from the Department.

Action: The Individual/Entity is required to: remove the temporary piping and install a new gear box. The Department has assessed a total civil penalty in the amount of two thousand, one hundred dollars (\$2,100.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand one hundred dollars (**\$2,100.00**).

25) Order Type and Number: Consent Order 20-016-W  
Order Date: May 21, 2020  
Individual/Entity: **Blue Granite Water Company**  
Facility: Friarsgate WWTF  
Location: off Irmo Drive  
Lexington County, SC  
Mailing Address: 130 South Main Street, Suite 800  
Greenville, SC 29601  
County: Lexington  
Previous Orders: 16-039-W (\$78,940.00);

17-060-W (\$12,000.00)  
Permit/ID Number: NPDES Permit SC0036137  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-90 (A) (1) and 110 (d) (2008 & Supp. 2018); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.505.41 (a) (2011).

Summary: Blue Granite Water Company (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Friarsgate wastewater treatment facility (WWTF) located in Lexington County, South Carolina. On December 13, 2019, Department staff observed untreated wastewater being discharged into waters of the state from manholes located in the Individual/Entity's wastewater collection system (WWCS) and observed sludge and rainwater being discharged from a partially dismantled temporary equalization basin into waters of the state. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to properly dispose of sludge from the WWTF and discharged untreated wastewater and sludge into the environment, including waters of the state, in a manner not in compliance with a permit issued by the Department.

Action: The Individual/Entity is required to: submit a detailed plan to prevent unauthorized discharges of wastewater and sludge from any WWTF owned by the Individual/Entity during decommissioning. The Department has assessed a total civil penalty in the amount of fifty-two thousand five hundred sixty-two dollars and fifty cents (\$52,562.50). The Individual/Entity shall pay a civil penalty in the amount of fifty-two thousand five hundred sixty-two dollars and fifty cents (**\$52,562.50**).

26) Order Type and Number: Consent Order 20-017-W  
Order Date: June 11, 2020  
Individual/Entity: **Town of Pageland**  
Facility: Northwest WWTF  
Location: Near SC HWY 207, Pageland  
Chesterfield County, SC  
Mailing Address: 126 North Pearl Street  
Pageland, SC 29728  
County: Chesterfield  
Previous Orders: None  
Permit/ID Number: NPDES Permit SC0021504  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d) (2008 & Supp. 2019); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (a) and (d) (2011).

Summary: The Town of Pageland (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Chesterfield County, South Carolina. On October 22, 2019, a Notice of Violation was issued as a result of Escherichia coli (E. coli) violations reported to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control

Permit Regulations as follows: failed to comply with the effluent discharge limits of the National Pollutant Discharge Elimination System Permit for E. coli.

Action: The Individual/Entity is required to: eliminate the discharge from the WWTF by connection to its Southeast WWTF and continue to operate under the current NPDES permit until the discharge is eliminated. The Department has assessed a total civil penalty in the amount of two thousand, eight hundred dollars (\$2,800.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, eight hundred dollars (**\$2,800.00**).

27) Order Type and Number: Consent Order 20-018-W  
Order Date: June 15, 2020  
Individual/Entity: **Town of Norway**  
Facility: Town of Norway WWTF  
Location: 710 Winchester Avenue  
Norway, SC 29113  
Mailing Address: P.O. Box 127  
Norway, SC 29113  
County: Orangeburg County  
Previous Orders: 19-050-W (\$1,000.00);  
19-069-W (\$6,800.00)  
Permit/ID Number: NPDES Permit SC0045993  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d) (2008 & Supp. 2019); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.21(d) (2011).

Summary: The Town of Norway (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Orangeburg County, South Carolina. On July 11, 2019, a Notice of Violation was issued as a result of failure to comply with the reporting requirements of its National Pollutant Discharge Elimination System Permit (NPDES Permit). The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulations as follows: failed to comply with the effluent discharge limits of its NPDES Permit for CTOX and pH.

Action: The Individual/Entity is required to: continue to implement the approved corrective action plan; complete quarterly CTOX analysis; and perform a Toxicity Identification Evaluation/Toxicity Reduction Evaluation if there is a CTOX failure observed during the designated monitoring period. The Department has assessed a total civil penalty in the amount of six thousand, three hundred dollars (\$6,300.00). The Individual/Entity shall pay a civil penalty in the amount of six thousand three hundred dollars (**\$6,300.00**).

28) Order Type and Number: Consent Order 20-019-W  
Order Date: June 15, 2020  
Individual/Entity: **Town of Lamar**  
Facility: Lamar WWTF  
Location: Secondary Road #449  
Darlington County, SC  
Mailing Address: P.O. Box 267  
Lamar, SC 29069  
County: Darlington  
Previous Orders: 19-042-W (\$2,800.00)  
Permit/ID Number: NPDES Permit SC0043702  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d), 48-1-130 & 330, (2008 & Supp. 2019); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (e) (1) (2011).

Summary: The Town of Lamar (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Darlington County, South Carolina. On January 17, 2020, a letter was issued as a result of deficiencies observed at the WWTF during a site visit on January 13, 2020. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to properly operate and maintain the WWTF.

Action: The Individual/Entity is required to: complete the installation of effluent pumps, flow meter, and indoor and outdoor lighting; paint and install a new door on the effluent pump house; upgrade the electrical components at the WWTF; employ an operator of appropriate grade; complete gravity sewer video and smoke testing; and submit to the Department a report on the video and smoke testing with a prioritized list of necessary repairs with a schedule for completion. The Department has assessed a total civil penalty in the amount of fourteen thousand, four hundred dollars (\$14,400.00). The Individual/Entity shall pay a civil penalty in the amount of fourteen thousand four hundred dollars (**\$14,400.00**).

## **BUREAU OF ENVIRONMENTAL HEALTH SERVICES**

### **Food Safety Enforcement**

29) Order Type and Number: Consent Order 2020-206-02-015  
Order Date: May 1, 2020  
Individual/Entity: **Rick Erwin's Deli & Market**  
Facility: Rick Erwin's Deli & Market  
Location: 101 West Camperdown Way, Suite 100  
Greenville, SC 29601  
Mailing Address: 40 West Broad Street, Suite 301

Greenville, SC 29601  
County: Greenville  
Previous Orders: 2016-206-02-021 (\$1,200.00);  
2018-206-02-059 (\$800.00);  
2019-206-02-045 (\$1,000.00)  
Permit Number: 23-206-10665  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Rick Erwin's Deli & Market (Individual/Entity) is a restaurant located in Greenville, South Carolina. The Department conducted an inspection on February 5, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that refrigerated, ready-to-eat, time/temperature control for safety foods were discarded if the temperature and time combination exceeded seven (7) days or if the package was not properly date marked.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

30) Order Type and Number: Consent Order 2020-206-02-017  
Order Date: May 1, 2020  
Individual/Entity: **No 1 China**  
Facility: No 1 China  
Location: 505 North Main Street, Suite 3  
Greenville, SC 29601  
Mailing Address: Same  
County: Greenville  
Previous Orders: None  
Permit Number: 23-206-09751  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: No 1 China (Individual/Entity) is a restaurant located in Greenville, South Carolina. The Department conducted inspections on March 6, 2019, October 22, 2019, and February 21, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of eight hundred dollars (\$800.00). The Individual/Entity shall pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

31) Order Type and Number: Consent Order 2020-206-04-013  
Order Date: May 1, 2020  
Individual/Entity: **Boulevard Express**  
Facility: Boulevard Express  
Location: 331 Cottingham Boulevard South  
Bennettsville, SC 29512  
Mailing Address: 1902 Sherbrooke Circle  
Laurinburg, NC 28352  
County: Marlboro  
Previous Orders: None  
Permit Number: 34-206-00684  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Boulevard Express (Individual/Entity) is a convenience store located in Bennettsville, South Carolina. The Department conducted inspections on December 18, 2018, August 20, 2019, and January 2, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of eight hundred dollars (\$800.00). The Individual/Entity shall pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

32) Order Type and Number: Consent Order 2020-206-04-017  
Order Date: May 1, 2020  
Individual/Entity: **Miyabi Jr. Express**  
Facility: Miyabi Jr. Express  
Location: 250 North Beltline Drive, Suite 20  
Florence, SC 29501  
Mailing Address: Same  
County: Florence  
Previous Orders: None  
Permit Number: 21-206-02842  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Miyabi Jr. Express (Individual/Entity) is a restaurant located in Florence, South Carolina. The Department conducted inspections on March 29, 2018, February 19, 2019, and January 10, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure that before service or sale in ready-to-eat form, raw, raw-marinated, partially cooked, or marinated-partially cooked fish shall be: frozen and stored at a temperature of -4 degrees F (-20 degrees C) or below for a minimum of one hundred sixty-eight (168) hours (seven (7) days) in a freezer; frozen at -31 degrees F (-35 degrees C) or below until solid and stored at -31



degrees F (-35 degrees C) or below for a minimum of fifteen (15) hours; or frozen -31 degrees F (-35 degrees C) or below until solid and stored at -4 degrees F (-20 degrees C) or below for a minimum of twenty-four (24) hours.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of eight hundred dollars (\$800.00). The Individual/Entity shall pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

33) Order Type and Number: Consent Order 2020-206-06-013  
Order Date: May 1, 2020  
Individual/Entity: **Creek Ratz**  
Facility: Creek Ratz  
Location: 4065 Highway 17 Business  
Murrells Inlet, SC 29576  
Mailing Address: P.O. Box 2787  
Murrells Inlet, SC 29576  
County: Georgetown  
Previous Orders: None  
Permit Number: 22-206-08318  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Creek Ratz (Individual/Entity) is a restaurant located in Murrells Inlet, South Carolina. The Department conducted inspections on January 16, 2019, July 17, 2019, October 1, 2019, and February 3, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of one thousand, three hundred fifty dollars (\$1,350.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, three hundred fifty dollars (**\$1,350.00**).

34) Order Type and Number: Consent Order 2020-206-08-003  
Order Date: May 1, 2020  
Individual/Entity: **Parker's #58**  
Facility: Parker's #58  
Location: 12 Savannah Highway  
Beaufort, SC 29906  
Mailing Address: 17 West McDonough Street  
Savannah, GA 31401  
County: Beaufort

Previous Orders: 2019-206-08-001 (\$1,600.00)  
Permit Number: 07-206-02731  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Parker's #58 (Individual/Entity) is a convenience store located in Beaufort, South Carolina. The Department conducted an inspection on February 14, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

35) Order Type and Number: Consent Order 2020-206-02-008  
Order Date: May 4, 2020  
Individual/Entity: **Jersey Mikes**  
Facility: Jersey Mikes  
Location: 1311 A West Wade Hampton Boulevard  
Greer, SC 29651  
Mailing Address: 610 Pettigru Street  
Greenville, SC 29601  
County: Greenville  
Previous Orders: None  
Permit Number: 23-206-10023  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Jersey Mikes (Individual/Entity) is a restaurant located in Greer, South Carolina. The Department conducted an inspection on February 3, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: obscured, covered, defaced, relocated, or removed the grade decal that was posted by the Department.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of five hundred dollars (\$500.00). The Individual/Entity shall pay a civil penalty in the amount of five hundred dollars (**\$500.00**).

36)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u>  <u>Mailing Address:</u>  <u>County:</u> <u>Previous Orders:</u> <u>Permit Number:</u> <u>Violations Cited:</u>	Consent Order 2020-206-02-018 June 8, 2020 <b>Up on the Roof</b> Up on the Roof 250 Riverplace, Suite 800 Greenville, SC 29601 812 Hillary Street New Orleans, LA 70118 Greenville None 23-206-11555 S.C. Code Ann. Regs. 61-25
-----	---	--

Summary: Up on the Roof (Individual/Entity) is a restaurant located in Greenville, South Carolina. The Department conducted inspections on October 11, 2018, June 10, 2019, and February 9, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of eight hundred dollars (\$800.00). The Individual/Entity shall pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

37)	<u>Order Type and Number:</u> <u>Order Date:</u> <u>Individual/Entity:</u> <u>Facility:</u> <u>Location:</u>  <u>Mailing Address:</u> <u>County:</u> <u>Previous Orders:</u>  <u>Permit Number:</u> <u>Violations Cited:</u>	Consent Order 2020-206-06-014 June 11, 2020 <b>Landmark Gazebo</b> Landmark Gazebo 1501 South Ocean Boulevard Myrtle Beach, SC 29577 Same Horry 2017-206-06-123 (\$800.00); 2019-206-06-002 (\$800.00); 2019-206-06-018 (\$200.00); 2019-206-06-083 (\$250.00) 26-206-06766 S.C. Code Ann. Regs. 61-25
-----	---	---

Summary: Landmark Gazebo (Individual/Entity) is a restaurant located in Myrtle Beach, South Carolina. The Department conducted inspections on May 20, 2019, October 2, 2019, and February 11, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

38) Order Type and Number: Consent Order 2020-206-02-098  
Order Date: June 16, 2020  
Individual/Entity: **Aramark/Governor's School for the Arts**  
Facility: Aramark/Governor's School for the Arts  
Location: 15 University Ridge  
Greenville, SC 29601  
Mailing Address: Same  
County: Greenville  
Previous Orders: None  
Permit Number: 23-206-07425  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Aramark/Governor's School for the Arts (Individual/Entity) operates a cafeteria located in Greenville, South Carolina. The Department conducted inspections on October 2, 2017, September 11, 2018, and September 5, 2019. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to properly cool cooked time/temperature control for safety foods and failed to use effective methods to cool cooked time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of eight hundred dollars (\$800.00). The Individual/Entity shall pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

39) Order Type and Number: Consent Order 2020-206-03-013  
Order Date: June 16, 2020  
Individual/Entity: **C Mart**  
Facility: C Mart  
Location: 658 Two Notch Road  
Lexington, SC 29073  
Mailing Address: Same  
County: Lexington  
Previous Orders: 2016-206-03-042 (\$1,200.00)  
Permit Number: 32-206-06383  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: C Mart (Individual/Entity) is a convenience store located in Lexington, South Carolina. The Department conducted inspections on March 5, 2018, February 19, 2019, February 12, 2020, February 19, 2020, and February 27, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to ensure that each handwashing sink or group of two (2) adjacent handwashing sinks was provided with a supply of hand cleaning liquid, powder, or bar soap; failed to provide individual disposable towels at each hand washing sink or group of adjacent handwashing sinks; and failed to maintain the premises free of insects, rodents, and other pests.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of three thousand dollars (\$3,000.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand dollars (**\$3,000.00**).

40) <u>Order Type and Number:</u>	Consent Order 2020-206-03-006
<u>Order Date:</u>	June 22, 2020
<u>Individual/Entity:</u>	<b>WildWing Cafe</b>
<u>Facility:</u>	Wild Wing Cafe
<u>Location:</u>	480 Town Center Place, Suite 2 Greenville, SC 29601
<u>Mailing Address:</u>	205 Regency Executive Drive Place, Suite 2 Charlotte, NC 28217
<u>County:</u>	Richland
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	40-206-07921
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Wind Wing Cafe (Individual/Entity) is a restaurant located in Columbia, South Carolina. The Department conducted inspections on January 16, 2020, January 24, 2020, January 30, 2020, January 31, 2020, and February 7, 2020. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to convey sewage to the point of disposal through an approved sanitary sewage system or other system, including use of sewage transport vehicles, waste retention tanks, pumps, pipes, hoses, and connections that are constructed, maintained, and operated according to law.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of two thousand, four hundred dollars (\$2,400.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, four hundred dollars (**\$2,400.00**).

## On Site Wastewater Enforcement

41)    Order Type and Number:                    Administrative Order 20-38-OSWW  
       Order Date:                                    May 1, 2020  
       Individual/Entity:                         **Gary Hart and Sheila Hart**  
       Facility:                                        Gary Hart and Sheila Hart  
       Location:                                        3757 Rum Gully Road  
    Islandton, SC 29929  
       Mailing Address:                            3845 Rum Gully Road  
    Islandton, SC 29929  
       County:                                         Colleton  
       Previous Orders:                             None  
       Permit Number:                            None  
       Violations Cited:                          S.C. Code Ann. Regs. 61-56

Summary: Gary Hart and Sheila Hart (Individual/Entity) own property located in Islandton, South Carolina. On August 7, 2019, the Department investigated and observed a building being occupied for more than two hours a day without a Department approved Onsite Wastewater (OSWW) system. The Individual/Entity has violated the South Carolina Onsite Wastewater Systems Regulation as follows: failed to ensure any building occupied for more than two hours per day is connected to a Department approved OSWW system.

Action: The Individual/Entity is required to: connect to a Department approved OSWW system within five (5) days; or immediately vacate the residence until it is connected to a Department approved OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

42)    Order Type and Number:                    Administrative Order 20-21-OSWW  
       Order Date:                                    May 12, 2020  
       Individual/Entity:                         **Carol Hammonds**  
       Facility:                                        Carol Hammonds  
       Location:                                        1685 Pleasant Church Road  
    Cheraw, SC 29520  
       Mailing Address:                            1410 W. Boulevard  
    Chesterfield, SC 29709  
       County:                                         Chesterfield  
       Previous Orders:                             None  
       Permit Number:                            None  
       Violations Cited:                          S.C. Code Ann. Regs. 61-56

Summary: Carol Hammonds (Individual/Entity) owns property located in Cheraw, South Carolina. On February 19, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the pumping and discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

43) <u>Order Type and Number:</u>	Administrative Order 20-26-OSWW
<u>Order Date:</u>	May 12, 2020
<u>Individual/Entity:</u>	<b>Shanaya Hammond</b>
<u>Facility:</u>	Shanaya Hammond
<u>Location:</u>	1352 Leisure Drive Summerville, SC 29486
<u>Mailing Address:</u>	Same
<u>County:</u>	Berkeley
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Shanaya Hammond (Individual/Entity) owns property located in Summerville, South Carolina. On February 26, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

44) Order Type and Number: Administrative Order 20-35-OSWW  
Order Date: May 12, 2020  
Individual/Entity: **Charles Trihey**  
Facility: Charles Trihey  
Location: 550 Davenport Road  
Newberry, SC 29108  
Mailing Address: 158 Davenport Road  
Newberry, SC 29108  
County: Newberry  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Charles Trihey (Individual/Entity) owns property located in Newberry, South Carolina. On March 12, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

45) Order Type and Number: Administrative Order 20-36-OSWW  
Order Date: May 12, 2020  
Individual/Entity: **Liberty Park Place, LLC**  
Facility: Liberty Park Place, LLC  
Location: 255 Avis Lane  
Liberty, SC 29657  
Mailing Address: 3504 Hwy 153 #274  
Greenville, SC 29611  
County: Anderson  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Liberty Park Place, LLC (Individual/Entity) owns property located in Liberty, South Carolina. On March 6, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows:



failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

46)	<u>Order Type and Number:</u>	Administrative Order 20-45-OSWW
	<u>Order Date:</u>	May 12, 2020
	<u>Individual/Entity:</u>	<b>Deborah Christopher</b>
	<u>Facility:</u>	Deborah Christopher
	<u>Location:</u>	120 Frankie Lane Ladson, SC 29456
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Berkeley
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	None
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Deborah Christopher (Individual/Entity) owns property located in Ladson, South Carolina. On March 24, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

47)	<u>Order Type and Number:</u>	Administrative Order 20-53-OSWW
	<u>Order Date:</u>	May 12, 2020
	<u>Individual/Entity:</u>	<b>William Kirkland and Wanda Ahl</b>
	<u>Facility:</u>	William Kirkland and Wanda Ahl
	<u>Location:</u>	88 Paint Horse Lane Walterboro, SC 29488

Mailing Address: 1260 Jones Swamp Road  
Walterboro, SC 29488  
County: Colleton  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: William Kirkland and Wanda Ahl (Individual/Entity) own property located in Walterboro, South Carolina. On February 25, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

48) Order Type and Number: Administrative Order 20-54-OSWW  
Order Date: May 12, 2020  
Individual/Entity: **Rachel Mims**  
Facility: Rachel Mims  
Location: 24438 Augusta Highway  
Cottageville, SC 29435  
Mailing Address: Same  
County: Colleton  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Rachel Mims (Individual/Entity) owns property located in Cottageville, South Carolina. On January 10, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the

flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

49) Order Type and Number: Administrative Order 20-43-OSWW  
Order Date: June 16, 2020  
Individual/Entity: **Kimberly Vause and Terry Vause**  
Facility: Kimberly Vause and Terry Vause  
Location: 231 Laurel Lane  
Florence, SC 29506  
Mailing Address: 2509 Parklane Drive  
Florence, SC 29501  
County: Florence  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Kimberly Vause and Terry Vause (Individual/Entity) own property located in Florence, South Carolina. On February 26, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

50) Order Type and Number: Administrative Order 20-55-OSWW  
Order Date: June 16, 2020  
Individual/Entity: **Zachary Lesknic**  
Facility: Zachary Lesknic  
Location: 130 Oglesby Lane  
Cowpens, SC 29330  
Mailing Address: 455 Sunny Slope  
Cowpens, SC 29330  
County: Spartanburg  
Previous Orders: None

Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Zachary Leskanic (Individual/Entity) owns property located in Cowpens, South Carolina. On March 18, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

51) Order Type and Number: Administrative Order 20-63-OSWW  
Order Date: June 16, 2020  
Individual/Entity: **Malcolm Squires**  
Facility: Malcolm Squires  
Location: 362 Jackson Road  
Jackson, SC 29831  
Mailing Address: 201 Rickenbaker Street  
Jackson, SC 29831  
County: Aiken  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Malcolm Squires (Individual/Entity) owns property located in Jackson, South Carolina. On April 9, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

52) Order Type and Number: Administrative Order 20-64-OSWW  
Order Date: June 16, 2020  
Individual/Entity: **Cornelius Rice**  
Facility: Cornelius Rice  
Location: 165 Carver Road  
Taylors, SC 29687  
Mailing Address: 211 Highland Avenue  
Greer, SC 29651  
County: Greenville  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Cornelius Rice (Individual/Entity) owns property located in Taylors, South Carolina. On April 15, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

53) Order Type and Number: Administrative Order 20-70-OSWW  
Order Date: June 16, 2020  
Individual/Entity: **Benjamin Coffey and Ellen Coffey**  
Facility: Benjamin Coffey and Ellen Coffey  
Location: 137 West Idlewood Circle  
West Columbia, 29170  
Mailing Address: 215 Greenwood Road  
West Columbia, SC 29169  
County: Lexington  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Benjamin Coffey and Ellen Coffey (Individual/Entity) own property located in West Columbia, South Carolina. On March 3, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems

Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

54) <u>Order Type and Number:</u>	Administrative Order 20-72-OSWW
<u>Order Date:</u>	June 16, 2020
<u>Individual/Entity:</u>	<b>Brian T. Pearson</b>
<u>Facility:</u>	Brian T. Pearson
<u>Location:</u>	244 Newell Drive, Lot B Goose Creek, SC 29445
<u>Mailing Address:</u>	234 Connor Drive Eutawville, SC 29048
<u>County:</u>	Berkeley
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Brian T. Pearson (Individual/Entity) owns property located in Goose Creek, South Carolina. On May 8, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

55) Order Type and Number: Consent Order 20-28-OSWW  
Order Date: May 12, 2020  
Individual/Entity: **Wade Lucas Quattlebaum, d/b/a Lucas Septic**  
Facility: Wade Lucas Quattlebaum, d/b/a Lucas Septic  
Location: 8932 Charleston Highway  
Bowman, SC 29018  
Mailing Address: Same  
County: Berkeley  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Wade Lucas Quattlebaum, d/b/a Lucas Septic, (Individual/Entity) holds Department issued licenses to construct, repair, and clean onsite septic systems. On February 13, 2020, the Department investigated and observed domestic wastewater discharging onto the surface of the ground at 115 Wildwood Lane in Monks Corner, SC (Site). The domestic wastewater was being pumped from the septic tank onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to: cease and desist discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground. The Department has assessed a total civil penalty in the amount of five hundred dollars (\$500.00). The Individual/Entity shall pay a civil penalty in the amount of five hundred dollars (**\$500.00**).

56) Order Type and Number: Consent Order 20-46-OSWW  
Order Date: May 12, 2020  
Individual/Entity: **Ronnie Gilbert and AARMS of Boiling Springs**  
Facility: Ronnie Gilbert and AARMS of Boiling Springs  
Location: 120 Riverside Drive  
Chesnee, SC 29323  
Mailing Address: Same  
County: Spartanburg  
Previous Orders: None  
Permit Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Ronnie Gilbert and AARMS of Boiling Springs (Individual/Entity) hold a Department issued license to construct and repair onsite wastewater systems. The

Department conducted an investigation on February 21, 2020, due to a call from the Individual/Entity stating they upgraded an onsite wastewater system at a property on Cooley Springs School Road (Site) on February 15, 2020, without a permit being issued. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to upgrade the OSWW system in accordance with a Department issued permit since no permit had been applied for at the time of the upgrade.

Action: The Individual/Entity is required to: cease and desist installing or upgrading OSWW systems without a Department issued permit. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

57) <u>Order Type and Number:</u>	Consent Order 20-42-OSWW
<u>Order Date:</u>	May 21, 2020
<u>Individual/Entity:</u>	<b>Bobby Cooley, D/B/A B&amp;C Septic</b>
<u>Facility:</u>	Bobby Cooley, D/B/A B&C Septic
<u>Location:</u>	5801 Liberty Chapel Road Florence, SC 29506
<u>Mailing Address:</u>	Same
<u>County:</u>	Florence
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Bobby Cooley, D/B/A B&C Septic, (Individual/Entity) does not hold a Department issued license to construct, repair, and clean onsite septic systems. On February 7, 2020, the Department investigated and observed a septic tank installed higher than ground level, causing rainwater to run under the house. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: performed construction or repair of an onsite wastewater system without a valid license to conduct such activities.

Action: The Individual/Entity is required to: cease and desist installing or repairing onsite wastewater systems unless and until a valid Department issued license to construct and repair OSWW systems has been issued. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).



58) <u>Order Type and Number:</u>	Consent Order 20-47-OSWW
<u>Order Date:</u>	May 21, 2020
<u>Individual/Entity:</u>	<b>Gene Goode, D/B/A Goode Backhoe and Septic</b>
<u>Facility:</u>	Gene Goode, D/B/A Goode Backhoe and Septic
<u>Location:</u>	811 West Cherokee Street Chesnee, SC 29323
<u>Mailing Address:</u>	Same
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Gene Goode, D/B/A Goode Backhoe and Septic, (Individual/Entity) has a Department issued license to install and repair onsite wastewater (OSWW) systems. On February 10, 2020, the Department investigated an Approval to Operate Contractor Self-Inspection (Self-Inspection) document and determined the OSWW system was not installed according to the Department issued permit. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: onsite wastewater system shall be constructed and operated according to the specifications and conditions of the permit, and in compliance with regulation S.C. Code Ann. 61-56.

Action: The Individual/Entity is required to: cease and desist installing OSWW systems outside the parameters of the Department issued permit to construct. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**).

\* Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.