

2012 South Carolina Statewide CHAS Survey Results

Asthma

At school, is (CHILD) allowed to self administer emergency medication for asthma?

	Total Responses	Yes			No, it is not allowed in school			Child is unable to self-administer asthma medication		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	110	66	60.3	47.4-73.1	22	21.2	10.1-32.4	22	18.5	8.4-28.6
GENDER										
Male	66	36	54.9	37.5-72.3	18	26.2	11.8-40.5	12	19.0	5.3-32.6
Female	44	30	68.4	50.3-86.4	***	***	***	10	17.8	3.5-32.0
RACE										
White	51	28	50.1	33.1-67.0	11	28.9	13.0-44.7	12	21.1	6.0-36.2
Other	59	38	65.6	48.2-83.0	11	17.2	2.5-32.0	10	17.1	4.2-30.1
AGE GROUPS										
10 through 13	35	11	25.2	7.2-43.1	13	41.5	18.6-64.5	11	33.3	12.2-54.4
14 through 17	74	54	80.2	70.2-90.3	9	9.7	1.7-17.7	11	10.1	0.9-19.2

*** This estimate was suppressed because it did not meet statistical reliability standards; see SC CHAS Technical Notes for more details

¹Asked of children who reported being in public or private school

²Use caution in interpreting cell sizes less than 50. N = numerator, % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics and therefore cannot be calculated exactly from the numbers in this table.