

South Carolina Department of Health and Environmental Control

Division of Acute Disease Epidemiology

Week Ending November 30, 2013 (MMWR Week 48)

All data are provisional and may change as more reports are received.

MMWR Week 48 at a Glance:

Influenza Activity Level: REGIONAL

Note: Activity level definitions are found on page 13

ILI Activity Status (South Carolina baseline is 2.05%*): The state ILI percentage was 1.09%. These data reflect reports from 13 (41.9%) providers.

SC Viral Isolate and RT-PCR Activity: Ten positive specimens were reported. Since 9/29/13, 52 positive specimens have been reported.

Positive Rapid Flu Test Activity: One thousand and seventy-seven positive rapid tests were reported. Since 9/29/13, 3213 positive rapid tests have been reported.

Hospitalizations: Fifty-two lab confirmed hospitalizations were reported. Since 9/29/13, 175 lab confirmed hospitalizations have been reported.

Deaths: Two lab confirmed deaths were reported. Since 9/29/13, five lab confirmed deaths have been reported.

In this issue:

I. ILINet	2
II. Virologic surveillance	5
III. Rapid antigen tests	8
IV. Hospitalizations and deaths	9
V. Syndromic surveillance	11
VI. Activity level definitions	14
VII. SC influenza surveillance components	15
VIII. National surveillance	16


Flu Watch

Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths


	<i>Current week</i>	<i>Previous week</i>	<i>Change from previous week</i>
Percent of ILI visits reported by ILINet providers	1.09%	.65%	▲ .44%
Percent of fever-flu ER visits reported by hospitals	6.53%	6.45%	▲ .08%
Number of positive confirmatory tests	10	7	▲ 3
Number of lab confirmed flu hospitalizations	52	50	▲ 2
Number of lab confirmed flu deaths	2	1	▲ 1

I. ILINet Influenza-Like Illness Surveillance

During the most recent MMWR week, 1.09 % of patient visits to SC ILINet providers were due to ILI. This is below the state baseline (2.05%). This ILI percentage compares to 2.10 % this time last year. Reports were received from providers in 9 counties, representing all 4 regions. The statewide percentage of ER visits with fever-flu syndrome was 6.53%.



*The SC baseline is the mean percentage of patient visits for ILI during non-influenza weeks (weeks when percent of positive lab tests was below 20%) for the previous three seasons plus two standard deviations.




*Only includes hospitals participating in SC syndromic surveillance

Influenza-Like Illness Reported by Sentinel Providers November 24, 2013 – November 30, 2013

County	ILI %	County	ILI %
Abbeville	---	Greenwood	NR
Aiken	NR	Hampton	NR
Allendale	---	Horry	NR
Anderson	0%	Jasper	NR
Bamberg	---	Kershaw	NR
Barnwell	---	Lancaster	---
Beaufort	NR	Laurens	NR
Berkeley	21.74%	Lee	---
Calhoun	---	Lexington	NR
Charleston	NR	Marion	---
Cherokee	---	Marlboro	---
Chester	---	McCormick	NR
Chesterfield	---	Newberry	---
Clarendon	---	Oconee	---
Colleton	---	Orangeburg	---
Darlington	---	Pickens	NR
Dillon	NR	Richland	0%
Dorchester	NR	Saluda	0%
Edgefield	---	Spartanburg	0%
Fairfield	---	Sumter	NR
Florence	1.0%	Union	---
Georgetown	2.73%	Williamsburg	---
Greenville	.33%	York	3.51%

NR: No reports received
 ---: No enrolled providers



*County ILI percentages are affected by the number of reporting providers within that county.

II. Virologic Surveillance


<i>Positive confirmatory influenza test results*</i> <i>Current MMWR Week (11/24/13 – 11/30/13)</i>		
	BOL	Other clinical labs
Number of specimens tested	7	-
Number of positive specimens	3	7
Influenza A unsubtype		1
Influenza A H1N1	3	5
Influenza A H3N2		
Influenza B		1
Other		
Includes culture, RT-PCR, DFA, and IFA		

For the current MMWR reporting week, ten positive specimens were reported.

<i>Positive confirmatory influenza test results*</i> <i>Cumulative (09/29/13 – 11/30/13)</i>		
	BOL	Other clinical labs
Number of specimens tested	62	NA
Number of positive specimens	19 (30.6%)	33
Influenza A unsubtype		3 (9.1%)
Influenza A H1N1	19 (100%)	27 (81.8%)
Influenza A H3N2		
Influenza B		3 (9.1%)
Other		
Includes culture, RT-PCR, DFA, and IFA		

**Positive Confirmatory Tests by County and Type
Cumulative 9/29/13 - 11/30/13**

	A H1N1	A H3N2	B	A Unsub	Unk		A H1N1	A H3N2	B	A Unsub	Unk
Upstate											
Abbeville						McCormick					
Anderson						Oconee					
Cherokee						Pickens	2				
Greenwood	1					Spartanburg	1			1	
Greenville						Union					
Laurens											
Midlands											
Aiken						Lancaster					
Barnwell						Lexington					
Chester	1					Newberry					
Edgefield						Richland	5				
Fairfield						Saluda					
Kershaw	1					York					
Pee Dee											
Chesterfield						Horry	7				
Clarendon						Lee					
Darlington						Marion					
Dillon						Marlboro					
Florence						Sumter					
Georgetown	1					Williamsburg					
Low Country											
Allendale						Colleton					
Bamberg						Dorchester	6			1	
Beaufort	1		1			Hampton	1				
Berkeley						Jasper					
Calhoun						Orangeburg	3				
Charleston	16		2	1							
Unknown County											




III. Positive Rapid Antigen Tests

For the current MMWR reporting week, 1077 positive rapid antigen tests were reported. Of these, 1004 were influenza A, 1 was influenza A/B, 1 was unknown and 71 were influenza B. This compares to 3721 this time last year.


Positive Rapid Flu Tests by County Current Week (11/24/13 – 11/30/13)					
County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville	1	Dillon		Lexington	36
Aiken	1	Dorchester	136	Marion	2
Allendale		Edgefield		Marlboro	
Anderson	7	Fairfield		McCormick	
Bamberg		Florence	17	Newberry	13
Barnwell	1	Georgetown	79	Oconee	6
Beaufort	4	Greenville	64	Orangeburg	5
Berkeley	29	Greenwood	6	Pickens	2
Calhoun		Hampton		Richland	38
Charleston	331	Horry	122	Saluda	
Cherokee	3	Jasper	2	Spartanburg	30
Chester	3	Kershaw	1	Sumter	7
Chesterfield		Lancaster	10	Union	
Clarendon		Laurens	4	Williamsburg	16
Colleton	23	Lee		York	68
Darlington	8				

Positive Rapid Flu Tests by County and Type Cumulative (9/29/13 – 11/30/13)														
County	A	A/B	B	Unk/ Other	County	A	A/B	B	Unk/ Other	County	A	A/B	B	Unk/ Other
Abbeville	3		2		Dillon					Lexington	73		16	
Aiken	3				Dorchester	365	2	6		Marion	6			
Allendale					Edgefield					Marlboro				
Anderson	20		3		Fairfield	3	1			McCormick				
Bamberg					Florence	48		24		Newberry	25		3	
Barnwell	1				Georgetown	143		3		Oconee	19		5	
Beaufort	21	2	3		Greenville	148	2	15		Orangeburg	11			9
Berkeley	116		8		Greenwood	9				Pickens	17		2	
Calhoun					Hampton					Richland	90	1	42	
Charleston	937	5	46		Horry	395	1	21	3	Saluda				
Cherokee	21				Jasper	1	1			Spartanburg	78	2	1	
Chester	12		1		Kershaw	14		2		Sumter	17	2	1	
Chesterfield	2				Lancaster	19		5		Union	3	1		
Clarendon	16	2			Laurens	4				Williamsburg	32		4	
Colleton	46		1		Lee					York	174		26	
Darlington	24		20											

Positive Rapid Tests by MMWR Week 2012-13 vs 2013-14



Positive Rapid Tests by Type 2012-13 vs 2013-14 September 29, 2013 - November 30, 2013




IV. Influenza hospitalizations and deaths


For the current MMWR reporting week, 52 lab confirmed influenza hospitalizations were reported. One lab confirmed influenza death was reported.*

	Total number*	
Number of Reporting Hospitals (Current week)	53	
	<i>Current MMWR Week (11/24/13-11/30/13)</i>	<i>Cumulative (since 09/29/13)</i>
Hospitalizations	52	175
Deaths	2	5

* Lab confirmation for hospitalizations and deaths includes culture, PCR, DFA, IFA, and rapid test.




**Laboratory Confirmed Influenza Case rate/100,000
Hospitalizations (n=175) and Deaths (n=5) by age group
September 29, 2013 - November 30, 2013**



**Lab Confirmed Influenza Deaths by County
September 29, 2013 – November 30, 2013**

County	Deaths
Berkeley	1
Charleston	2
Dorchester	1
Richland	1
Total Deaths	5

V. South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)



Cumulative Sums Analysis (CUSUM):

- C1 = Flags because of sharp rise in counts from 1 day to the next
- C2 = Flags because of aberrant, initial, rapid rise in counts and peak in counts
- C3 = Flags because of a gradual rise in counts over a short time


The SC Statewide Fever-Flu Syndrome graph above illustrates the daily counts of hospital emergency department (ED) visits with an Influenza-like Illness (ILI) for the past 21 days. A total of **22 hospital** facilities are reporting to the SC-DARTS system. These 22 include: AnMed Health (Upstate Region); Self Regional (Upstate Region); Oconee Medical Center (Upstate Region); Palmetto Health Alliance (Upstate and Midlands Regions); Greenville Hospital System (Upstate Region); Kershaw Health (Midlands Region); McLeod Health (Pee Dee Region); Elgin Urgent Care (Midlands Region); Medical University of South Carolina (Low Country Region); Roper (Low Country Region); St. Francis (Low Country Region); Trident (Low Country Region); Colleton (Low Country Region); Hampton Regional (Low Country Region); and Mount Pleasant (Low Country Region).

Statewide CUSUM Flag Alerts Description:

No flags for the past week.

Below are the fever-flu syndrome graphs by Region for the past 180 days (weekly interval).

Upstate Region - Fever Flu Syndrome




Upstate Region Hospitals (# of Facilities): AnMed Health (3); Self-Regional (1); Oconee Medical Center (1); Greenville Hospital System (4); Palmetto Health Easley (1)

Midlands Region - Fever Flu Syndrome




Midlands Region Hospitals (# of Facilities): Palmetto Health Baptist (1); Palmetto Health Richland (1); Kershaw Health (1); Elgin Urgent Care (1)

Pee Dee Region - Fever Flu Syndrome



Pee Dee Region Hospitals (# of Facilities): McLeod Health (1)

Low Country Region - Fever Flu Syndrome



Low Country Region Hospitals (# of Facilities): Medical University of South Carolina (1); Roper (1); St. Francis (1); Trident (1); Hampton Regional (1); Colleton (1); Mount Pleasant (1);

VI. Influenza activity levels

Activity Level	ILI activity/Outbreaks		Laboratory data
No activity	Low	And	No lab confirmed cases
Sporadic	Not increased	And	Isolated lab-confirmed cases
	OR		
Local	Increased ILI in 1 region; ILI activity in other regions is not increased	And	Recent (within the past 3 weeks) lab evidence of influenza in region with increased ILI
	OR		
Regional	2 or more institutional outbreaks (ILI or lab confirmed) in 1 region; ILI activity in other regions is not increased	And	Recent (within the past 3 weeks) lab evidence of influenza in region with the outbreaks; virus activity is no greater than sporadic in other regions
	OR		
Regional	Increased ILI in 2-3 regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the affected regions
	OR		
Regional	Institutional outbreaks (ILI or lab confirmed) in 2-3 regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the affected regions
	OR		
Widespread	Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at least 4 of the regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the state.

VII. South Carolina Influenza Surveillance Components

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

Mandatory Reporting

Positive confirmatory test reporting

Positive influenza culture, PCR, DFA, and IFA results from commercial laboratories should be reported to DHEC within 7 days electronically via CHESS or using a DHEC 1129 card.

Positive rapid antigen test reporting

Summary numbers of positive rapid influenza tests and influenza type identified should be sent to the regional health department by fax or email before noon on Monday for the preceding week.

Influenza death reporting

Lab confirmed influenza deaths in adults should be reported to DHEC within 7 days. Lab confirmed influenza deaths in children under age 18 should be reported within 24 hours. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza. Hospitals should report deaths to their regional health department by noon on Monday for the preceding week.

Influenza hospitalizations

DHEC requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their regional health department by noon on Monday for the preceding week.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

Voluntary Networks

Influenza-Like Illness (ILINet) Sentinel Providers Network

ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature of $U \geq U100^{\circ}F$) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.

South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)

SC-DARTS is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. Syndromic reports are distributed back to the hospital on a daily basis.

To join the SC-DARTS system or for more information, please contact: **Kelly Johnson at 803-898-1588 or johnsok@dhec.sc.gov**.

VIII. National Surveillance MMWR Week 47 (11/17-11/23)

During week 47 (November 17-23, 2013), influenza activity increased slightly in the United States.

- **Viral Surveillance:** Of 4,996 specimens tested and reported by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 47, 397 (7.9%) were positive for influenza.
- **Pneumonia and Influenza Mortality:** The proportion of deaths attributed to pneumonia and influenza (P&I) was below the epidemic threshold.
- **Influenza-Associated Pediatric Deaths:** No influenza-associated pediatric deaths were reported.
- **Outpatient Illness Surveillance:** The proportion of outpatient visits for influenza-like illness (ILI) was 1.7%, below the national baseline of 2.0%. Two regions reported ILI at or above region-specific baseline levels. Two states experienced high ILI activity, one state experienced moderate ILI activity, one state experienced low ILI activity, 45 states and New York City experienced minimal ILI activity and the District of Columbia and one state had insufficient data.
- **Geographic Spread of Influenza:** The geographic spread of influenza in six states was reported as regional; 10 states reported local influenza activity; the District of Columbia, Guam, Puerto Rico, and 32 states reported sporadic influenza activity, and the U.S. Virgin Islands and two states reported no influenza activity.

A description of surveillance methods is available at: <http://www.cdc.gov/flu/weekly/overview.htm>

