

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1400

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

101,979.38

**Easting**  
**NAD 83(2011)**  
International Foot

2,053,299.99

**Elevation**  
**NAVD 88**  
Survey Foot

16.2

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.3 MI (0.5 KM) TO THE STATION ON THE LEFT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 1.0 FT (0.3 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1403

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

100,598.767

**Easting**  
**NAD 83(2011)**  
International Foot

2,054,682.275

**Elevation**  
**NAVD 88**  
Survey Foot

7.743

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.7 MI (1.1 KM) TO THE STATION ON THE LEFT BEHIND THE THIRD ROW OF DUNES NEXT TO A WALKWAY.

STATION IS A CONCRETE POST PROJECTING 0.5 FT (15 CM), 12.4 FT (3.8 M) NORTHWEST OF THE WEST EDGE OF THE WALKWAY, 13.0 FT (4.0 M) WEST-SOUTHWEST OF THE WEST CORNER OF A WOOD DECK, 1.0 FT (0.3 M) SOUTH-SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1406

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

100,271.835

**Easting**  
**NAD 83(2011)**  
International Foot

2,055,996.979

**Elevation**  
**NAVD 88**  
Survey Foot

10.079

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.0 MI (1.6 KM) TO THE STATION ON THE LEFT ON THE THIRD DUNE LINE NEAR A WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 12.0 FT (3.7 M) WEST OF THE WEST EDGE OF THE WALKWAY, 2.2 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1409

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

101,224.134

**Easting**  
**NAD 83(2011)**  
International Foot

2,058,856.866

**Elevation**  
**NAVD 88**  
Survey Foot

15.153

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.3 MI (2.1 KM) TO THE STATION ON THE LEFT BETWEEN TWO WALKWAYS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 32.0 FT (9.8 M) SOUTHWEST OF THE SOUTHWEST CORNER OF A WOOD BARRIER SURROUNDING A POOL FOR A TWO STORY WOOD SIDED HOUSE, 65.0 FT (19.8 M) WEST-SOUTHWEST OF THE WEST EDGE OF A WALKWAY, 18.0 FT (5.5 M) EAST-NORTHEAST OF THE EAST EDGE OF A WALKWAY, 2.5 FT (0.8 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1412 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

103,115.03

**Easting**  
**NAD 83(2011)**  
International Foot

2,061,428.24

**Elevation**  
**NAVD 88**  
Survey Foot

9.9

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.4 MI (5.5 KM) TO THE STATION ON THE RIGHT NEAR A WITNESS POST AT A PRIVATE BEACH ACCESS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, PROJECTING 0.2 FT (6 CM), 48.7 FT (14.8 M) NORTH-NORTHEAST OF A SIGN (PRIVATE BEACH ACCESS), 37.3 FT (11.4 M) EAST-NORTHEAST OF THE CENTER OF THE BEACH ACCESS, 39.3 FT (12.0 M) NORTH OF A USACE WITNESS POST, 23.9 FT (7.3 M) EAST OF A SCGS WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1415

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

104,453.514

**Easting**  
**NAD 83(2011)**  
International Foot

2,063,442.180

**Elevation**  
**NAVD 88**  
Survey Foot

11.446

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.4 MI (3.9 KM) TO THE STATION ON THE LEFT NEXT TO A WALKWAY IN A SHRUB LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 9.5 FT (2.9 M) EAST-NORTHEAST OF THE EAST EDGE OF THE WALKWAY, 1.0 FT (0.3 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1417 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

105,520.309

**Easting**  
**NAD 83(2011)**  
International Foot

2,065,133.395

**Elevation**  
**NAVD 88**  
Survey Foot

12.162

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 2.6 MI (4.0 KM) TO THE STATION ON THE RIGHT NEAR A WOOD SIGN (NO TRESPASSING/PROPERTY OWNERS AND GUESTS ONLY).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 6.0 FT EAST-NORTHEAST OF THE EAST EDGE OF A BOARDWALK, 35.0 FT (10.7 M) SOUTHEAST OF THE NORTHEAST CORNER OF A BOARDWALK, 3.8 FT (1.2 M) EAST-SOUTHEAST OF THE SIGN POST, 44.6 FT (13.6 M) NORTH OF THE EAST ONE OF TWO LEGS FOR A WOOD SIGN (WELCOME TO OUR BEACH), 2.7 FT (0.8 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1418

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

106,126.07

**Easting**  
**NAD 83(2011)**  
International Foot

2,066,182.90

**Elevation**  
**NAVD 88**  
Survey Foot

13.7

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 2.3 MI (3.7 KM) TO THE STATION ON THE RIGHT NEAR MARKER 38 AND IN FRONT OF THE NEW SEA PINES BEACH CLUB.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 29.5 FT (9.0 M) WEST-SOUTHWEST OF THE WEST EDGE OF A BOARDWALK, 39.5 FT (12.0 M) SOUTH-SOUTHWEST OF THE NORTHWEST CORNER OF A METAL GRATE IN THE BOARDWALK, 2.4 FT (0.7 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1421 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

107,217.755

**Easting**  
**NAD 83(2011)**  
International Foot

2,067,941.761

**Elevation**  
**NAVD 88**  
Survey Foot

9.636

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.9 MI (3.1 KM) TO MARKER 41A AND A BOARDWALK, PROCEED NORTH ON THE BOARDWALK FOR 100.0 FT (30.5 M) TO A CONCRETE WALKWAY AND THE STATION ON THE LEFT NEAR A PALMETTO TREE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 6.4 FT (2.0 M) WEST-SOUTHWEST OF THE WEST EDGE OF THE SIDEWALK, 0.8 FT (24 CM) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1424

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

108,146.330

**Easting**  
**NAD 83(2011)**  
International Foot

2,069,724.202

**Elevation**  
**NAVD 88**  
Survey Foot

11.576

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.6 MI (2.6 KM) TO MARKER 45 AND THE STATION ON THE RIGHT IN A SHRUB LINE ON THE SECONDARY DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 13.8 FT (4.2 M) EAST OF THE EAST EDGE OF A BOARDWALK, 5.4 FT (1.6 M) WEST OF A WITNESS POST, 2.3 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1427

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

109,045.54

**Easting**  
**NAD 83(2011)**  
International Foot

2,071,425.41

**Elevation**  
**NAVD 88**  
Survey Foot

9.66

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.2 MI (1.9 KM) TO BEACH ACCESS 49 THE STATION ON THE RIGHT NEAR A WITNESS POST.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 33.0 FT (10.1 M) WEST-SOUTHWEST OF THE WEST EDGE OF THE ACCESS PATH, 2.0 FT (0.6 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1430

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

110,038.675

**Easting**  
**NAD 83(2011)**  
International Foot

2,073,330.090

**Elevation**  
**NAVD 88**  
Survey Foot

10.898

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.8 MI (1.3 KM) TO MARKER (52 A) AND THE STATION ON THE RIGHT BETWEEN TWO WALKWAYS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 32.2 FT (9.8 M) EAST-NORTHEAST OF THE EAST EDGE OF A WALKWAY, 32.6 FT (9.9 M) WEST OF THE WEST EDGE OF A WALKWAY, 0.7 FT (21 CM) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1433

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

111,010.355

**Easting**  
**NAD 83(2011)**  
International Foot

2,075,134.307

**Elevation**  
**NAVD 88**  
Survey Foot

9.840

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON BEACH FOR 0.4 MI (0.6 KM) TO MARKER 55 AND THE STATION ON THE RIGHT NEAR A WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 37.5 FT (11.4 M) EAST-NORTHEAST OF THE EAST EDGE OF THE WALKWAY, 1.9 FT (0.6 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1436 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

111,933.223

**Easting**  
**NAD 83(2011)**  
International Foot

2,077,014.527

**Elevation**  
**NAVD 88**  
Survey Foot

9.775

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH AND THE STATION ON THE RIGHT NEAR THE WOOD FENCE FOR A SWIMMING POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 25.6 FT (7.8 M) SOUTHEAST OF THE SOUTH END OF THE FENCE, 33.0 FT (10.1 M) NORTHEAST OF A WOOD SIGN (PROTECTED DUNES/PLEASE KEEP OFF), 32.3 FT (9.8 M) WEST-SOUTHWEST OF THE CENTER OF THE BEACH ACCESS ROAD, 134.4 FT (41.0 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1437 B

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

112,279.215

**Easting**  
**NAD 83(2011)**  
International Foot

2,077,627.014

**Elevation**  
**NAVD 88**  
Survey Foot

10.974

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A METAL FENCE FOR A SWIMMING POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.4 FT (0.4 M) SOUTH-SOUTHEAST OF THE FENCE LINE, 49.5 FT (15.1 M) NORTH-NORTHEAST OF A WOOD POST PROJECTING 6.0 FT (1.8 M), 47.8 FT (14.6 M) WEST OF THE SOUTHWEST ONE OF TWO HAND RAIL POSTS FOR A BOARDWALK, 0.8 FT (24 CM) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1438

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

112,850.987

**Easting**  
**NAD 83(2011)**  
International Foot

2,078,583.086

**Elevation**  
**NAVD 88**  
Survey Foot

11.394

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 4.2 MI (6.8 KM) TO THE STATION ON THE RIGHT NEAR A WOOD DECK FOR A TWO STORY STUCCO HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 19.0 FT (5.8 M) EAST-NORTHEAST OF THE EAST CORNER OF THE DECK, 32.0 FT (9.8 M) NORTHEAST OF THE EAST ONE OF TWO WOOD HANDRAIL POSTS FOR A BOARDWALK, 45.9 FT (14.0 M) SOUTH-SOUTHEAST OF THE EAST CORNER OF THE HOUSE.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1439 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

113,124.776

**Easting**  
**NAD 83(2011)**  
International Foot

2,079,162.825

**Elevation**  
**NAVD 88**  
Survey Foot

9.057

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.45 MI (0.7 KM) TO PUBLIC BEACH ACCESS 63.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 5.8 FT (1.8 M) WEST-SOUTHWEST OF THE CENTER OF THE ACCESS, 39.0 FT (11.9 M) NORTHWEST OF A PVC POST FOR A METAL SIGN (#63), 18.0 FT (5.5 M) SOUTH OF A WOOD POST PROJECTING 3.5 FT (1.1 M) WITH A SCGS REFERENCE WASHER, 18.6 FT (5.7 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1440 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

113,587.880

**Easting**  
**NAD 83(2011)**  
International Foot

2,079,856.821

**Elevation**  
**NAVD 88**  
Survey Foot

11.359

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.6 MI (1.0 KM) TO THE STATION ON THE LEFT NEAR A FLAG POLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 11.0 FT (3.4 M) WEST-NORTHWEST OF THE FLAG POLE, 13.5 FT (4.1 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A WOOD RETAINING WALL, 42.0 FT (12.8 M) SOUTH-SOUTHEAST OF THE SOUTH CORNER OF A THREE STORY STUCCO HOUSE, 13.3 FT (4.1 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1442

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

114,207.795

**Easting**  
**NAD 83(2011)**  
International Foot

2,080,795.175

**Elevation**  
**NAVD 88**  
Survey Foot

11.279

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.7 MI (6.0 KM) TO THE STATION ON THE RIGHT NEAR A SAND WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND LEVEL WITH THE WALKWAY, 7.3 FT (2.2 M) NORTHEAST OF THE CENTER OF THE WALKWAY, 2.2 SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1444 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

115,351.869

**Easting**  
**NAD 83(2011)**  
International Foot

2,082,271.600

**Elevation**  
**NAVD 88**  
Survey Foot

8.419

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.15 MI (1.9 KM) TO THE STATION ON THE LEFT NEAR THE WOOD POST FOR A SIGN (PRIVATE PROPERTY/NO ACCESS).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 16.4 FT (5.0 M) SOUTH OF THE SIGN, 21.9 FT (6.7 M) SOUTH-SOUTHWEST OF A WOOD POST PROJECTING 4.0 FT (1.2 M) WITH A SCGS REFERENCE WASHER, 30.8 FT (9.4 M) EAST-SOUTHEAST OF A 1.0 FT (0.3 M) PALMETTO TREE WITH A SCGS REFERENCE WASHER, 4.4 FT (1.3 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1445

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

115,911.54

**Easting**  
**NAD 83(2011)**  
International Foot

2,082,866.67

**Elevation**  
**NAVD 88**  
Survey Foot

13.2

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.2 MI (5.1 KM) TO THE STATION ON THE RIGHT NEAR A WOOD DECK BEHIND THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 17.5 FT (5.3 M) NORTH OF THE NORTH CORNER OF THE DECK, 73.0 FT (22.3 M) SOUTHWEST OF THE SOUTHWEST EDGE OF A WALKWAY.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1446

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

116,369.155

**Easting**  
**NAD 83(2011)**  
International Foot

2,083,386.962

**Elevation**  
**NAVD 88**  
Survey Foot

12.927

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.1 MI (5.0 KM) TO THE STATION ON THE RIGHT IN A SHRUB LINE ALONG THE NORTHEAST SIDE OF A THREE STORY STUCCO HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 20.5 FT (6.2 M) NORTHEAST OF THE EAST CORNER OF THE CONCRETE DECK OF THE HOUSE, 10.5 FT (3.2 M) EAST-NORTHEAST OF THE SOUTHEAST END OF A WOOD FENCE, 1.0 FT (0.3 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1448 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

116,850.214

**Easting**  
**NAD 83(2011)**  
International Foot

2,083,908.995

**Elevation**  
**NAVD 88**  
Survey Foot

11.188

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.0 MI (4.8 KM) TO THE STATION ON THE RIGHT BEHIND THE SECOND DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.9 FT (0.6 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1451 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

117,769.310

**Easting**  
**NAD 83(2011)**  
International Foot

2,084,688.800

**Elevation**  
**NAVD 88**  
Survey Foot

12.358

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 2.8 MI (4.5 KM) TO THE STATION ON THE RIGHT BEHIND THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM). 20.0 FT (6.1 M) SOUTH-SOUTHEAST OF THE SOUTH EDGE OF A CONCRETE WALKWAY LEADING TO A BOARDWALK, 47.6 FT (14.5 M) WEST-SOUTHWEST OF THE SOUTHWEST EDGE OF THE BOARDWALK, 53.7 FT (16.4 M) SOUTHWEST OF THE SOUTHEAST ONE OF TWO METAL HANDRAILS AT THE ENTRANCE OF THE BOARDWALK, 0.8 FT (24 CM) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1454

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

119,400.61

**Easting**  
**NAD 83(2011)**  
International Foot

2,086,185.85

**Elevation**  
**NAVD 88**  
Survey Foot

12.7

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO EAST-NORTHEAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.65 MI (4.3 KM) TO THE JUNCTION OF QUEENS FOLLY ROAD AND THE ENTRANCE TO PALMETTO DUNES OCEAN FRONT RESORT, TURN RIGHT ON QUEENS FOLLY ROAD FOR 0.05 MI (0.1 KM) TO A GUARD GATE, CONTINUE ON QUEENS FOLLY ROAD FOR 0.75 MI (1.2 KM) TO THE TRAFFIC CIRCLE JUNCTION OF OCEAN LANE, BEAR RIGHT ON OCEAN LANE FOR 0.5 MI (0.8 KM) TO THE SOUTH ENTRANCE OF THE PARKING LOT FOR THE OMNI HILTON HEAD OCEAN FRONT RESORT, TURN LEFT THROUGH THE PARKING LOT FOR 0.1 MI (0.2 KM) TO THE STATION IN THE DUNES NEAR THE SOUTHEAST CORNER OF THE PARKING LOT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 2.0 FT (0.6 M), 23.5 FT (7.2 M) SOUTHWEST OF THE SOUTHWEST EDGE OF A SAND BEACH ACCESS PATH, 1.8 FT (0.5 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1456 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

121,138.925

**Easting**  
**NAD 83(2011)**  
International Foot

2,087,642.429

**Elevation**  
**NAVD 88**  
Survey Foot

12.292

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.95 MI (3.1 KM) TO THE STATION ON THE RIGHT NEAR A WOOD DECK FOR A CONDOMINIUM.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM), 18.9 FT (5.8 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A CONCRETE PAD LEADING TO A FIRE EXIT, 56.3 FT (17.2 M) EAST-NORTHEAST OF THE EAST CORNER OF A BOARDWALK, 18.6 WEST-SOUTHWEST OF THE WEST ONE OF TWO METAL HANDRAILS FOR THE DECK, 17.4 FT (5.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1457

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

122,258.922

**Easting**  
**NAD 83(2011)**  
International Foot

2,088,349.924

**Elevation**  
**NAVD 88**  
Survey Foot

14.831

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.7 MI (2.7 KM) TO THE STATION ON THE RIGHT NEAR A WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM), 6.0 FT (1.8 M) EAST-NORTHEAST OF A 2.0 FT (0.6 M) PALMETTO TREE, 1.0 FT (0.3 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE WALKWAY, 16.0 FT (4.9 M) SOUTHEAST OF THE SOUTHWEST ONE OF TWO HANDRAIL POSTS FOR THE WALKWAY, 1.1 FT (0.3 M) NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1460 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

124,054.175

**Easting**  
**NAD 83(2011)**  
International Foot

2,089,452.131

**Elevation**  
**NAVD 88**  
Survey Foot

14.918

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.3 MI (2.1 KM) TO THE STATION ON THE RIGHT NEAR A BOARDWALK LEADING TO BLUE TWO STORY WOOD HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 41.4 FT (12.6 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF THE WOOD DECK OF A SWIMMING POOL, 4.0 FT (1.2 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1462 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

124,945.892

**Easting**  
**NAD 83(2011)**  
International Foot

2,090,039.702

**Elevation**  
**NAVD 88**  
Survey Foot

11.937

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.1 MI (1.8 KM) TO THE STATION ON THE RIGHT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 2.2 FT (0.7 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1463 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

126,327.235

**Easting**  
**NAD 83(2011)**  
International Foot

2,090,851.381

**Elevation**  
**NAVD 88**  
Survey Foot

13.561

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.8 MI (1.3 KM) TO THE STATION ON THE RIGHT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 70.4 FT (21.5 M) SOUTHEAST OF THE SOUTH CORNER OF A TWO STORY WOOD HOUSE, 95.5 FT (29.1 M) NORTHEAST OF THE NORTH EDGE OF A BOARDWALK LEADING TO A TWO STORY STUCCO HOUSE, 74.0 FT (22.6 M) SOUTHWEST OF THE SOUTH EDGE OF A BOARDWALK LEADING TO A TWO STORY WOOD HOUSE, 5.0 FT (1.5 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1465

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

127,139.137

**Easting**  
**NAD 83(2011)**  
International Foot

2,091,318.609

**Elevation**  
**NAVD 88**  
Survey Foot

10.683

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.6 MI (1.0 KM) TO THE STATION ON THE RIGHT NEAR A PAIR OF PALMETTO TREES BEHIND THE SECOND DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 2.0 FT (0.6 M) ABOVE A BOARDWALK, 1.7 FT (0.5 M) NORTH-NORTHWEST OF THE NORTH EDGE OF A WOOD BARRIER, 3.0 FT (0.9 M) SOUTHEAST OF THE NORTHEAST 1.0 PALMETTO.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1466

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

127,860.742

**Easting**  
**NAD 83(2011)**  
International Foot

2,091,764.361

**Elevation**  
**NAVD 88**  
Survey Foot

12.004

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.4 MI (0.6 KM) TO THE STATION ON THE RIGHT NEAR A PAIR OF PALMETTO TREES.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 1.5 FT (0.5 M), 46.7 FT (14.2 M) SOUTH-SOUTHWEST OF THE SOUTHWEST ONE TWO WOOD PILINGS ON THE NORTHWEST SIDE OF A WALKWAY, 10.0 FT (3.0 M) NORTH-NORTHEAST OF THE NORTHWEST ONE OF TWO 2.0 FT (0.6 M) PALMETTO TREES, 1.7 FT (0.5 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1468 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

128,773.058

**Easting**  
**NAD 83(2011)**  
International Foot

2,092,412.582

**Elevation**  
**NAVD 88**  
Survey Foot

12.887

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.25 MI (0.4 KM) TO THE STATION ON THE RIGHT NEAR A LONE PALMETTO TREE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 14.5 FT (4.4 M) WEST-SOUTHWEST OF THE 1.0 FT (0.3 M) PALMETTO TREE, 50.8 FT (15.5 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A TWO STORY STUCCO HOUSE, 32.3 FT (9.8 M) SOUTH-SOUTHWEST OF THE SOUTHWEST EDGE OF A BOARDWALK, 0.6 FT (18 CM) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1469 B

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

129,326.378

**Easting**  
**NAD 83(2011)**  
International Foot

2,092,662.279

**Elevation**  
**NAVD 88**  
Survey Foot

10.870

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.1 MI (0.2 KM) TO THE STATION ON THE RIGHT ON TOP OF THE FOURTH DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM), 55.0 FT (16.8 M) NORTHEAST OF THE NORTHEAST EDGE OF A BOARDWALK, 32.0 FT (9.8 M) SOUTHWEST OF THE SOUTHWEST EDGE OF A BOARDWALK, 0.7 FT (21 CM) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1472

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

131,143.23

**Easting**  
**NAD 83(2011)**  
International Foot

2,093,881.85

**Elevation**  
**NAVD 88**  
Survey Foot

12.6

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 3.8 MI (6.1 KM) TO THE JUNCTION OF BURKES BEACH ROAD, TURN LEFT ON BURKES BEACH ROAD FOR 0.3 MI (0.5 KM) TO THE JUNCTION OF SEA FRONT LANE AND A SAND BEACH ACCESS ROAD AHEAD, CONTINUE ON THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM) AND 5.0 FT (1.5 M) ABOVE THE ROAD, 53.0 FT (16.2 M) NORTHEAST OF THE CENTER OF THE ROAD, 0.6 FT (18 CM) EAST-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1474 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

133,429.269

**Easting**  
**NAD 83(2011)**  
International Foot

2,095,366.828

**Elevation**  
**NAVD 88**  
Survey Foot

7.263

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 3.55 MI TO THE JUNCTION OF FOLLY FIELD ROAD LEFT AND MATTHEWS ROAD RIGHT, TURN LEFT ON FOLLY FIELD ROAD FOR 0.35 MI (0.6 KM) TO THE ENTRANCE DRIVE FOR HILTON HEAD BEACH AND TENNIS RESORT (OCEAN FRONT BOULEVARD), TURN RIGHT ON OCEAN FRONT BOULEVARD FOR 0.1 MI (0.2 KM) TO A GUARD GATE AND A TRAFFIC CIRCLE, CONTINUE ON OCEANFRONT BOULEVARD FOR 0.1 MI (0.2 KM) TO A PARKING LOT ENTRANCE FOR A CONDOMINIUM, TURN LEFT THROUGH THE PARKING LOT FOR 0.1 MI (0.2 KM) TO THE STATION AHEAD AT THE EDGE OF A RETENTION POND.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE THE PARKING LOT, 2.5 FT (0.8 M) NORTHWEST OF THE SOUTHEAST EDGE OF THE PARKING LOT, 13.7 FT (4.2 M) NORTH OF THE SOUTH CORNER A METAL DRAIN GRATE, 28.0 FT (8.5 M) SOUTHWEST OF A WOOD POST FOR A SIGN (NO FISHING), 8.5 FT (2.6 M) NORTH-NORTHEAST OF A 2.0 FT (0.6 M) PALMETTO TREE.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1475

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

134,019.783

**Easting**  
**NAD 83(2011)**  
International Foot

2,096,345.175

**Elevation**  
**NAVD 88**  
Survey Foot

11.425

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 2.9 MI (4.7 KM) TO THE ENTRANCE OF PORT ROYAL PLANTATION (COGGINS POINT ROAD), TURN LEFT ON COGGINS POINT ROAD FOR 0.3 MI (0.5 KM) TO THE FORK JUNCTION OF CLUBHOUSE DRIVE, BEAR LEFT ON CLUBHOUSE DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF GRASSLAWN AVENUE, TURN RIGHT ON GRASSLAWN AVENUE FOR 0.3 MI (0.5 KM) TO THE ENTRANCE OF BARONY BEACH CLUB, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO THE ENTRANCE OF ISLANDER BEACH PARK, TURN LEFT ON THE ENTRANCE ROAD FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, TURN RIGHT ON THE ACCESS ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.5 MI (0.8 KM) TO THE STATION ON THE RIGHT NEAR A PALMETTO TREE BEHIND THE THIRD ROW OF DUNES.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.5 FT (0.5 M) EAST OF THE 1.0 FT (0.3 M) PALMETTO TREE, 2.5 FT (0.8 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1477 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

135,420.211

**Easting**  
**NAD 83(2011)**  
International Foot

2,097,635.036

**Elevation**  
**NAVD 88**  
Survey Foot

11.382

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 2.9 MI (4.7 KM) TO THE ENTRANCE OF PORT ROYAL PLANTATION (COGGINS POINT ROAD), TURN LEFT ON COGGINS POINT ROAD FOR 0.3 MI (0.5 KM) TO THE FORK JUNCTION OF CLUBHOUSE DRIVE, BEAR LEFT ON CLUBHOUSE DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF GRASSLAWN AVENUE, TURN RIGHT ON GRASSLAWN AVENUE FOR 0.3 MI (0.5 KM) TO THE ENTRANCE OF BARONY BEACH CLUB, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO THE ENTRANCE OF ISLANDER BEACH PARK, TURN LEFT ON THE ENTRANCE ROAD FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, TURN RIGHT ON THE ACCESS ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.1 MI (0.2 KM) TO A BOARDWALK, PROCEED NORTHWEST ON THE BOARDWALK FOR 0.05 MI (0.1 KM) TO A SET OF STEPS AND THE STATION ON THE LEFT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 1.7 FT (0.5 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1478

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

136,301.318

**Easting**  
**NAD 83(2011)**  
International Foot

2,098,692.859

**Elevation**  
**NAVD 88**  
Survey Foot

11.334

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 2.9 MI (4.7 KM) TO THE ENTRANCE OF PORT ROYAL PLANTATION (COGGINS POINT ROAD), TURN LEFT ON COGGINS POINT ROAD FOR 0.3 MI (0.5 KM) TO THE FORK JUNCTION OF CLUBHOUSE DRIVE, BEAR LEFT ON CLUBHOUSE DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF GRASSLAWN AVENUE, TURN RIGHT ON GRASSLAWN AVENUE FOR 0.3 MI (0.5 KM) TO THE ENTRANCE OF BARONY BEACH CLUB, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO THE ENTRANCE OF ISLANDER BEACH PARK, TURN LEFT ON THE ENTRANCE ROAD FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, TURN RIGHT ON THE ACCESS ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A METAL FENCE FOR THE BARONY BEACH CLUB.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 11.5 FT (3.5 M) SOUTHEAST OF THE FENCE LINE, 36.7 FT (11.2 M) NORTH OF THE NORTHEAST ONE OF TWO WOOD LEGS FOR A METAL SIGN (WELCOME TO OUR BEACH), 66.7 FT (20.3 M) WEST OF THE SOUTHEAST END OF A BEACH WALKWAY, 2.6 FT (0.8 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1481

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

137,798.04

**Easting**  
**NAD 83(2011)**  
International Foot

2,100,464.26

**Elevation**  
**NAVD 88**  
Survey Foot

12.4

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN RIGHT ON SOUTH PORT ROYAL DRIVE FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF FALCATT A ROAD, TURN LEFT ON FALCATT A ROAD FOR 0.05 MI (0.1 KM) TO THE END OF VEHICLE TRAVEL, PROCEED SOUTH FOR 0.05 MI (0.1 KM) TO A SAND BEACH ACCESS PATH, PROCEED SOUTHEAST ON THE PATH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM) AND 5.0 FT (1.5 M) ABOVE THE ACCESS PATH, 28.0 FT (8.5 M) WEST-SOUTHWEST OF THE CENTER OF THE PATH, 32.0 FT (9.8 M) WEST-SOUTHWEST OF A WOOD SIGN POST (PRIVATE PROPERTY/NO TRESPASSING, 2.0 FT (0.6 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1484 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

139,499.329

**Easting**  
**NAD 83(2011)**  
International Foot

2,101,668.362

**Elevation**  
**NAVD 88**  
Survey Foot

5.261

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN RIGHT ON SOUTH PORT ROYAL DRIVE FOR 0.65 MI (0.3 KM) TO THE JUNCTION OF PLANTERS ROW, TURN LEFT ON PLANTERS ROW FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT NEAR A DRAINAGE INLET AT THE EAST EDGE OF A POND.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 5.4 FT (1.6 M) NORTHWEST OF THE WEST EDGE OF THE ROAD, 37.0 FT (11.3 M) NORTH OF THE CENTER OF A MANHOLE COVER, 41.5 FT (12.6 M) EAST OF THE WOOD POST FOR A METAL SIGN (BEWARE OF ALLIGATOR/PLEASE DO NOT FEED WILDLIFE), 4.2 FT (1.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1487

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

142,270.213

**Easting**  
**NAD 83(2011)**  
International Foot

2,101,873.309

**Elevation**  
**NAVD 88**  
Survey Foot

11.458

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN LEFT ON NORTH PORT ROYAL DRIVE FOR 0.05 MI (0.1 KM) TO THE JUNCTION OF OCEAN POINT, TURN RIGHT ON OCEAN POINT AND CONTINUE ONTO OCEAN POINT SOUTH FOR 0.05 MI (0.1 KM) TO A CUL-DE-SAC AND AN OPEN GRASSY AREA TO THE LEFT, PROCEED NORTHEAST ACROSS THE OPEN AREA FOR 0.05 MI (0.1 KM) TO BOARDWALK LEADING TO THE BEACH, PROCEED SOUTH ON THE BEACH FOR 200.0 FT (61.0 M) TO THE STATION ON THE RIGHT ON TOP OF THE DUNES.

STATION IS A PIPE MARK WITH CAP ENCASED IN PVC FLUSH WITH THE GROUND, 1.0 FT (0.3 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1490 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

143,964.319

**Easting**  
**NAD 83(2011)**  
International Foot

2,101,197.572

**Elevation**  
**NAVD 88**  
Survey Foot

10.685

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN LEFT ON NORTH PORT ROYAL DRIVE FOR 0.3 MI (0.5 KM) TO A BEACH ACCESS ROAD (BEACHWALK PR-14/HHI-129) AND THE END OF VEHICLE TRAVEL, PROCEED EAST-NORTHEAST FOR 0.1 MI (0.2 KM) TO THE STATION ON THE LEFT NEAR A WOOD POST FOR A SIGN (PRIVATE PROPERTY/NO TRESPASSING).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 10.2 FT (3.1 M) NORTH-NORTHEAST OF THE POST, 15.5 FT (4.7 M) NORTH-NORTHWEST OF THE CENTER OF THE ACCESS, 42.5 FT (13.0 M) SOUTH OF THE SOUTH EDGE OF A BOARDWALK LEADING TO A TWO STORY WOOD HOUSE, 1.8 FT (0.5 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1493 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

145,353.088

**Easting**  
**NAD 83(2011)**  
International Foot

2,099,728.577

**Elevation**  
**NAVD 88**  
Survey Foot

8.084

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF FORT WALKER DRIVE, TURN LEFT ON FORT WALKER DRIVE FOR 1.3 MI (2.1 KM) TO THE STATION ON THE LEFT IN AN OPEN FIELD ACROSS THE STREET FROM THE PARKING AREA FOR FORT WALKER PARK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 66.4 FT (20.2 M) WEST OF THE CENTER OF THE ROAD, 152.0 FT (46.3 M) SOUTH-SOUTHWEST OF A 5.0 FT (1.5 M) LIVE OAK TREE, 107.7 FT (32.8 M) NORTH OF A SECURITY LIGHT POLE 69439015.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1496 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

148,682.773

**Easting**  
**NAD 83(2011)**  
International Foot

2,097,594.669

**Elevation**  
**NAVD 88**  
Survey Foot

9.223

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST SOUTHEAST ON U.S. HIGHWAY 278 BUSINESS FOR 1.7 MI (2.7 KM) TO THE JUNCTION OF STATE ROAD 44 (BEACH CITY ROAD) LEFT AND (GARDNER ROAD) RIGHT, TURN LEFT ON ROAD 44 FOR 0.5 MI (0.8 KM) TO A TRAFFIC CIRCLE, CONTINUE ON BEACH CITY ROAD FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF STATE ROAD 334 (FISH HAUL ROAD) LEFT AND DILLON ROAD RIGHT, TURN LEFT ON ROAD 334 FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF MITCHELLVILLE ROAD, TURN RIGHT ON MITCHELLVILLE ROAD FOR 0.4 MI (0.6 KM) TO THE ENTRANCE TO MITCHELLVILLE PARK, TURN RIGHT ON THE ENTRANCE DRIVE FOR 0.15 MI (0.2 KM) TO THE END OF THE PARKING LOT, PROCEED NORTHEAST ALONG THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN SOUTHEAST ALONG THE BEACH FOR 0.1 MI (0.2 KM) TO THE STATION AHEAD NEAR A BOARDWALK LEADING TO A CONDOMINIUM.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 3.3 FT (1.0 M) NORTH-NORTHWEST OF THE NORTH EDGE OF THE BOARDWALK, 20.7 FT (6.3 M) NORTH OF A 1.5 FT (0.5 M) LONE PALMETTO TREE SURROUNDED BY A WOOD BENCH, 5.9 FT (1.8 M) EAST-NORTHEAST OF THE EAST EDGE OF A BLACK PVC RETAINING WALL, 52.5 FT (16.0 M) SOUTHEAST OF THE SOUTHEAST CORNER OF THE SOUTH ONE OF TWO WOOD POSTS FOR A SWING.