

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3100 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

345,201.78

Easting
NAD 83(2011)
International Foot

2,365,850.66

Elevation
NAVD 88
Survey Foot

7.91

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, ON ISLE OF PALMS, GO WEST-SOUTHWEST ON HIGHWAY 703 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF THIRD AVENUE, TURN LEFT ON THIRD AVENUE FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF OCEAN BOULEVARD, TURN RIGHT ON OCEAN BOULEVARD FOR 0.3 MI (0.5 KM) TO STATION ON THE LEFT, ON TOP OF THE NORTHEAST SIDE OF THE CONCRETE FOUNDATION OF A MANHOLE COVER SURROUNDED BY TREES.

STATION IS A DISK SET IN THE CONCRETE FOUNDATION OF A MANHOLE COVER LEVEL WITH THE ROAD, 28.0 FT (8.5 M) SOUTHWEST OF THE CENTER OF THE ROAD, 14.0 FT (4.3 M) SOUTHEAST OF THE CENTER OF THE CONCRETE DRIVEWAY FOR TWO STORY VINYL SIDED HOUSE NUMBER 106, 11.3 FT (3.4 M) NORTHEAST OF THE EAST CORNER OF AN ELECTRICAL BOX NUMBER 35693/40/PD4982/50/857DL, 34.0 FT (10.4 M) WEST-NORTHWEST OF THE CENTER OF THE DRIVEWAY FOR TWO STORY VINYL SIDED HOUSE NUMBER 108, 1.1 FT (0.3 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3105 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

345,256.90

Easting
NAD 83(2011)
International Foot

2,366,847.16

Elevation
NAVD 88
Survey Foot

7.94

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, GO WEST-SOUTHWEST ON HIGHWAY 703 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF THIRD AVENUE, TURN LEFT ON THIRD AVENUE FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF OCEAN BOULEVARD, TURN RIGHT ON OCEAN BOULEVARD FOR 0.1 MI (0.2 KM) TO THE STATION ON THE LEFT NEAR A POWER POLE ON THE WEST SIDE OF A PUBLIC BEACH ACCESS.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND LEVEL WITH THE ROAD, 41.4 FT (12.6 M) SOUTH OF THE CENTER OF THE ROAD, 5.3 FT (1.6 M) EAST-NORTHEAST OF THE POWER POLE NUMBER 423782, 22.0 FT (6.7 M) WEST OF THE CENTER OF THE PUBLIC BEACH ACCESS, 9.4 FT (2.9 M) SOUTHEAST OF A TELEPHONE JUNCTION BOX, 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3110 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

345,666.70

Easting
NAD 83(2011)
International Foot

2,367,455.13

Elevation
NAVD 88
Survey Foot

8.1

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO SOUTHWEST ON HIGHWAY 703 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF STATE ROAD 422 (THIRD AVENUE), TURN LEFT ON STATE ROAD 422 FOR 0.2 MI (0.3 KM) TO THE STATION ON THE RIGHT IN THE NORTHWEST ANGLE OF THE JUNCTION OF OCEAN BOULEVARD.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 33.7 FT (10.3 M) WEST-SOUTHWEST OF THE CENTER OF THE AVENUE, 26.3 FT (8.0 M) NORTH-NORTHWEST OF THE CENTER OF THE BOULEVARD, 9.4 FT (2.9 M) WEST OF THE CENTER OF A ROUND WATER METER COVER, 20.4 FT (6.2 M) NORTHEAST OF THE METAL POST FOR A SIGN (DEAD END), 51.0 FT (15.5 M) SOUTHWEST OF A SECURITY LIGHT POLE 423828, 18.3 FT (5.6 M) SOUTH-SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3115 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

346,815.403

Easting
NAD 83(2011)
International Foot

2,369,276.388

Elevation
NAVD 88
Survey Foot

9.000

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO SOUTHWEST ON HIGHWAY 703 FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF STATE ROAD 592 (6TH AVENUE), TURN LEFT ON SIXTH AVENUE FOR 0.1 MI (0.2 KM) TO THE STATION NEAR A PUBLIC BEACH ACCESS IN THE SOUTHWEST ANGLE OF THE JUNCTION OF STATE ROAD 7 (OCEAN BOULEVARD).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 28.2 FT (8.6 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 27.0 FT (8.2 M) WEST-SOUTHWEST OF THE EXTENDED CENTER OF THE AVENUE, 8.8 FT (2.7 M) WEST OF THE CENTER OF MANHOLE COVER, 18.5 FT (5.6 M) WEST-SOUTHWEST OF THE CENTER OF BEACH ACCESS 6, 5.0 FT (1.6 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3120 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

347,603.03

Easting
NAD 83(2011)
International Foot

2,370,637.25

Elevation
NAVD 88
Survey Foot

12.39

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE IN ISLE OF PALMS, GO SOUTHWEST ON HIGHWAY 703 FOR 0.55 MI (0.9 KM) TO THE JUNCTION OF EIGHTH AVENUE, TURN LEFT ON EIGHTH AVENUE FOR 0.15 MI (0.2 KM) TO THE JUNCTION OF OCEAN BOULEVARD AND THE STATION AHEAD ON THE EAST SIDE OF THE EIGHTH AVENUE PUBLIC BEACH ACCESS.

STATION IS FLUSH WITH GROUND AND 2.0 FT (0.6 M) ABOVE THE ROADS, 65.0 FT (19.8 M) SOUTH-SOUTHEAST OF THE CENTER OF THE BOULEVARD, 21.0 FT (6.4 M) NORTHEAST OF THE CENTER OF THE BEACH ACCESS PATH, 38.8 FT (11.8 M) SOUTH OF A 0.9 FT (27 CM) PALMETTO TREE WITH SCGS WASHER, 1.0 FT (0.3 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3125 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

349,041.15

Easting
NAD 83(2011)
International Foot

2,372,935.39

Elevation
NAVD 88
Survey Foot

8.17

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO SOUTH-SOUTHEAST ON 14TH AVENUE FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT, NEAR A SIDEWALK, IN THE SOUTHEAST ANGLE OF OCEAN BOULEVARD AT A PUBLIC BEACH ACCESS.

STATION IS FLUSH WITH THE GROUND AND LEVEL WITH THE SIDEWALK, 0.3 FT (9 CM) WEST OF THE WEST EDGE OF THE SIDEWALK, 4.2 FT (1.3 M) NORTH-NORTHEAST OF 0.9 FT (27 CM) PALMETTO TREE, 15.7 FT (4.8 M) EAST THE SOUTHEAST CORNER OF A METAL DRAIN GRATE, 26.3 FT (8.0 M) NORTHWEST OF THE NORTHWEST CORNER OF A RECTANGULAR FIBERGLASS TELEPHONE JUNCTION BOX, 22.3 FT (6.8 M) SOUTHEAST OF THE SOUTHEAST CORNER OF A GRANITE PLAQUE (CAROLINA COAST SURF CLUB, ESTAB. 1963).

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3130 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

349,838.42

Easting
NAD 83(2011)
International Foot

2,373,975.06

Elevation
NAVD 88
Survey Foot

10.54

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 0.35 MI (0.6 KM) TO THE STATION ON THE RIGHT IN THE EAST ANGLE OF THE JUNCTION OF STATE ROAD 916 (BEACHSIDE DRIVE) AND PUBLIC BEACH ACCESS SIDEWALK 21.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE FLUSH AND LEVEL WITH THE SIDEWALK, 65.0 FT (19.8 M) SOUTHEAST OF THE CENTER OF THE HIGHWAY, 16.7 FT (5.1 M) EAST-NORTHEAST OF THE NORTHEAST CORNER OF THE BEACH ACCESS SIDEWALK, 30.3 FT (9.2 M) SOUTH-SOUTHWEST OF TELEPHONE JUNCTION BOX (CC), 38.2 FT (11.6 M) NORTHWEST OF THE NORTHWEST CORNER OF HOUSE 2201, 30.7 FT (9.4 M) SOUTH OF SECURITY LIGHT POLE 744920, 0.8 FT (24 CM) NORTH-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3135 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

350,972.01

Easting
NAD 83(2011)
International Foot

2,376,236.77

Elevation
NAVD 88
Survey Foot

8.49

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, GO EAST-NORTHEAST ON HIGHWAY 70 FOR 0.8 MI (1.3 KM) TO STATION ON THE RIGHT NEAR A LONE PALMETTO TREE AT PUBLIC BEACH ACCESS NUMBER 27.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND LEVEL WITH THE HIGHWAY, 27.3 FT (8.3 M) SOUTH-SOUTHEAST OF THE CENTER OF THE HIGHWAY, 22.6 FT (6.9 M) NORTH-NORTHWEST OF A SECURITY LIGHT POLE NUMBER 736157, 3.5 FT (1.1 M) EAST-SOUTHEAST OF THE 0.8 FT (24 CM) PALMETTO TREE, 13.8 FT (4.2 M) NORTHEAST OF THE WEST END OF A 1.0 FT (0.3 M) CONCRETE PIPE CULVERT BENEATH THE BEACH ACCESS PATH, 2.4 FT (0.7 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3140

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

351,456.30

Easting
NAD 83(2011)
International Foot

2,378,011.75

Elevation
NAVD 88
Survey Foot

7.39

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 1.15 MI (1.9 KM) TO A DRIVEWAY ON THE RIGHT FOR VINYL SIDED HOUSE 3014, PROCEED SOUTH-SOUTHEAST ALONG THE WEST SIDE OF THE HOUSE FOR 0.05 MI (0.1 KM) TO THE STATION NEAR THE NORTH END OF A PRIVATE BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 3.0 FT (0.9 M) BELOW THE BOARDWALK, 10.7 FT (3.3 M) EAST-NORTHEAST OF THE EAST EDGE OF THE BOARDWALK, 68.9 FT (21.0 M) NORTH-NORTHWEST OF THE NORTHEAST CORNER POST OF A DECK, 2.8 FT (0.9 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3145 C

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

352,288.920

Easting
NAD 83(2011)
International Foot

2,379,835.301

Elevation
NAVD 88
Survey Foot

8.530

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 1.4 MI (2.3 KM) TO THE DRIVEWAY FOR HOUSE 3602 AND THE STATION AT THE EAST END OF A BOARDWALK BEHIND THE HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 12.0 FT (3.7 M) EAST-NORTHEAST OF THE EAST EDGE OF THE BOARDWALK, 2.0 FT (0.6 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **3150 B**

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

353,164.05

Easting
NAD 83(2011)
International Foot

2,381,498.19

Elevation
NAVD 88
Survey Foot

7.18

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, GO NORTHEAST ON HIGHWAY 703 FOR 1.85 MI (2.7 KM) TO THE STATION ON THE RIGHT, NEAR THE EAST SIDE OF AN ASPHALT DRIVEWAY LEADING TO A TWO STORY WOOD SIDED HOUSE NUMBER 4006.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE RECESSED 0.8 FT (24 CM) AND 1.0 FT (0.3 M) BELOW THE DRIVEWAY, 32.0 FT (9.8 M) SOUTH OF THE CENTER OF THE EAST BOUND LANES OF THE HIGHWAY, 9.5 FT (2.9 M) EAST OF THE CENTER OF THE DRIVEWAY, 10.5 FT (3.2 M) WEST-SOUTHWEST OF A 0.8 FT (24 CM) PALMETTO TREE, 1.1 FT (0.3 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3155

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

353,478.44

Easting
NAD 83(2011)
International Foot

2,383,395.57

Elevation
NAVD 88
Survey Foot

6.88

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.3 MI (3.7 KM) TO THE JUNCTION OF 47TH AVENUE, TURN RIGHT ON 47TH AVENUE FOR 0.05 MI (0.1 KM) TO THE END OF VEHICLE TRAVEL, PROCEED SOUTH-SOUTHEAST FOR 0.05 MI TO THE STATION ON THE WEST SIDE OF BEACH ACCESS 47.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.8 FT (24 CM) AND 0.5 FT (15 CM) BELOW THE PATH, 25.0 FT (7.6 M) WEST OF THE CENTER OF THE PATH, 32.4 FT (9.9 M) NORTHWEST OF A METAL SIGN POST (47), 44.0 FT (13.4 M) WEST-SOUTHWEST OF THE SOUTH END OF A WOOD FENCE, 107.0 FT (32.6 M) SOUTHEAST OF THE SOUTHEAST CORNER OF TWO STORY VINYL SIDED HOUSE 1, 2.3 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3157 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

353,767.37

Easting
NAD 83(2011)
International Foot

2,384,460.86

Elevation
NAVD 88
Survey Foot

10.9

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.5 MI (3.2 KM) TO THE JUNCTION OF 50TH AVENUE, TURN RIGHT ON 50TH AVENUE FOR 0.1 MI (0.2 KM) TO THE END OF VEHICLE TRAVEL AT PUBLIC BEACH ACCESS 50, PROCEED ON THE ACCESS PATH FOR 65.0 FT (19.8 M) TO THE STATION ON THE LEFT ON TOP OF A SECONDARY DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, 16.0 FT (4.9 M) EAST-SOUTHEAST OF THE METAL POST FOR A SIGN (50), 20.0 FT (6.1 M) EAST OF THE CENTER OF THE PATH, 2.5 FT (0.8 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3159 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

354,203.23

Easting
NAD 83(2011)
International Foot

2,385,426.67

Elevation
NAVD 88
Survey Foot

5.85

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, GO NORTHEAST ON HIGHWAY 703 FOR 2.7 MI (4.3 KM) TO THE JUNCTION OF 53RD AVENUE, TURN RIGHT ON 53RD AVENUE FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR A WOOD FENCE LINE ON THE SOUTH SIDE OF A GRAVEL DRIVEWAY LEADING TO A TWO STORY WOOD SIDED HOUSE (NO NUMBER).

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 0.5 FT (15 CM) BELOW THE AVENUE, 23.0 FT (7.0 M) WEST OF THE CENTER OF THE AVENUE, 1.4 FT (0.4 M) SOUTHEAST OF THE SOUTH CORNER POST OF THE FENCE, 8.5 FT (2.6 M) SOUTH OF THE CENTER OF THE DRIVEWAY, 43.5 FT (13.3 M) NORTH-NORTHWEST OF THE METAL POST FOR A SIGN (NO PARKING ON PAVEMENT), 1.0 EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3165 C

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

354,646.104

Easting
NAD 83(2011)
International Foot

2,387,358.041

Elevation
NAVD 88
Survey Foot

7.868

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 3.05 MI (4.9 KM) TO THE JUNCTION OF 57TH AVENUE AND A GATED ASPHALT ROAD AHEAD, PROCEED ON THE ROAD FOR 200.0 FT (61.0 M) TO A CONCRETE WALKWAY LEADING TO THE BEACH, PROCEED SOUTH-SOUTHEAST ON THE WALKWAY FOR 0.1 MI (0.2 KM) TO THE STATION NEAR A BEACH ACCESS WALKOVER.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND 2.0 FT (0.6 M) BELOW THE WALKOVER, 12.5 FT (3.8 M) WEST OF THE WEST END OF THE WALKOVER, 2.5 FT (0.8 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3167 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

355,220.974

Easting
NAD 83(2011)
International Foot

2,388,809.507

Elevation
NAVD 88
Survey Foot

6.871

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 1.1.MI TO THE JUNCTION OF BEACHWOOD WEST, TURN RIGHT ON BEACHWOOD WEST FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A PAVED ROAD LEADING TO BEACHWOOD EAST, TURN RIGHT ON THE PAVE ROAD FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF BEACHWOOD EAST, TURN RIGHT ON BEACHWOOD EAST FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT BETWEEN THE DRIVEWAYS FOR HOUSES 5 AND 6 ON A CUL-DE-SAC.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 15.5 FT (4.7 M) NORTH OF THE CENTER OF THE ROAD, 4.9 FT (1.5 M) WEST OF THE WEST EDGE OF THE BRICK BORDER OF THE DRIVEWAY FOR HOUSE 5, 9.2 FT (2.8 M) EAST OF THE EAST EDGE OF THE BRICK BORDER OF THE DRIVEWAY FOR HOUSE 6, 2.1 FT (0.6 M) SOUTH OF THE SOUTHEAST CORNER OF THE SOUTHEAST ONE OF THREE METAL WATER METER COVERS, 29.0 FT (8.8 M) NORTH-NORTHWEST OF THE NORTHEAST CORNER OF A METAL DRAIN GRATE IN THE ROAD.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3170 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

355,550.603

Easting
NAD 83(2011)
International Foot

2,389,611.741

Elevation
NAVD 88
Survey Foot

6.751

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 1.1.MI TO THE JUNCTION OF BEACHWOOD WEST, TURN RIGHT ON BEACHWOOD WEST FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF A PAVED ROAD LEADING TO BEACHWOOD EAST, TURN RIGHT ON THE PAVE ROAD FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF BEACHWOOD EAST, TURN LEFT ON BEACHWOOD EAST FOR 0.1 MI (0.2 KM) TO THE STATION BETWEEN A BEACH ACCESS PATH AND THE ASPHALT DRIVEWAY FOR HOUSE 20.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE DRIVEWAY, 10.7 FT (3.3 M) SOUTH-SOUTHEAST OF THE CENTER OF A MANHOLE COVER IN THE PATH, 11.0 FT (3.4 M) NORTHEAST OF THE CENTER OF THE DRIVEWAY, 10.5 FT (3.2 M) EAST-SOUTHEAST OF A PLASTIC TELECOMMUNICATIONS COVER, 1.8 FT (0.5 M) NORTH OF THE NORTH ONE OF THREE WOOD POSTS, 8.4 FT (2.5 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3173 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

356,219.802

Easting
NAD 83(2011)
International Foot

2,390,859.146

Elevation
NAVD 88
Survey Foot

10.894

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 1.6 MI (2.6 KM) TO THE ENTRANCE TO BEACH CLUB VILLAS, TURN RIGHT TO THE SOUTHEAST END OF THE PARKING LOT AND THE END OF VEHICLE TRAVEL, PROCEED SOUTH FOR 200.0 FT (61.0 M) TO THE STATION NEAR THE NORTH CORNER OF A BOARDWALK BENCH DECK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 10.8 FT (3.3 M) NORTH OF THE NORTH CORNER OF THE DECK, 9.3 FT (2.8 M) WEST OF A SURVEY MARKER (POINT 140), 2.2 FT (0.7 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3175 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

356,834.29

Easting
NAD 83(2011)
International Foot

2,391,523.70

Elevation
NAVD 88
Survey Foot

10.06

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 1.7 MI (2.9 KM) TO THE ENTRANCE DRIVE TO MARINERS WALK, TURN RIGHT ON THE DRIVE HEADING SOUTHEAST FOR 0.1 MI (0.2 KM) TO THE LAST UNIT ON THE LEFT (11 A) AND THE STATION AHEAD NEAR A BEACH ACCESS WALKOVER AND BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND 2.0 FT (0.6 M) THE BOARDWALK, 24.3 FT (7.4 M) SOUTHWEST OF THE WEST CORNER OF THE WALKOVER, 19.5 FT (5.9 M) NORTHWEST OF THE NORTHWEST EDGE OF THE BOARDWALK, 71.2 FT (21.7 M) SOUTHEAST OF THE EAST CORNER OF THE FENCE AROUND A SWIMMING POOL, 63.6 FT (19.4 M) EAST-NORTHEAST OF THE NORTH CORNER OF THE CONCRETE PAD FOR THE STEPS OF UNIT 11 A.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3178 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

357,653.021

Easting
NAD 83(2011)
International Foot

2,392,124.803

Elevation
NAVD 88
Survey Foot

9.956

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 1.9 MI (3.1 KM) TO THE ENTRANCE OF SUMMER HOUSE VILLAS PARKING LOT, TURN RIGHT FOR 0.05 MI (0.1 KM) TO THE END OF VEHICLE TRAVEL, PROCEED SOUTHEAST ON A CONCRETE SIDEWALK TO A POOL, CONTINUE SOUTH ON THE SIDEWALK TO A BOARDWALK AND THE STATION NEAR A LONE PALMETTO TREE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND AND LEVEL WITH THE BOARDWALK, 6.9 FT (2.1 M) SOUTH OF THE PALMETTO TREE, 20.0 FT (6.1 M) EAST OF THE EAST EDGE OF THE BOARDWALK, 7.0 FT (2.1 M) EAST-SOUTHEAST OF THE NORTHEAST LEG OF A WOOD SIGN (KEEP OFF THE DUNES), 33.7 FT (10.3 M) SOUTHEAST OF A WALKWAY LIGHT.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3180 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

358,286.218

Easting
NAD 83(2011)
International Foot

2,392,517.590

Elevation
NAVD 88
Survey Foot

8.335

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 2.1 MI (3.4 KM) TO THE ENTRANCE TO THE PARKING LOT OF PORT OF CALL 1, TURN RIGHT INTO THE PARKING LOT AND THE END OF VEHICLE TRAVEL, PROCEED EAST TO THE STATION NEAR THE NORTHWEST SIDE OF THE PORT OF CALL POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 25.2 FT (7.7 M) NORTH-NORTHWEST OF THE NORTHWEST CORNER POST OF A FENCE AROUND THE POOL, 18.9 FT (5.8 M) SOUTHEAST OF A 1.0 PALMETTO TREE, 53.8 FT (16.4 M) EAST-NORTHEAST OF THE NORTHEAST CORNER OF A CONCRETE DRAIN COVER, 86.0 FT (26.2 M) SOUTHWEST OF THE SOUTHWEST CORNER OF A CONCRETE DRAIN COVER.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3183 E

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

359,050.211

Easting
NAD 83(2011)
International Foot

2,393,214.449

Elevation
NAVD 88
Survey Foot

7.100

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF A PAVED GOLF CART PATH AT THE ENTRANCE TO A PARKING LOT AND THE END OF VEHICLE TRAVEL, PROCEED EAST ON THE CART PATH, TOWARDS OCEAN CLUB VILLAS, FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT AND ACROSS THE PATH FROM A GOLF CART PARKING AREA FOR THE 18TH GREEN OF THE WILD DUNES LINKS COURSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND 0.5 FT (15 CM) BELOW THE CART PATH, 9.4 FT (2.9 M) WEST-NORTHWEST OF THE CENTER OF THE PATH, 35.5 FT (10.8 M) NORTHEAST OF A 2.0 FT (0.6 M) LONE PALMETTO TREE, 49.2 FT (15.0 M) EAST OF A WHITE PVC PROPERTY CORNER PROJECTING 3.0 FT (0.9 M).

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3185 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

359,487.37

Easting
NAD 83(2011)
International Foot

2,393,414.54

Elevation
NAVD 88
Survey Foot

8.18

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR), 703 (PALM BOULEVARD) AND 14TH AVENUE, IN ISLE OF PALMS, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE JUNCTION OF PALMETTO DRIVE, TURN LEFT ON PALMETTO DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE AND TRAFFIC CIRCLE JUNCTION, BEAR RIGHT ON PALMETTO DRIVE FOR 2.2 MI (3.5 KM) TO THE JUNCTION OF A PAVED GOLF CART PATH AT THE ENTRANCE TO A PARKING LOT AND THE END OF VEHICLE TRAVEL, PROCEED EAST ON THE CART PATH, TOWARDS OCEAN CLUB VILLAS, AND CONTINUE NORTHEAST ON THE CART PATH FOR 0.25 MI (0.4 KM) TO THE STATION ON THE LEFT.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE CART PATH, 14.0 FT (4.3 M) WEST-NORTHWEST OF THE CENTER OF THE CART PATH, 27.0 FT (8.2 M) NORTH-NORTHWEST OF A PLASTIC SPRINKLER HEAD, 2.0 FT (0.6 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 3190 B

Beach Name: ISLE OF PALMS **County:** CHARLESTON **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

361,004.31

Easting
NAD 83(2011)
International Foot

2,392,408.57

Elevation
NAVD 88
Survey Foot

4.64

Description:

TO REACH THE STATION FROM THE JUNCTION OF STATE HIGHWAYS 517 (ISLE OF PALMS CONNECTOR) AND 703 (PALM BOULEVARD) AND 14TH AVENUE, GO NORTHEAST ON HIGHWAY 703 FOR 2.25 MI (3.6 KM) TO THE ENTRANCE DRIVE TO WILD DUNES RESORT, TURN LEFT ON THE ENTRANCE DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD SHACK AND THE TRAFFIC CIRCLE JUNCTION OF PALMETTO DRIVE, BEAR RIGHT ON PALMETTO DRIVE FOR 2.5 MI (3.7 KM) TO THE WEST JUNCTION OF LINKSIDE COURT, TURN RIGHT ON LINKSIDE COURT FOR 0.1 MI (0.2 KM) TO THE CART PATH ENTRANCE BETWEEN BUILDING NUMBERS 32 AND 33, PROCEED NORTH FOR 0.05 MI (0.1 KM) TO THE CART PATH AND CONTINUE NORTH-NORTHEAST ON THE CART PATH FOR 0.25 MI (0.4 KM) TO THE STATION ON THE RIGHT.

STATION IS A DISK ATTACHED TO A STAINLESS STEEL ROD WITH SLEEVE ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM) AND 0.5 FT (15 CM) BELOW THE CART PATH, 15.0 FT (4.6 M) SOUTH OF THE CENTER OF THE CART PATH, 7.0 FT (2.1 M) SOUTH OF A 4 INCH (10 CM) PVC DRAIN PIPE, 53.8 FT (16.4 M) EAST OF THE SOUTHEAST CORNER OF THE EAST HEADWALL OF A CART PATH BRIDGE, 1.3 FT (0.4 M) SOUTH OF A WITNESS POST.