

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4300 E

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

593,016.295

**Easting**  
**NAD 83(2011)**  
International Foot

2,576,820.625

**Elevation**  
**NAVD 88**  
Survey Foot

7.253

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 4.6 MI (7.4 KM) TO THE JUNCTION OF STATE ROAD 302 (LITCHFIELD ROAD), TURN LEFT ON ROAD 302 FOR 1.05 MI (1.7 KM) TO A GUARD HOUSE, OBTAIN PERMISSION AND CONTINUE FOR 0.8 MI (1.3 KM) TO THE END OF TRUCK TRAVEL, PACK SOUTH-SOUTHWEST ACROSS DUNES FOR ABOUT 1300-FT TO THE STATION IN THE SECONDARY DUNE LINE.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.0 FT (0.3 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4315 E

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

595,084.901

**Easting**  
**NAD 83(2011)**  
International Foot

2,577,605.445

**Elevation**  
**NAVD 88**  
Survey Foot

10.357

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 4.6 MI (7.4 KM) TO THE JUNCTION OF STATE ROAD 302 (LITCHFIELD ROAD), TURN LEFT ON ROAD 302 FOR 1.05 MI (1.7 KM) TO A GUARD HOUSE, OBTAIN PERMISSION AND CONTINUE FOR 0.6 MI (1.0 KM) TO THE STATION ON THE RIGHT.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 3.0 FT (0.9 M) ABOVE THE ROAD, 18.5 FT (5.6 M) NORTHWEST OF THE CENTER OF THE ROAD, 64.8 FT (19.8 M) WEST-NORTHWEST OF THE WEST CORNER OF HOUSE NUMBER 1243, 67.9 FT (20.7 M) NORTH-NORTHWEST OF THE NORTH CORNER OF HOUSE NUMBER 1259, 49.3 FT (15.0 M) WEST-SOUTHWEST OF A METAL MANHOLE COVER, 53.2 FT (16.2 M) NORTH-NORTHEAST OF A WOOD POST PROJECTING 8.0-FT WITH A BIRD HOUSE ATTACHED, 42.2 FT (12.9 M) NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)**  
**Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4330 B**

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

598,486.33

**Easting**  
**NAD 83(2011)**  
International Foot

2,579,132.96

**Elevation**  
**NAVD 88**  
Survey Foot

8.20

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 AND 17 BUSINESS 2.0 MI (3.21 KM) SOUTH-SOUTHWEST OF MURRELLS INLET), GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 4.6 MI (7.36 KM) TO THE JUNCTION OF STATE ROAD 303, TURN LEFT ON ROAD 303 FOR 0.4 MI (0.64 KM) TO A FORK, BEAR RIGHT ON ROAD 303 FOR 0.55 MI (0.88 KM) TO THE STATION ON THE RIGHT, NEAR A POWER POLE.

STATION IS A DISK SET IN A CONCRETE POST FLUSH WITH THE GROUND, 54.1 FT (16.5 M) NORTHWEST OF A POWER POLE WITH ONE TRANSFORMER, 41.7 (12.7 M) EAST OF THE EAST CORNER OF THE EAST CONCRETE PIER FOR THE PORCH OF HOUSE NO. 66, 36.3 FT (11.06 M) SOUTHEAST OF THE SOUTHEAST CORNER OF THE SOUTHEAST CONCRETE BLOCK PIER FOR THE PORCH OF A WOOD HOUSE (NO NUMBER), 26.9 FT (8.2 M) NORTHWEST OF THE CENTER OF THE ROAD, 7.5 FT (2.3 M) EAST OF THE POWER POLE NO. 73831, 5.9 FT (1.80 M) SOUTHEAST OF A TELEPHONE JUNCTION BOX 17/02, 7.1 FT (2.16 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4360 B**

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

600,017.04

**Easting**  
**NAD 83(2011)**  
International Foot

2,580,036.65

**Elevation**  
**NAVD 88**  
Survey Foot

8.23

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 AND STATE ROAD 302 IN LITCHFIELD, GO EAST ON ROAD 302 FOR 0.7 KM (0.4 MI) TO A FORK, BEAR RIGHT ON ROAD 302 FOR 0.2 MI (0.4 KM) TO THE STATION ON THE LEFT AT A PUBLIC BEACH ACCESS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 4.5 FT (1.4 M) SOUTHWEST OF THE ACCESS PATH, 38.1 FT (11.6 M) SOUTHEAST OF THE CENTER OF THE ROAD, 80.7 FT (24.6 M) SOUTHWEST OF POWER POLE 24428, 70.5 FT (21.5 M) NORTHEAST OF POWER POLE 24445, 1.5 FT (0.45 M) WEST-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4390 C**

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

602,048.465

**Easting**  
**NAD 83(2011)**  
International Foot

2,581,380.680

**Elevation**  
**NAVD 88**  
Survey Foot

16.087

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS,, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 3.65 MI (5.9 KM) TO THE JUNCTION OF RETREAT BEACH CIRCLE (ENTRANCE TO LITCHFIELD-BY-THE-SEA RESORT), TURN LEFT ON THE ENTRANCE DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE, OBTAIN PERMISSION AND TURN LEFT ON RETREAT BEACH CIRCLE FOR 0.5 MI (0.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF SOUTH DUNES DRIVE, BEAR RIGHT ON SOUTH DUNES DRIVE FOR 0.4 MI (0.6 KM) TO THE TRAFFIC CIRCLE ENTRANCE TO SHIPYARD VILLAGE, BEAR RIGHT ON TO THE ENTRANCE DRIVE FOR 0.05 MI (0.1 KM) TO THE NORTH ENTRANCE OF THE PARKING LOT, CONTINUE NORTHEAST FOR 0.05 MI (0.1 KM) TO THE END OF VEHICLE TRAVEL AND THE STATION NEAR A HEDGE ROW BETWEEN THE BEACH AND A SWIMMING POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 63.0 FT (19.2 M) SOUTH-SOUTHWEST OF A BOARDWALK, 1.0 FT (0.3 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4395 C

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

603,527.524

**Easting**  
**NAD 83(2011)**  
International Foot

2,582,098.891

**Elevation**  
**NAVD 88**  
Survey Foot

8.508

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS,, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 3.65 MI (5.9 KM) TO THE JUNCTION OF RETREAT BEACH CIRCLE (ENTRANCE TO LITCHFIELD-BY-THE-SEA RESORT), TURN LEFT ON THE ENTRANCE DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE, OBTAIN PERMISSION AND TURN LEFT ON RETREAT BEACH CIRCLE FOR 0.5 MI (0.8 KM) TO A TRAFFIC CIRCLE, CONTINUE ON RETREAT BEACH CIRCLE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE TO BEACH CLUB HOUSE, TURN RIGHT FOR 0.05 MI (0.1 KM) TO A PARKING LOT, TURN RIGHT INTO THE PARKING LOT HEADING SOUTHEAST TO THE STATION NEAR A CONCRETE WALKWAY IN THE DISABLED PARKING AREA.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH AND 0.5 FT (15 CM) ABOVE THE PARKING LOT, 4.0 FT (1.2 M) NORTHEAST OF THE NORTHEAST EDGE OF THE SIDEWALK, 6.0 FT (1.8 M) NORTHWEST OF THE NORTHWEST EDGE OF AN ASPHALT CART PATH, 1.0 FT (0.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4400 E

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

605,282.89

**Easting**  
**NAD 83(2011)**  
International Foot

2,583,390.41

**Elevation**  
**NAVD 88**  
Survey Foot

14.1

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS,, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 3.65 MI (5.9 KM) TO THE JUNCTION OF RETREAT BEACH CIRCLE (ENTRANCE TO LITCHFIELD-BY-THE-SEA RESORT), TURN LEFT ON THE ENTRANCE DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE, OBTAIN PERMISSION AND TURN LEFT ON RETREAT BEACH CIRCLE FOR 0.5 MI (0.8 KM) TO A TRAFFIC CIRCLE, BEAR RIGHT ON TIDE LANE FOR 0.05 MI (0.1 KM) TO BREAKERS REEF DRIVE (ENTRANCE TO BREAKERS REEF CONDOS), TURN LEFT ON BREAKERS REEF DRIVE FOR 0.15 MI (0.2 KM) TO THE STATION AHEAD IN THE DUNE LINE NEAR THE EAST CORNER OF CONDO NUMBER 200.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 92.9 FT (28.3 M) SOUTHEAST OF THE NORTH CORNER OF CONDO NUMBER 200, 1.3 FT (0.4 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4430 C**

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

606,632.365

**Easting**  
**NAD 83(2011)**  
International Foot

2,584,264.221

**Elevation**  
**NAVD 88**  
Survey Foot

5.885

**Description:**

TO REACH THE STATION FROM THE SOUTH JUNCTION OF U.S. HIGHWAY 17 AND U.S. HIGHWAY 17 BUSINESS, IN MURRELLS INLET, GO SOUTHWEST ON U.S. HIGHWAY 17 FOR 1.55 MI (2.49 KM) TO THE JUNCTION OF STATE ROAD 98 (BOYLE ROAD), TURN LEFT ON BOYLE ROAD FOR 0.5 MI (0.8 KM) TO THE T-JUNCTION OF STATE ROAD 250 (PARKER AVENUE), TURN RIGHT ON PARKER AVENUE FOR 0.05 MI (0.1 KM) TO THE JUNCTION OF SONGBIRD LANE RIGHT AND PUBLIC BEACH ACCESS 12 LEFT, TURN LEFT FOR 0.05 MI (0.1 KM) TO THE STATION AHEAD NEAR A BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 7.0 FT (2.1 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BOARDWALK, 1.0 FT (0.3 M) SOUTHWEST OF A WITNESS POST.



**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4490 B**

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

608,254.50

**Easting**  
**NAD 83(2011)**  
International Foot

2,585,467.42

**Elevation**  
**NAVD 88**  
Survey Foot

7.86

**Description:**

TO REACH THE STATION FROM THE SOUTH JUNCTION OF U.S. HIGHWAY 17 AND U.S. HIGHWAY 17 BUSINESS, IN MURRELLS INLET, GO SOUTHWEST ON U.S. HIGHWAY 17 FOR 1.55 MI (2.49 KM) TO THE JUNCTION OF STATE ROAD 98 (BOYLE ROAD), TURN LEFT ON BOYLE ROAD FOR 0.5 MI (0.8 KM) TO THE T-JUNCTION OF STATE ROAD 250 (PARKER AVENUE), TURN LEFT ON ROAD 250 FOR 0.3 MI (0.48 KM) TO THE JUNCTION OF STATE ROAD 457 (SEAVIEW LOOP), TURN RIGHT ON ROAD 457 FOR 0.05 MI (0.08 KM) TO THE STATION AHEAD AT A PUBLIC BEACH ACCESS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 19.7 FT (6.0 M) NORTHWEST OF THE NORTHWEST END OF A WOOD WALKOVER, 14.8 FT (4.5 M) SOUTHEAST OF EXTENDED CENTER OF THE ROAD, 10.2 FT (3.1 M) NORTHEAST OF A LONE 1.5 FT PALMETTO TREE 17.4 FT (5.3 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4495 E

**Beach Name:** LITCHFIELD BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

609,536.297

**Easting**  
**NAD 83(2011)**  
International Foot

2,586,572.586

**Elevation**  
**NAVD 88**  
Survey Foot

11.909

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 3.05 MI (4.9 KM) TO THE JUNCTION OF BOYLE ROAD, TURN LEFT ON BOYLE ROAD FOR 0.55 MI (0.9 KM) TO THE JUNCTION TO THE JUNCTION OF PARKER DRIVE, TURN LEFT ON PARKER DRIVE FOR 0.65 MI (1.0 KM) TO THE STATION ON THE RIGHT BETWEEN HOUSES 1020 AND 1034.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 14.3 FT (4.4 M) SOUTHEAST OF THE CENTER OF THE ROAD, 16.0 FT (4.9 M) NORTHWEST OF THE NORTH CORNER OF THE NORTHEAST BRICK PILLAR FOR A BRICK WALL FOR HOUSE NUMBER 1020, 21.8 FT (6.6 M) NORTHWEST OF THE SOUTHWEST BRICK PILLAR FOR A BRICK HOUSE NUMBER 1034, 23.5 FT (7.2 M) SOUTHWEST OF THE WEST EDGE OF THE CONCRETE DRIVEWAY TO HOUSE NUMBER 1034, 118.4 FT (36.1 M) SOUTHWEST OF THE EXTENDED CENTER OF STATE ROAD 428 (FAIRFIELD LANE).

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4500 B**

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

610,763.45

**Easting**  
**NAD 83(2011)**  
International Foot

2,587,830.24

**Elevation**  
**NAVD 88**  
Survey Foot

12.24

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO SOUTHWEST ON THE BEACH FOR 0.45 MI (0.7 KM) TO THE STATION ON THE RIGHT ON THE NORTHWEST SIDE OF THE SECONDARY DUNE LINE.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 1.5 FT SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)**  
**Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4515 B

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

612,292.52

**Easting**  
**NAD 83(2011)**  
International Foot

2,589,118.81

**Elevation**  
**NAVD 88**  
Survey Foot

10.30

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO SOUTHWEST ON THE BEACH FOR 0.1 MI (0.2 KM) TO A SAND PATH LEADING NORTHWEST TO ATALAYA, TRAVEL NORTHWEST ON THE PATH FOR 250.0 FT (76.2 M) TO THE STATION ON THE LEFT, IN A WOODED AREA AND AT THE TOP OF A SMALL DUNE.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 24.8 FT (7.6 M) EAST OF A 1.2 FT (0.4 M) PINE TREE WITH A SCGS REFERENCE WASHER ATTACHED, 2.1 FT (0.6 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)**  
**Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4525 E

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

613,522.09

**Easting**  
**NAD 83(2011)**  
International Foot

2,590,463.42

**Elevation**  
**NAVD 88**  
Survey Foot

7.8

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND 17 BUSINESS,, 1.65 MI (2.7 KM) SOUTHWEST OF MURRELLS INLET, GO SOUTH-SOUTHWEST ON HIGHWAY 17 FOR 1.2 MI (1.9 KM) TO THE JUNCTION OF TERRAPIN ROAD (ENTRANCE TO HUNTINGTON BEACH STATE PARK), TURN LEFT ON TERRAPIN ROAD FOR 0.15 MI (0.2 KM) TO A GUARD GATE, OBTAIN PERMISSION AND CONTINUE AHEAD FOR 0.7 MI (1.1 KM) TO A REVERSE FORK (ROAD LEADING TO CAMPGROUND), TURN LEFT ON THE CAMPGROUND ROAD FOR 0.15 MI (0.2 KM) TO A BEACH ACCESS PATH, PACK SOUTHEAST FOR APPROXIMATELY 500-FEET ON THE PATH TO THE STATION ON THE LEFT NEAR A WOODEN BOARDWALK LEADING TO THE CAMPGROUND.

STATION IS AN ALUMINUM PIPE MARK WITH CAP FLUSH WITH THE GROUND, 61.7 FT (18.8 M) NORTHEAST OF THE NORTHEAST EDGE OF THE BOARDWALK, 18.1 FT (5.5 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4535

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

615,178.65

**Easting**  
**NAD 83(2011)**  
International Foot

2,591,930.56

**Elevation**  
**NAVD 88**  
Survey Foot

4.51

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO NORTHEAST ON THE BEACH FOR 0.7 MI (1.1 KM) TO THE STATION ON THE LEFT AT THE SOUTH EDGE OF A MYRTLE GROVE BEHIND THE DUNES.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.1 FT (0.3 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4545

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

616,722.58

**Easting**  
**NAD 83(2011)**  
International Foot

2,593,732.84

**Elevation**  
**NAVD 88**  
Survey Foot

12.27

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO NORTHEAST ON THE BEACH FOR 1.1 MI (1.8 KM) TO THE STATION ON THE LEFT IN THE LANDWARD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 2.4 FT (0.7 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4555 B**

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

618,343.32

**Easting**  
**NAD 83(2011)**  
International Foot

2,595,357.39

**Elevation**  
**NAVD 88**  
Survey Foot

8.69

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 (OCEAN HIGHWAY) AND STATE HIGHWAY 707 (BURGESS AND SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE TO HUNTINGTON BEACH STATE PARK (TERRAPIN ROAD), TURN LEFT ON TERRAPIN ROAD FOR 0.65 MI (1.0 KM) TO SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO A RANGER STATION, GAIN BEACH ACCESS AND GO SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR ABOUT 250-FT TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE BEACH ACCESS FOR ABOUT 300-FT TO THE BEACH, GO NORTHEAST ON BEACH FOR 1.55 MI (2.5 KM) TO THE STATION ON THE LEFT ON THE NORTHWEST SIDE OF A SMALL WAX MYRTLE GROVE.

STATION IS A DISK ATTACHED TO AN ALUMINUM ALLOW ROD ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 3.8 FT (1.2 M) SOUTHEAST OF A WITNESS POST.



**South Carolina Department of Health and Environmental Control (SCDHEC)  
Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 4565

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

619,981.38

**Easting**  
**NAD 83(2011)**  
International Foot

2,596,458.51

**Elevation**  
**NAVD 88**  
Survey Foot

13.72

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO NORTHEAST ON THE BEACH FOR 2.0 FT (0.6 M) TO A DIM DUNE ACCESS ROAD, PROCEED NORTH-NORTHWEST ON THE ROAD FOR 0.1 MI (0.2 KM) TO THE STATION ON THE LEFT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 250.0 FT (76.2 M) WEST-SOUTHWEST OF THE CENTER OF THE ROAD, 5.7 FT (1.7 M) OF USACE SURVEY DISK M 32, 45.5 FT (13.9 M) NORTHEAST OF USACE SURVEY DISK 72-31 43, 2.2 FT (0.7 M) NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)**  
**Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** October 2013 - September 2015

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **4575 B**

**Beach Name:** HUNTINGTON BEACH      **County:** GEORGETOWN      **State:** SOUTH CAROLINA

**Northing**  
**NAD 83(2011)**  
International Foot

621,123.02

**Easting**  
**NAD 83(2011)**  
International Foot

2,597,411.27

**Elevation**  
**NAVD 88**  
Survey Foot

6.08

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (OCEAN HIGHWAY), STATE HIGHWAY 707 (BURGESS ROAD) AND (SUNNYSIDE AVENUE), 1.5 MI (2.4 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO SOUTHWEST ON HIGHWAY 17 FOR 4.3 MI (6.9 KM) TO THE ENTRANCE DRIVE OF HUNTINGTON BEACH STATE PARK (TERRAPIN DRIVE), TURN LEFT ON TERRAPIN DRIVE FOR 0.65 MI (1.0 KM) TO THE JUNCTION OF SEASHORE DRIVE RIGHT AND JETTY DRIVE LEFT, TURN RIGHT ON SEASHORE DRIVE FOR 0.3 MI (0.5 KM) TO THE RANGER STATION, CONTINUE SOUTHEAST ACROSS A PARKING LOT FOR 0.1 MI (0.2 KM) TO A CONCRETE SIDEWALK LEADING TO A BOARDWALK BEACH ACCESS, CONTINUE SOUTHEAST ON THE SIDEWALK FOR 250.0 FT (76.2 M) TO A SAND BEACH ACCESS ROAD ON THE SOUTHWEST SIDE OF THE BOARDWALK, CONTINUE ON THE ACCESS ROAD FOR 300.0 FT (91.4 M) TO THE BEACH, GO NORTHEAST ON THE BEACH FOR 2.0 FT (0.6 M) TO A DIM DUNE ACCESS ROAD, PROCEED NORTH-NORTHWEST ON THE ROAD FOR 0.3 MI (0.5 KM) TO THE STATION ON THE RIGHT.

STATION IS A STAINLESS STEEL ROD WITH SLEEVE ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 118.3 FT (36.1 M) SOUTHEAST OF THE CENTER OF THE ROAD, 2.2 FT (0.7 M) SOUTHEAST OF A WITNESS POST.