

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5100

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

646,541.14

Easting
NAD 83(2011)
International Foot

2,614,011.23

Elevation
NAVD 88
Survey Foot

9.59

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (MARK GARNER HIGHWAY) AND U.S. HIGHWAY 17 BUSINESS (KINGS HIGHWAY), 1.65 MI (2.7 KM) NORTH-NORTHEAST OF MURRELLS INLET, GO NORTHWEST ON HIGHWAY 17 FOR 2.9 MI (4.7 KM) TO THE JUNCTION OF 16TH AVENUE SOUTH. TURN RIGHT ON 16TH AVENUE SOUTH FOR 0.75 MI (1.2 KM) TO THE STATION ON THE RIGHT NEAR A POWER POLE IN THE WEST ANGLE OF THE JUNCTION OF SOUTH OCEAN BOULEVARD.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM) AND 0.5 FT (15 CM) LOWER THAN THE ROADS, 28.0 FT (8.5 M) NORTHWEST OF THE CENTER OF THE BOULEVARD, 36.0 FT (11.0 M) SOUTHWEST OF THE CENTER OF THE AVENUE, 12.6 FT (3.8 M) SOUTH-SOUTHEAST OF THE POWER POLE 73081 WITH ONE GUY WIRE, ONE TRANSFORMER AND A SECURITY LIGHT, 1.7 FT (0.5 M) SOUTHEAST OF THE SOUTHEAST EDGE OF A SIDEWALK, 4.5 FT (1.4 M) WEST OF THE WEST CORNER OF A CONCRETE PAD FOR A MANHOLE COVER.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5120 E

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

648,128.712

Easting
NAD 83(2011)
International Foot

2,615,132.308

Elevation
NAVD 88
Survey Foot

9.281

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 6.4 MI (10.3 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 2.3 MI (3.7 KM) TO THE JUNCTION OF STATE ROAD 214 (10TH AVENUE SOUTH), TURN LEFT ON ROAD 214 FOR 0.7 MI (1.1 KM) TO THE STATION ON THE RIGHT IN THE WEST ANGLE OF THE JUNCTION OF OCEAN BOULEVARD.

STATION IS A DISK SET IN A CONCRETE MONUMENT FLUSH WITH THE GROUND, 48.0 FT (14.6 M) NORTHWEST OF THE CENTER OF OCEAN BOULEVARD, 18.1 FT (5.5 M) SOUTHWEST OF THE CENTER OF ROAD 214, 11.8 FT (3.6 M) NORTHWEST OF THE NORTHWEST EDGE OF A SIDEWALK, 24.5 FT (7.5 M) EAST OF THE EAST CORNER OF THE EAST CINDER BLOCK PILLAR FOR HOUSE NUMBER 1010B, 14.5 FT (4.4 M) NORTH-NORTHEAST OF A CONCRETE POST PROJECTING 1.5-FT INSCRIBED (MV), 8.8 FT (2.7 M) WEST-NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5130

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

651,518.36

Easting
NAD 83(2011)
International Foot

2,617,723.03

Elevation
NAVD 88
Survey Foot

7.06

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 0.5 MI (0.8 KM) TO THE JUNCTION OF 16TH AVENUE NORTH, TURN LEFT ON 16TH AVENUE NORTH FOR 0.7 MI (1.1 KM) TO A CURVE RIGHT, CONTINUE ON OCEAN BOULEVARD FOR 0.9 MI (1.4 KM) TO THE STATION ON THE LEFT, NEAR A STOP SIGN IN THE EAST JUNCTION OF SECOND AVENUE NORTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROADS, 2.5 FT (0.8 M) NORTH-NORTHWEST OF THE STOP SIGN, 14.0 FT (4.3 M) NORTHEAST OF THE CENTER OF THE AVENUE, 20.2 FT (6.2 M) SOUTHEAST OF THE CENTER OF THE BOULEVARD, 13.2 FT (4.0 M) SOUTH-SOUTHWEST OF THE CENTER OF A MAN HOLE COVER.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5140

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

649,541.87

Easting
NAD 83(2011)
International Foot

2,616,151.88

Elevation
NAVD 88
Survey Foot

6.84

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 0.5 MI (0.8 KM) TO THE JUNCTION OF 16TH AVENUE NORTH, TURN LEFT ON 16TH AVENUE NORTH FOR 0.7 MI (1.1 KM) TO A CURVE RIGHT, CONTINUE ON OCEAN BOULEVARD FOR 1.3 MI (2.1 KM) TO THE STATION ON THE RIGHT NEAR THE EAST CORNER OF A THREE STORY VINYL SIDED HOUSE NUMBER 510, IN THE WEST ANGLE OF THE JUNCTION OF FIFTH AVENUE SOUTH.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.2 FT (6 CM) AND 0.5 BELOW THE ROADS, 47.4 FT (14.4 M) NORTHWEST OF THE CENTER OF THE BOULEVARD, 28.5 FT (8.7 M) SOUTHWEST OF THE CENTER OF THE AVENUE, 19.0 FT (5.8 M) NORTHWEST OF A POWER POLE WITH A TRANSFORMER AND A SECURITY LIGHT, 26.5 FT (8.1 M) WEST OF A STOP SIGN POST, 11.5 FT (3.5 M) EAST-NORTHEAST OF THE EAST CORNER OF THE HOUSE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5180 B**

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

653,223.09

Easting
NAD 83(2011)
International Foot

2,619,104.79

Elevation
NAVD 88
Survey Foot

6.84

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 0.5 MI (0.8 KM) TO THE JUNCTION OF 16TH AVENUE NORTH, TURN LEFT ON 16TH AVENUE NORTH FOR 0.7 MI (1.1 KM) TO A CURVE RIGHT, CONTINUE ON OCEAN BOULEVARD FOR 0.4 MI (0.6 KM) TO THE STATION ON THE LEFT IN FRONT OF A TWO STORY VINYL SIDED HOUSE NUMBER 911.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.7 FT (21 CM) AND 0.5 FT (15 CM) BELOW THE ROAD, 18.2 FT (5.5 M) SOUTHEAST OF THE CENTER OF THE ROAD, 14.0 FT (4.3 M) NORTHEAST OF THE EXTENDED CENTER OF NINTH AVENUE NORTH, 5.2 FT (1.6 M) NORTHWEST OF THE WEST EDGE OF A SIDEWALK, 13.0 FT (4.0 M) SOUTHWEST OF THE SOUTHWEST EDGE OF THE CONCRETE DRIVEWAY FOR THE HOUSE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5195 B**

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

654,958.10

Easting
NAD 83(2011)
International Foot

2,620,462.62

Elevation
NAVD 88
Survey Foot

9.90

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 0.5 MI (0.8 KM) TO THE JUNCTION OF 16TH AVENUE NORTH, TURN LEFT ON 16TH AVENUE NORTH FOR 0.7 MI (1.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN, TURN LEFT INTO THE PARKING LOT FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT NEAR THE SOUTH CORNER OF A CONCRETE CURB.

STATION IS A STAINLESS STEEL ROD MARK WITH AN ALUMINUM ACCESS COVER RECESSED 0.3 FT (9 CM) 0.5 ABOVE THE PARKING LOT, 3.0 FT (0.9 M) NORTH-NORTHWEST OF THE SOUTH CORNER OF THE CURB, 4.0 FT (1.2 M) SOUTH OF A 1.0 FT (0.3 M) PALMETTO TREE, 6.0 FT (1.8 M) SOUTHWEST OF THE SOUTHEAST CORNER OF A CONCRETE/STUCCO POST PROJECTING 4.0 FT (1.2 M), 48.3 FT (14.7 M) NORTHEAST OF A POWER POLE WITH EIGHT GUY WIRES, 43.3 FT (13.2 M) SOUTH-SOUTHEAST OF THE SOUTH CORNER OF A METAL SIGN (HOLIDAY INN).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5200 E

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

656,519.26

Easting
NAD 83(2011)
International Foot

2,621,691.07

Elevation
NAVD 88
Survey Foot

7.70

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 6.4 MI (10.3 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHWEST ON HIGHWAY 17 FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF CORAL DRIVE, TURN LEFT ON CORAL DRIVE FOR 0.05 MI (0.1 KM) TO A GUARD GATE, OBTAIN PERMISSION AND CONTINUE ON CORAL DRIVE FOR 0.55 MI (0.9 KM) TO THE JUNCTION OF SEASIDE DRIVE AND THE STATION AHEAD NEAR A SAND VOLLEYBALL COURT.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 1.0 FT (0.3 M) ABOVE SEASIDE DRIVE, 78.0 FT (23.8 M) SOUTHEAST OF THE CENTER OF SEASIDE DRIVE, 45.4 FT (13.8 M) NORTHEAST OF THE EXTENDED CENTER OF CORAL DRIVE, 13.0 FT (4.0 M) NORTH OF THE NORTHWEST ONE OF TWO METAL VOLLEYBALL NET POLES, 27.3 FT (8.3 M) SOUTHWEST OF A SECURITY LIGHT POLE NUMBER 110172 WITH TWO SECURITY LIGHTS, 27.3 FT (8.3 M) SOUTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5210 B

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

658,227.82

Easting
NAD 83(2011)
International Foot

2,622,925.30

Elevation
NAVD 88
Survey Foot

8.35

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY), STATE HIGHWAY 544 (DICK POND ROAD) AND OCEAN LAKES DRIVE, 1.7 MI (2.7 KM) NORTH OF SURFSIDE BEACH, GO SOUTHEAST ON OCEAN LAKES DRIVE FOR 0.05 TO A GUARD GATE, CONTINUE ON OCEAN LAKES DRIVE FOR 0.1 MI (0.2 KM) TO THE FORK JUNCTION OF SUNSET TRAIL, BEAR LEFT ON OCEAN LAKES DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF SEA URCHIN DRIVE, TURN LEFT ON SEA URCHIN DRIVE FOR 0.2 MI (0.3 KM) TO THE JUNCTION OF SALTWORKS DRIVE, TURN RIGHT ON SALTWORKS DRIVE FOR 0.3 MI (0.5 KM) TO THE JUNCTION OF SEASIDE DRIVE, TURN LEFT ON SEASIDE DRIVE FOR 0.05 MI (0.1 KM) TO THE STATION ON THE STATION ON THE LEFT, NEAR A MANHOLE COVER THE MIDDLE OF AN UNNAMED ROAD.

STATION IS RECESSED 0.5 FT (15 CM) AND 0.5 BELOW THE ROAD, 1.5 FT (0.5 M) EAST OF THE CENTER OF THE MANHOLE COVER, 9.3 FT (2.8 M) EAST-SOUTHEAST OF THE NORTH CORNER OF THE CONCRETE PAD FOR CAMPSITE 2133, 9.4 FT (2.9 M) WEST OF THE WEST CORNER OF THE CONCRETE PAD FOR CAMPSITE 2119, 57.6 FT (17.6 M) NORTHWEST OF THE CENTER OF SEASIDE DRIVE.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5220

Beach Name: SURFSIDE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

659,924.18

Easting
NAD 83(2011)
International Foot

2,624,263.84

Elevation
NAVD 88
Survey Foot

9.10

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO NORTHEAST ON HIGHWAY 17 FOR 0.5 MI (0.8 KM) TO THE ENTRANCE DRIVE TO LAKEWOOD CAMPING RESORT, TURN RIGHT ON THE ENTRANCE DRIVE FOR 0.15 MI (0.2 KM) TO THE SECURITY OFFICE AND THE JUNCTION OF MAIN STREET, TURN RIGHT ON MAIN STREET FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF OCEAN BOULEVARD, TURN LEFT ON OCEAN BOULEVARD FOR 0.1 MI (0.2 KM) TO THE STATION ON THE RIGHT NEAR A METAL STREET LIGHT POLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.3 FT (9 CM) AND LEVEL WITH THE BOULEVARD, 28.0 FT (8.5 M) SOUTHEAST OF THE CENTER OF THE BOULEVARD, 7.9 FT (2.4 M) SOUTHEAST OF THE POLE, 7.3 FT (2.2 M) NORTH OF A 1.0 FT (0.3 M) PALMETTO TREE, 33.0 FT (10.1 M) EAST-NORTHEAST OF THE CENTER OF THE NORTHEAST ONE OF TWO ENTRANCE WAYS TO A SAND PARKING LOT, 52.5 FT (16.0 M) WEST-SOUTHWEST OF THE WEST CORNER OF AN INDOOR POOL BUILDING.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5230 B

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

661,788.98

Easting
NAD 83(2011)
International Foot

2,625,814.19

Elevation
NAVD 88
Survey Foot

8.53

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY), STATE HIGHWAY 544 (DICK POND ROAD) AND OCEAN LAKES DRIVE, 1.7 MI (2.7 KM) NORTH OF SURFSIDE, GO NORTHEAST ON HIGHWAY 17 FOR 1.25 MI (2.0 KM) TO THE ENTRANCE TO PIRATELAND RESORT, TURN RIGHT ON THE ENTRANCE ROAD FOR 0.05 MI (0.1 KM) TO A GUARD GATE, CONTINUE ON PIRATELAND ROAD FOR 0.45 MI (0.7 KM) TO THE T-JUNCTION OF PIRATELAND TRAIL, TURN RIGHT ON PIRATELAND TRAIL FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT IN LINE THE EXTENDED CENTER OF THE NORTH JUNCTION OF CAPTAIN COOK TRAIL.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.0 FT (6.1 M) SOUTHEAST OF THE CENTER OF PIRATELAND TRAIL, 63.3 FT (19.3 M) SOUTH-SOUTHWEST OF SECURITY LIGHT POLE 62922, 2.0 FT (0.6 M) NORTHWEST OF A 0.8 FT (24 CM) CONCRETE BARRIER, 51.9 FT (15.8 M) EAST OF THE EAST CORNER POST FOR PAVILION (216 A), 31.8 FT (9.7 M) NORTH-NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5240 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

664,199.716

Easting
NAD 83(2011)
International Foot

2,627,486.467

Elevation
NAVD 88
Survey Foot

5.713

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD AND CLEAR LAKE DRIVE), 1.7 MI (2.7 KM) NORTHEAST OF SURFSIDE BEACH, GO NORTHEAST ON US HIGHWAY 17 FOR 1.7 MILES (2.7 KM) TO THE JUNCTION DOGWOOD DRIVE, TURN RIGHT ON DOGWOOD DRIVE FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF SOUTH OCEAN BOULEVARD, TURN RIGHT ON SOUTH OCEAN BOULEVARD FOR 0.1 MILE (0.2 KM) TO THE STATION ON THE RIGHT NEAR A PVC FENCE IN THE NORTH ANGLE OF A CONCRETE DRIVEWAY LEADING TO HOUSE NUMBER 4808.

STATION IS PIPE MARK WITH CAP RECESSED 0.4 FT (12 CM) AND 0.5 FT (15 CM) BELOW THE ROAD, 16.0 FT (4.9 M) NORTH-NORTHWEST OF THE CENTER OF THE ROAD, 4.8 FT (1.5 M) EAST-NORTHEAST OF THE NORTHEAST EDGE OF THE DRIVEWAY, 4.3 FT (1.3 M) EAST-NORTHEAST OF THE NORTHEAST ONE OF TWO CORNER POSTS FOR THE FENCE, 55.9 FT (17.0 M) WEST-SOUTHWEST OF A WOOD POST WITH A SIGN (NO PARKING).

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: **5250 B**

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

665,228.00

Easting
NAD 83(2011)
International Foot

2,628,557.62

Elevation
NAVD 88
Survey Foot

8.74

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY), STATE HIGHWAY 544 (DICK POND ROAD) AND OCEAN LAKES DRIVE, 1.7 MI (2.7 KM) NORTH OF SURFSIDE, GO NORTHEAST ON HIGHWAY 17 FOR 1.95 MI (3.1 KM) TO THE ENTRANCE DRIVE OF MYRTLE BEACH STATE PARK, TURN RIGHT ON THE ENTRANCE DRIVE FOR 0.85 TO A FORK, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO A T-JUNCTION, TURN RIGHT FOR 0.4 MI (0.6 KM) THE END OF VEHICLE TRAVEL, PROCEED SOUTHWEST FOR 0.1 TO THE STATION BETWEEN THE DUNES AND TREE LINE.

STATION IS A DISK ATTACHED TO AN ALUMINUM ROD ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 2.3 FT (0.7 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5260 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

666,680.669

Easting
NAD 83(2011)
International Foot

2,630,100.928

Elevation
NAVD 88
Survey Foot

8.965

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 6.4 MI (10.3 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 FOR 1.9 MI (3.1 KM) TO THE ENTRANCE TO MYRTLE BEACH STATE PARK, TURN RIGHT ON THE ENTRANCE ROAD FOR 0.5 MI (0.8 KM) TO A GUARD GATE, OBTAIN PERMISSION AND CONTINUE ON ENTRANCE ROAD FOR 0.3 MI (0.5 KM) TO A FORK, BEAR RIGHT ON THE FORK FOR 0.15 MI (0.2 KM) TO THE STATION ON THE LEFT NEAR A WOOD BENCH IN THE SOUTH CORNER OF A PARKING LOT FOR A FISHING PIER.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND LEVEL WITH THE PARKING LOT, 97.9 FT (29.8 M) SOUTHWEST OF THE WEST CORNER OF THE WOOD DECK FOR THE PIER GIFT SHOP, 109.1 FT (33.3 M) WEST-SOUTHWEST OF THE SOUTH CORNER OF THE PIER GIFT SHOP BUILDING, 1.6 FT (0.5 M) NORTH-NORTHWEST OF THE NORTHWEST END POST FOR A WOOD BENCH, 23.9 FT (7.3 M) EAST-NORTHEAST OF A WOOD SIGN POST PROJECTING 4-FT (PROTECTED AREA), 18.2 FT (5.5 M) EAST OF THE NORTHEAST END OF A CONCRETE PARKING STOP AT THE WEST MOST PARKING PLACE, 1.5 FT (0.5 M) NORTH-NORTHWEST OF A WITNESS POST.

South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5270 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

668,087.37

Easting
NAD 83(2011)
International Foot

2,631,186.14

Elevation
NAVD 88
Survey Foot

15.9

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 17 BUSINESS (SOUTH KINGS HIGHWAY) AND STATE HIGHWAY 544 (DICK POND ROAD), 6.4 MI (10.3 KM) SOUTHWEST OF MYRTLE BEACH, GO NORTHEAST ON HIGHWAY 17 FOR 1.9 MI (3.1 KM) TO THE ENTRANCE TO MYRTLE BEACH STATE PARK, TURN RIGHT ON THE ENTRANCE ROAD FOR 0.5 MI (0.8 KM) TO A GUARD GATE, OBTAIN PERMISSION AND CONTINUE ON THE ENTRANCE ROAD FOR 0.3 MI (0.5 KM) TO A FORK, BEAR LEFT ON THE FORK FOR 0.3 MI (0.5 KM) TO A CONCRETE BEACH ACCESS PATH, TURN RIGHT ON THE PATH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT IN AN OPEN AREA.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND AND 3.0 FT (0.9 M) ABOVE THE CONCRETE ACCESS PATH, 85.8 FT (26.2 M) WEST OF THE WEST EDGE OF THE CONCRETE BEACH ACCESS PATH, 120.3 FT (36.7 M) NORTHWEST OF THE NORTH ONE OF THREE WOOD POSTS SUPPORTING SHOWERS, 149.6 FT (45.6 M) WEST-NORTHWEST OF A FLAG POLE, 185.2 FT (56.4 M) SOUTH-SOUTHEAST OF THE SOUTH CORNER OF A SET OF CONCRETE STEPS.

**South Carolina Department of Health and Environmental Control (SCDHEC)
Ocean and Coastal Resource Management (OCRM)**

South Carolina Beachfront Survey Monument Description Sheet

Project Name: South Carolina Beach Monument Replacement Survey

Project Date: October 2013 - September 2015

Survey Performed By: South Carolina Geodetic Survey

Monument ID Number: 5280 E

Beach Name: MYRTLE BEACH **County:** HORRY **State:** SOUTH CAROLINA

Northing
NAD 83(2011)
International Foot

669,796.292

Easting
NAD 83(2011)
International Foot

2,633,058.464

Elevation
NAVD 88
Survey Foot

7.105

Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAYS 17 BUSINESS (KINGS HIGHWAY), STATE HIGHWAY 73 (OCEAN BOULEVARD) AND FARROW PARKWAY, 3.1 MI (5.0 KM) SOUTHWEST OF MYRTLE BEACH, GO SOUTHEAST ON HIGHWAY 73 FOR 0.45 MI (0.7 KM) TO THE JUNCTION OF SPRINGMAID BOULEVARD, TURN RIGHT ON SPRINGMAID BOULEVARD FOR 0.1 MI (0.2 KM) TO A PAVED ROAD LEFT LEADING TO SPRINGMAID PIER, TURN LEFT ON THE PAVED ROAD FOR 0.1 MI (0.2 KM) TO THE END OF TRUCK TRAVEL, PACK SOUTHWEST FOR ABOUT 250-FT TO THE STATION AHEAD NEAR A BEACH SHOWER AT A WOOD BEACH ACCESS BOARDWALK.

STATION IS AN ALUMINUM PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 8.8 FT (2.7 M) SOUTH-SOUTHEAST OF THE WOOD POST WITH SHOWER ATTACHED, 12.8 FT (3.9 M) SOUTHWEST OF THE WEST WOOD RAIL POST FOR A WOOD BEACH ACCESS, 168.0 FT (51.2 M) SOUTHWEST OF THE WEST CORNER OF THE SPRINGMAID PIER BUILDING, 1.4 FT (0.4 M) NORTH OF A WITNESS POST.