

South Carolina's HIV/AIDS and AIDS Cases and Rates

State, County, and
Public Health Region
Report
2016 Data



HIV/AIDS Cases and Rates, AIDS Cases and Rates
By Year of Diagnosis, Gender, Race, Risk Group, and Age
By County and Public Health Region, Updated for 2016 Data

County/Region	Page	County/Region	Page
South Carolina	P. 1		
Abbeville	P. 3	Horry	P. 53
Aiken	P. 5	Jasper	P. 55
Allendale	P. 7	Kershaw	P. 57
Anderson	P. 9	Lancaster	P. 59
Bamberg	P. 11	Laurens	P. 61
Barnwell	P. 13	Lee	P. 63
Beaufort	P. 15	Lexington	P. 65
Berkeley	P. 17	McCormick	P. 67
Calhoun	P. 19	Marion	P. 69
Charleston	P. 20	Marlboro	P. 70
Cherokee	P. 23	Newberry	P. 71
Chester	P. 25	Oconee	P. 73
Chesterfield	P. 27	Orangeburg	P. 75
Clarendon	P. 29	Pickens	P. 77
Colleton	P. 31	Richland	P. 79
Darlington	P. 33	Saluda	P. 81
Dillon	P. 35	Spartanburg	P. 83
Dorchester	P. 37	Sumter	P. 85
Edgefield	P. 39	Union	P. 87
Fairfield	P. 41	Williamsburg	P. 89
Florence	P. 43	York	P. 91
Georgetown	P. 45	Lowcountry Public Health Region	P. 93
Greenville	P. 47	Midlands Public Health Region	P. 95
Greenwood	P. 49	Pee Dee Public Health Region	P. 97
Hampton	P. 51	Upstate Public Health Region	P. 99
Technical Notes (!!! Important: See Notice Regarding Prevalence Data !!!)			P. 101

South Carolina HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	2,453	18.9	2,301	16.8	2,179	15.4	2,281	15.5	19,062	384.2
Gender										
Male	1,711	27.1	1,713	25.7	1,667	24.2	1,821	25.5	13,533	562.0
Female	742	11.1	588	8.4	512	7.0	460	6.1	5,529	216.6
Race										
Black	1,737	46.1	1,659	42.9	1,556	39.1	1,569	38.5	13,099	956.0
White	550	6.4	492	5.5	458	5.0	495	5.2	4,703	146.5
Hispanic	140	30.5	111	17.7	118	15.7	130	16.2	851	309.9
Other	25	12.1	37	15.3	43	15.6	52	16.7	351	328.2
Race/Gender										
Black Male	1,158	65.3	1,194	65.7	1,163	62.2	1,230	64.4	8,762	1,364.4
Black Female	579	29.0	465	22.7	393	18.6	339	15.6	4,337	595.8
White Male	430	10.2	398	9.1	368	8.3	404	8.7	3,779	240.9
White Female	120	2.8	94	2.1	90	1.9	91	1.9	924	56.3
Hispanic Male	106	40.3	89	25.4	98	23.8	112	26.0	673	459.9
Hispanic Female	34	17.3	22	7.9	20	5.9	18	4.8	178	138.8
Risk Group - Total										
Male sex w/Male	940	.	1,118	.	1,148	.	1,231	.	8,020	.
Injecton Drug Use	121	.	79	.	66	.	59	.	1,443	.
MSM and Inj Drug Use	65	.	46	.	52	.	21	.	602	.
Hemophiliac	0	.	0	.	0	.	0	.	20	.
Heterosexual	749	.	456	.	410	.	268	.	4,740	.
Transfusion	0	.	0	.	0	.	0	.	10	.
Perinatal Transmission	12	.	7	.	4	.	8	.	254	.
Other/Undetermined	566	.	595	.	499	.	694	.	3,973	.
Risk Group - Black										
Male sex w/Male	605	.	745	.	804	.	847	.	4,761	.
Injecton Drug Use	75	.	49	.	28	.	24	.	1,023	.
MSM and Inj Drug Use	18	.	22	.	26	.	.	.	299	.
Hemophiliac	0	.	0	.	0	.	0	.	7	.
Heterosexual	606	.	378	.	336	.	206	.	3,855	.
Transfusion	0	.	0	.	0	.	0	.	8	.
Perinatal Transmission	11	.	4	.	4	.	5	.	209	.
Other/Undetermined	422	.	461	.	358	.	485	.	2,937	.
Risk Group - White										
Male sex w/Male	288	.	308	.	265	.	288	.	2,741	.
Injecton Drug Use	41	.	24	.	30	.	27	.	333	.
MSM and Inj Drug Use	41	.	22	.	25	.	15	.	267	.
Hemophiliac	0	.	0	.	0	.	0	.	13	.
Heterosexual	96	.	56	.	51	.	40	.	636	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	.	.	26	.
Other/Undetermined	84	.	80	.	87	.	124	.	685	.
Age Group										
Less than 13	13	0.6	9	0.4	10	0.4	9	0.3	88	11.2
13-19	115	9.0	161	12.2	137	10.5	115	8.8	85	19.3
20-29	671	37.4	741	39.6	801	40.6	939	46.1	2,189	321.4
30-39	582	33.8	498	28.5	448	25.5	441	24.3	3,239	526.2
40-49	690	36.2	517	27.2	416	22.0	350	19.0	4,573	747.3
50-59	294	16.9	276	15.0	268	13.8	306	15.2	5,858	868.2
60 and Up	88	3.7	99	3.7	99	3.3	121	3.6	3,030	263.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

South Carolina AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	2,024	15.6	1,818	13.3	1,526	10.8	1,087	7.4	10,501	211.6
Gender										
Male	1,378	21.8	1,277	19.3	1,101	16.0	804	11.2	7,504	311.6
Female	646	9.7	541	7.7	425	5.8	283	3.7	2,997	117.4
Race										
Black	1,501	39.8	1,366	35.3	1,137	28.5	785	19.3	7,413	541.0
White	409	4.7	330	3.7	275	3.0	211	2.2	2,417	75.4
Hispanic	94	20.5	84	13.4	75	10.0	66	8.3	472	171.9
Other	20	9.7	38	15.6	38	13.8	25	8.0	193	180.5
Race/Gender										
Black Male	971	54.8	923	50.8	787	42.1	566	29.6	4,985	776.3
Black Female	530	26.5	443	21.6	350	16.5	219	10.1	2,428	333.5
White Male	313	7.5	263	6.1	228	5.1	163	3.5	1,986	126.6
White Female	96	2.2	67	1.4	47	1.0	48	1.0	431	26.3
Hispanic Male	79	30.0	67	19.1	56	13.5	55	12.8	383	261.7
Hispanic Female	15	7.6	17	6.2	19	5.6	11	3.0	89	69.4
Risk Group - Total										
Male sex w/Male	637	.	706	.	689	.	455	.	4,280	.
Injecton Drug Use	166	.	111	.	79	.	55	.	955	.
MSM and Inj Drug Use	56	.	45	.	41	.	19	.	377	.
Hemophiliac	.	.	0	.	.	.	0	.	18	.
Heterosexual	689	.	536	.	357	.	228	.	2,866	.
Transfusion	.	.	0	.	0	.	0	.	7	.
Perinatal Transmission	13	.	13	.	5	.	4	.	103	.
Other/Undetermined	459	.	407	.	353	.	326	.	1,895	.
Risk Group - Black										
Male sex w/Male	402	.	464	.	475	.	309	.	2,556	.
Injecton Drug Use	126	.	82	.	47	.	30	.	697	.
MSM and Inj Drug Use	28	.	22	.	26	.	9	.	208	.
Hemophiliac	0	.	0	.	.	.	0	.	7	.
Heterosexual	573	.	463	.	310	.	196	.	2,396	.
Transfusion	.	.	0	.	0	.	0	.	5	.
Perinatal Transmission	12	.	11	.	5	.	4	.	89	.
Other/Undetermined	358	.	324	.	272	.	237	.	1,455	.
Risk Group - White										
Male sex w/Male	198	.	195	.	166	.	108	.	1,464	.
Injecton Drug Use	35	.	22	.	22	.	21	.	197	.
MSM and Inj Drug Use	24	.	18	.	14	.	8	.	147	.
Hemophiliac	.	.	0	.	0	.	0	.	11	.
Heterosexual	85	.	51	.	22	.	20	.	327	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	9	.
Other/Undetermined	65	.	42	.	51	.	54	.	260	.
Age Group										
Less than 13	5	0.2	7	0.3	.	0.0	.	0.1	8	1.0
13-19	36	2.9	35	2.6	45	3.4	18	1.3	31	7.0
20-29	339	18.9	322	17.2	340	17.3	251	12.3	667	97.9
30-39	567	33.0	488	27.8	337	19.3	228	12.5	1,474	239.5
40-49	673	35.3	531	27.9	432	22.9	279	15.2	2,749	449.2
50-59	315	18.2	335	18.2	256	13.1	222	11.0	3,686	546.3
60 and Up	89	3.9	100	3.7	115	3.9	87	2.6	1,886	164.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Abbeville HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	6.5	6	7.9	6	7.9	8	10.7	48	192.9
Gender										
Male	5	13.4	4	10.9	4	10.9	6	16.5	38	315.4
Female	0	0.0	.	5.1	.	5.2	.	5.2	10	78.0
Race										
Black	4	17.7	5	23.0	.	14.0	4	18.7	36	509.1
White	.	1.9	.	1.9	.	1.9	.	5.8	12	69.5
Hispanic	0	0.0	0	0.0	.	115.0	.	100.9	0	0.0
Other	0	0.0	0	0.0	.	195.7	0	0.0	0	0.0
Race/Gender										
Black Male	4	39.3	.	30.4	.	19.8	.	29.8	28	843.4
Black Female	0	0.0	.	16.8	.	8.8	.	8.8	8	213.2
White Male	.	3.7	.	3.9	0	0.0	.	7.8	10	118.0
White Female	0	0.0	0	0.0	.	3.7	.	3.7	.	22.8
Hispanic Male	0	0.0	0	0.0	.	212.3	.	191.6	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	4	.	5	.	23	.
Injecton Drug Use	0	.	.	.	.	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	12	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	19	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	7	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	.	.	4	.
Injecton Drug Use	0	.	0	.	.	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	13.0	.	14.0	0	0.0	.	43.5
20-29	.	10.6	.	11.3	.	34.0	6	68.0	10	338.8
30-39	.	31.8	.	11.7	.	13.0	0	0.0	7	279.0
40-49	.	9.0	.	19.3	0	0.0	0	0.0	8	265.4
50-59	0	0.0	0	0.0	.	9.1	.	9.5	18	518.5
60 and Up	0	0.0	.	5.9	0	0.0	.	5.0	4	57.9

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Abbeville AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	6	7.7	7	9.2	.	4.0	.	1.3	26	104.5
Gender										
Male	5	13.4	6	16.4	.	8.3	.	2.8	23	190.9
Female	.	2.5	.	2.5	0	0.0	0	0.0	.	23.4
Race										
Black	4	17.7	7	32.1	.	9.2	.	4.6	21	297.0
White	.	3.7	0	0.0	0	0.0	0	0.0	5	28.9
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	.	195.7	0	0.0	0	0.0
Race/Gender										
Black Male	.	29.5	6	60.6	.	19.8	.	9.9	19	572.3
Black Female	.	8.0	.	8.4	0	0.0	0	0.0	.	53.4
White Male	.	7.5	0	0.0	0	0.0	0	0.0	4	47.2
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	11.3
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	.	.	.	.	14	.
Injecton Drug Use	.	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	5	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	14	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	0	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	10.6	.	11.3	.	11.3	0	0.0	.	101.6
30-39	4	42.5	.	11.7	.	13.0	0	0.0	4	159.4
40-49	.	9.0	.	28.8	.	10.2	.	10.9	4	132.7
50-59	0	0.0	.	8.8	0	0.0	0	0.0	12	345.7
60 and Up	0	0.0	.	5.9	0	0.0	0	0.0	.	43.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Aiken HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	56	12.3	42	8.9	56	11.4	62	12.4	426	254.4
Gender										
Male	42	19.1	30	13.2	39	16.5	46	19.0	289	356.6
Female	14	5.9	12	5.0	17	6.7	16	6.3	137	158.5
Race										
Black	35	29.6	22	18.4	30	24.5	51	40.4	255	601.0
White	20	6.4	16	5.0	19	5.7	8	2.4	148	131.0
Hispanic	.	6.9	.	10.2	.	12.0	.	3.6	12	126.8
Other	0	0.0	.	33.1	4	57.5	.	13.4	8	307.1
Race/Gender										
Black Male	25	45.8	13	23.4	19	33.2	36	61.2	158	800.5
Black Female	10	15.7	9	14.0	11	16.8	15	22.2	97	427.6
White Male	16	10.3	13	8.3	14	8.6	7	4.3	113	205.6
White Female	4	2.4	.	1.8	5	3.0	.	0.6	35	60.4
Hispanic Male	.	12.9	.	18.9	.	21.9	.	6.7	8	155.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	4	92.8
Risk Group - Total										
Male sex w/Male	33	.	22	.	27	.	30	.	180	.
Injecton Drug Use	.	.	.	.	.	.	.	.	24	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	15	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	16	.	11	.	14	.	5	.	110	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	6	.	14	.	25	.	93	.
Risk Group - Black										
Male sex w/Male	19	.	10	.	13	.	26	.	96	.
Injecton Drug Use	.	.	0	.	0	.	.	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	8	.	11	.	4	.	79	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	4	.	6	.	19	.	60	.
Risk Group - White										
Male sex w/Male	13	.	10	.	10	.	.	.	74	.
Injecton Drug Use	0	.	.	.	.	.	0	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	5	.	.	.	.	.	.	.	28	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	6	.	4	.	26	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	9.1	6	13.5	.	4.6	.	7.0	.	6.9
20-29	18	30.5	12	20.4	25	39.9	32	50.9	58	280.1
30-39	13	23.8	7	12.8	7	12.3	8	13.6	63	314.2
40-49	18	26.1	9	13.8	11	17.4	6	10.0	86	435.9
50-59	.	4.7	7	10.2	9	12.5	9	12.5	152	638.2
60 and Up	0	0.0	.	1.0	.	1.8	4	3.2	66	154.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Aiken AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	29	6.4	34	7.3	32	6.6	18	3.6	220	131.3
Gender										
Male	20	9.1	25	11.0	23	9.7	15	6.2	158	194.9
Female	9	3.9	9	3.7	9	3.6	.	1.2	62	71.7
Race										
Black	22	18.6	21	17.5	14	11.4	14	11.1	126	297.0
White	7	2.2	10	3.1	16	4.8	.	0.9	81	71.7
Hispanic	0	0.0	.	10.2	.	4.0	.	3.6	8	84.6
Other	0	0.0	.	16.6	.	14.4	0	0.0	4	153.6
Race/Gender										
Black Male	16	29.3	14	25.2	10	17.5	11	18.7	85	430.7
Black Female	6	9.5	7	10.9	4	6.2	.	4.4	41	180.7
White Male	4	2.6	9	5.7	12	7.4	.	1.9	64	116.5
White Female	.	1.9	.	0.6	4	2.3	0	0.0	17	29.3
Hispanic Male	0	0.0	.	18.9	.	7.3	.	6.7	5	97.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	69.6
Risk Group - Total										
Male sex w/Male	10	.	16	.	14	.	8	.	97	.
Injecton Drug Use	.	.	.	.	.	.	.	.	16	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	13	.	5	.	8	.	.	.	62	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	5	.	9	.	8	.	7	.	33	.
Risk Group - Black										
Male sex w/Male	8	.	8	.	4	.	5	.	47	.
Injecton Drug Use	.	.	.	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	4	.	6	.	.	.	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	.	.	7	.	.	.	7	.	21	.
Risk Group - White										
Male sex w/Male	.	.	7	.	9	.	.	.	44	.
Injecton Drug Use	0	.	.	.	.	.	.	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	0	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	4	.	0	.	9	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	2.3	.	2.3	0	0.0	0	0.0
20-29	8	13.5	4	6.8	6	9.6	.	3.2	14	67.7
30-39	6	11.0	12	21.9	.	5.3	4	6.8	29	144.7
40-49	14	20.2	12	18.3	11	17.4	6	10.0	52	263.6
50-59	.	1.5	4	5.8	9	12.5	.	4.2	84	352.7
60 and Up	0	0.0	.	1.0	.	1.8	.	2.4	41	96.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Allendale HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	14	43.6	7	22.6	6	20.0	7	24.9	49	541.8
Gender										
Male	7	41.3	5	30.3	4	24.9	7	46.3	31	646.3
Female	7	46.2	.	13.8	.	14.4	0	0.0	18	423.7
Race										
Black	13	56.9	7	31.4	6	27.5	7	34.0	47	709.5
White	0	0.0	0	0.0	0	0.0	0	0.0	.	49.2
Hispanic	.	143.4	0	0.0	0	0.0	0	0.0	.	324.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	7	59.2	5	43.0	4	35.0	7	65.5	29	850.2
Black Female	6	54.3	.	18.7	.	19.3	0	0.0	18	560.2
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	85.5
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	571.5
Hispanic Female	.	302.1	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	4	.	.	.	5	.	15	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	.	.	4	.	.	.	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	.	.	0	.	.	.	11	.
Risk Group - Black										
Male sex w/Male	.	.	4	.	.	.	5	.	14	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	4	.	.	.	21	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	.	.	0	.	.	.	11	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	31.9	.	67.7	.	39.4	0	0.0	0	0.0
20-29	0	0.0	.	22.1	.	23.5	.	72.8	5	394.7
30-39	4	99.1	.	25.2	.	53.1	.	56.9	7	624.5
40-49	6	140.3	.	24.2	.	47.4	.	53.4	15	1,290.9
50-59	.	67.0	.	22.7	0	0.0	0	0.0	10	809.1
60 and Up	0	0.0	.	16.8	0	0.0	0	0.0	12	512.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Allendale AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	7	21.8	11	35.4	5	16.6	.	7.2	29	320.7
Gender										
Male	.	17.7	5	30.3	.	18.6	.	6.6	18	375.2
Female	4	26.4	6	41.4	.	14.4	.	7.7	11	258.9
Race										
Black	7	30.6	11	49.3	5	22.9	.	9.7	27	407.7
White	0	0.0	0	0.0	0	0.0	0	0.0	.	49.2
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	324.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	.	25.3	5	43.0	.	26.2	.	9.4	16	469.0
Black Female	4	36.2	6	56.1	.	19.3	.	10.1	11	342.3
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	85.5
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	571.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	0	.	.	.	.	.	0	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	6	.	.	.	.	.	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	.	.	.	.	.	.	7	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	.	.	0	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	6	.	.	.	.	.	13	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	.	.	.	.	.	.	7	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	39.4	0	0.0	0	0.0
20-29	0	0.0	.	22.1	0	0.0	0	0.0	.	79.0
30-39	.	49.5	.	25.2	0	0.0	0	0.0	.	267.6
40-49	.	70.2	.	72.6	.	71.2	.	26.7	9	774.5
50-59	.	44.7	5	113.2	0	0.0	.	25.7	9	728.2
60 and Up	0	0.0	.	16.8	.	15.3	0	0.0	7	299.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Anderson HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	45	8.5	50	9.0	42	7.4	50	8.6	372	189.2
Gender										
Male	33	12.9	37	13.9	33	12.0	38	13.5	274	289.5
Female	12	4.4	13	4.5	9	3.1	12	4.0	98	96.1
Race										
Black	25	27.7	25	27.0	18	18.9	33	33.8	201	616.9
White	17	4.0	24	5.4	22	5.0	13	2.9	142	92.1
Hispanic	.	20.9	.	7.4	.	5.5	.	9.7	16	225.9
Other	.	20.9	0	0.0	.	15.3	0	0.0	12	458.7
Race/Gender										
Black Male	18	42.7	19	43.9	15	33.6	25	54.8	146	956.8
Black Female	7	14.5	6	12.2	.	5.9	8	15.4	55	317.5
White Male	13	6.3	17	7.9	17	7.8	9	4.1	105	140.8
White Female	4	1.8	7	3.1	5	2.2	4	1.7	37	46.4
Hispanic Male	.	19.1	.	13.6	.	10.6	.	18.7	14	392.9
Hispanic Female	.	23.0	0	0.0	0	0.0	0	0.0	.	56.9
Risk Group - Total										
Male sex w/Male	24	.	24	.	27	.	30	.	184	.
Injecton Drug Use	.	.	.	.	.	.	.	.	29	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	18	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	15	.	5	.	9	.	82	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	6	.	8	.	6	.	9	.	57	.
Risk Group - Black										
Male sex w/Male	13	.	10	.	13	.	20	.	88	.
Injecton Drug Use	0	.	0	.	0	.	0	.	15	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	8	.	.	.	8	.	52	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	4	.	7	.	.	.	4	.	38	.
Risk Group - White										
Male sex w/Male	9	.	14	.	13	.	7	.	78	.
Injecton Drug Use	.	.	.	.	.	.	.	.	12	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	10	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	6	.	.	.	.	.	26	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	4	.	16	.
Age Group										
Less than 13	0	0.0	0	0.0	.	1.1	.	1.1	.	6.3
13-19	.	6.1	6	11.6	.	3.9	.	3.7	.	5.6
20-29	14	20.4	11	16.7	16	24.0	22	31.2	49	205.2
30-39	11	15.7	15	21.5	12	17.7	5	7.4	52	227.6
40-49	11	13.9	13	16.5	9	11.4	9	11.8	97	384.7
50-59	5	6.9	5	6.5	.	2.5	8	9.7	117	424.3
60 and Up	.	1.0	0	0.0	0	0.0	.	2.2	54	114.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Anderson AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	32	6.1	28	5.1	21	3.7	23	4.0	212	107.8
Gender										
Male	19	7.4	21	7.8	17	6.2	16	5.7	159	168.1
Female	13	4.7	7	2.4	4	1.3	7	2.3	53	52.0
Race										
Black	16	17.7	15	16.2	11	11.6	14	14.3	115	352.9
White	12	2.8	12	2.8	9	2.0	6	1.3	82	53.1
Hispanic	.	31.4	0	0.0	.	5.5	.	4.8	8	113.0
Other	.	20.9	.	17.5	0	0.0	.	26.6	7	267.6
Race/Gender										
Black Male	8	19.0	11	25.4	7	15.6	10	21.9	80	524.3
Black Female	8	16.6	4	8.1	4	7.9	4	7.7	35	202.1
White Male	8	3.9	10	4.6	9	4.2	4	1.8	67	89.8
White Female	4	1.8	.	0.9	0	0.0	.	0.9	15	18.8
Hispanic Male	.	38.4	0	0.0	.	10.6	.	9.4	6	168.4
Hispanic Female	.	23.0	0	0.0	0	0.0	0	0.0	.	56.9
Risk Group - Total										
Male sex w/Male	11	.	12	.	13	.	9	.	108	.
Injecton Drug Use	.	.	.	.	0	.	4	.	23	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	10	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	14	.	9	.	5	.	5	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	.	.	5	.	.	.	4	.	24	.
Risk Group - Black										
Male sex w/Male	4	.	5	.	5	.	5	.	47	.
Injecton Drug Use	0	.	0	.	0	.	.	.	11	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	7	.	4	.	5	.	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	19	.
Risk Group - White										
Male sex w/Male	4	.	7	.	8	.	.	.	51	.
Injecton Drug Use	.	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	.	.	0	.	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	.	1.1	0	0.0
13-19	.	2.0	.	2.0	0	0.0	0	0.0	0	0.0
20-29	6	8.7	.	4.5	4	5.9	9	12.8	18	75.4
30-39	8	11.4	5	7.2	6	8.8	.	1.4	21	92.0
40-49	11	13.9	14	17.7	9	11.4	5	6.6	58	230.0
50-59	6	8.4	5	6.5	.	2.5	.	3.6	82	297.3
60 and Up	0	0.0	0	0.0	0	0.0	4	2.9	33	70.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Bamberg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	21	44.7	9	19.5	13	27.6	21	47.2	107	741.3
Gender										
Male	13	58.9	7	32.1	11	48.8	15	70.0	68	976.6
Female	8	32.1	.	8.1	.	8.1	6	26.1	39	522.1
Race										
Black	18	62.0	8	28.1	10	34.5	19	69.9	96	1,097.5
White	.	17.4	.	5.9	.	11.8	.	6.3	6	115.0
Hispanic	0	0.0	0	0.0	.	114.5	0	0.0	.	885.0
Other	0	0.0	0	0.0	0	0.0	.	266.0	.	1,562.6
Race/Gender										
Black Male	11	82.7	6	45.7	8	59.6	14	110.3	61	1,494.0
Black Female	7	44.6	.	13.0	.	12.9	5	34.5	35	750.4
White Male	.	23.8	.	12.1	.	23.9	0	0.0	.	114.7
White Female	.	11.3	0	0.0	0	0.0	.	12.5	.	115.2
Hispanic Male	0	0.0	0	0.0	.	203.3	0	0.0	.	1,477.9
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	4	.	4	.	8	.	9	.	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	4	.	.	.	4	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	0	.	.	.	8	.	22	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	6	.	9	.	27	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	4	.	.	.	.	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	0	.	.	.	7	.	20	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	.	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	49.5
13-19	.	18.3	.	55.4	0	0.0	.	20.6	.	66.6
20-29	6	88.8	.	47.2	4	60.8	9	143.1	12	611.9
30-39	.	61.6	0	0.0	4	90.6	.	48.5	21	1,547.5
40-49	4	66.2	.	34.5	.	17.8	.	60.4	21	1,314.9
50-59	4	59.8	.	15.4	.	30.4	5	79.4	28	1,370.5
60 and Up	.	30.9	0	0.0	.	17.4	.	8.6	23	584.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Bamberg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	34.0	10	21.6	6	12.8	7	15.7	57	394.9
Gender										
Male	12	54.3	8	36.6	5	22.2	4	18.7	37	531.4
Female	4	16.1	.	8.1	.	4.1	.	13.0	20	267.7
Race										
Black	13	44.8	8	28.1	6	20.8	7	25.7	52	594.4
White	.	17.4	.	11.9	0	0.0	0	0.0	.	57.4
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	295.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	781.2
Race/Gender										
Black Male	10	75.1	6	45.7	5	37.3	4	31.5	34	832.7
Black Female	.	19.1	.	13.0	.	6.5	.	20.7	18	385.9
White Male	.	23.8	.	24.3	0	0.0	0	0.0	.	76.6
White Female	.	11.3	0	0.0	0	0.0	0	0.0	.	38.4
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	492.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	4	.	.	.	.	.	15	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	4	.	.	.	.	.	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	0	.
Other/Undetermined	5	.	.	.	.	.	4	.	11	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	4	.	.	.	.	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	4	.	10	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	18.5	0	0.0	0	0.0	0	0.0
20-29	.	29.6	.	31.5	.	15.2	0	0.0	.	102.0
30-39	.	41.0	.	43.0	.	45.3	4	97.1	8	589.5
40-49	6	99.4	0	0.0	0	0.0	.	20.1	14	876.6
50-59	.	44.9	4	61.8	.	30.4	.	31.8	18	881.1
60 and Up	.	30.9	.	9.7	.	8.7	0	0.0	15	381.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Barnwell HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	28.7	18	26.4	7	10.5	16	24.5	129	600.5
Gender										
Male	11	32.9	14	42.8	5	15.7	12	38.6	82	800.9
Female	9	24.9	4	11.3	.	5.7	4	11.8	47	418.0
Race										
Black	19	63.1	16	53.1	7	23.5	14	48.4	115	1,201.3
White	.	2.6	.	5.5	0	0.0	.	5.9	10	89.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	611.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	371.8
Race/Gender										
Black Male	11	78.5	12	86.0	5	36.4	10	75.5	70	1,593.1
Black Female	8	49.7	4	24.8	.	12.4	4	25.5	45	868.9
White Male	0	0.0	.	11.3	0	0.0	.	12.2	8	147.7
White Female	.	5.2	0	0.0	0	0.0	0	0.0	.	34.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	1,006.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	4	.	10	.	4	.	7	.	41	.
Injecton Drug Use	.	.	0	.	0	.	.	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	7	.	.	.	.	.	50	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	7	.	28	.
Risk Group - Black										
Male sex w/Male	4	.	8	.	4	.	6	.	32	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	7	.	.	.	.	.	48	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	7	.	28	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	.	.	7	.
Injecton Drug Use	.	.	0	.	0	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	14.6	.	15.1	0	0.0	0	0.0
20-29	6	65.1	9	108.0	.	38.8	5	62.9	16	602.1
30-39	.	37.6	0	0.0	.	13.2	.	14.1	14	612.2
40-49	6	57.3	5	52.3	.	11.6	6	77.7	31	1,232.6
50-59	.	31.2	.	20.2	.	10.1	.	31.5	40	1,286.6
60 and Up	.	16.0	.	7.4	0	0.0	.	6.6	28	541.9

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Barnwell AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	29	41.7	23	33.8	5	7.5	8	12.3	84	391.1
Gender										
Male	19	56.8	18	55.0	.	9.5	5	16.1	55	537.1
Female	10	27.7	5	14.1	.	5.7	.	8.8	29	258.0
Race										
Black	25	83.1	22	73.2	5	16.8	7	24.2	72	752.1
White	4	10.6	.	2.8	0	0.0	0	0.0	9	80.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	407.3
Other	0	0.0	0	0.0	0	0.0	.	125.3	.	371.8
Race/Gender										
Black Male	17	121.4	17	121.9	.	21.9	4	30.1	45	1,024.1
Black Female	8	49.7	5	30.9	.	12.4	.	19.1	27	521.3
White Male	.	10.9	.	5.7	0	0.0	0	0.0	7	129.3
White Female	.	10.3	0	0.0	0	0.0	0	0.0	.	34.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	671.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	9	.	.	.	.	.	25	.
Injecton Drug Use	4	.	0	.	0	.	.	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	13	.	.	.	0	.	36	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	.	.	5	.	15	.
Risk Group - Black										
Male sex w/Male	5	.	8	.	.	.	.	.	18	.
Injecton Drug Use	.	.	0	.	0	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	13	.	.	.	0	.	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	.	.	5	.	15	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	6	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	14.6	0	0.0	0	0.0	0	0.0
20-29	.	32.6	.	36.0	0	0.0	.	25.2	5	188.2
30-39	9	113.0	.	25.7	.	26.3	0	0.0	8	349.8
40-49	9	85.9	11	114.8	.	23.1	.	38.8	18	715.7
50-59	5	52.0	5	50.7	.	10.1	.	31.5	31	997.2
60 and Up	.	23.9	.	7.4	0	0.0	0	0.0	22	425.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Beaufort HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	79	18.5	63	13.4	53	10.5	58	10.8	444	242.4
Gender										
Male	58	27.3	48	20.8	42	16.8	45	16.9	310	344.4
Female	21	9.8	15	6.4	11	4.3	13	4.7	134	143.9
Race										
Black	52	57.1	34	36.6	31	31.8	27	26.5	241	706.0
White	17	5.8	18	5.7	14	4.1	11	3.0	133	106.0
Hispanic	10	25.9	9	17.7	8	13.5	15	24.8	56	275.6
Other	0	0.0	.	29.6	0	0.0	.	31.7	11	333.6
Race/Gender										
Black Male	38	87.8	23	52.8	25	54.7	19	39.7	152	942.6
Black Female	14	29.3	11	22.3	6	11.6	8	14.9	89	494.1
White Male	14	9.7	16	10.2	11	6.6	9	5.0	106	171.7
White Female	.	2.1	.	1.2	.	1.8	.	1.1	27	42.4
Hispanic Male	6	27.7	8	28.8	6	18.7	14	43.8	43	402.7
Hispanic Female	4	23.5	.	4.4	.	7.4	.	3.5	13	134.9
Risk Group - Total										
Male sex w/Male	33	.	32	.	31	.	32	.	184	.
Injecton Drug Use	5	.	.	.	0	.	0	.	30	.
MSM and Inj Drug Use	.	.	0	.	.	.	.	.	11	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	19	.	13	.	11	.	13	.	116	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	8	.
Other/Undetermined	18	.	15	.	10	.	12	.	93	.
Risk Group - Black										
Male sex w/Male	21	.	16	.	20	.	18	.	85	.
Injecton Drug Use	4	.	0	.	0	.	0	.	21	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	12	.	10	.	7	.	5	.	75	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	5	.
Other/Undetermined	14	.	8	.	.	.	4	.	51	.
Risk Group - White										
Male sex w/Male	10	.	14	.	9	.	8	.	80	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	.	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	18	.
Age Group										
Less than 13	.	1.3	.	1.3	0	0.0	0	0.0	.	11.4
13-19	6	15.1	.	5.1	4	10.0	4	9.7	.	21.2
20-29	22	39.7	25	39.3	23	33.9	19	27.2	43	184.8
30-39	17	32.1	11	21.1	10	18.0	12	20.7	97	498.7
40-49	20	37.4	16	30.0	9	16.7	10	18.3	106	577.3
50-59	11	22.1	.	5.5	.	5.0	8	12.5	115	527.0
60 and Up	.	2.0	5	4.0	4	2.6	5	2.9	77	128.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Beaufort AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	59	13.9	52	11.1	34	6.7	22	4.1	228	124.5
Gender										
Male	39	18.4	35	15.2	25	10.0	15	5.6	162	180.0
Female	20	9.4	17	7.2	9	3.5	7	2.5	66	70.8
Race										
Black	39	42.8	31	33.4	22	22.6	13	12.8	132	386.7
White	12	4.1	15	4.7	6	1.8	.	0.8	67	53.5
Hispanic	7	18.2	6	11.9	6	10.1	6	9.9	26	127.9
Other	.	17.2	0	0.0	0	0.0	0	0.0	.	91.0
Race/Gender										
Black Male	26	60.1	17	39.1	15	32.8	8	16.7	85	527.1
Black Female	13	27.2	14	28.4	7	13.5	5	9.4	47	260.9
White Male	8	5.5	13	8.3	5	3.0	.	1.1	55	89.1
White Female	4	2.8	.	1.2	.	0.6	.	0.6	12	18.8
Hispanic Male	4	18.5	5	18.0	5	15.6	5	15.6	20	187.3
Hispanic Female	.	17.7	.	4.4	.	3.6	.	3.5	6	62.3
Risk Group - Total										
Male sex w/Male	20	.	19	.	15	.	10	.	94	.
Injecton Drug Use	4	.	.	.	.	.	0	.	21	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	5	.
Hemophiliac	.	.	0	.	.	.	0	.	.	.
Heterosexual	18	.	18	.	7	.	8	.	65	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	14	.	13	.	8	.	4	.	39	.
Risk Group - Black										
Male sex w/Male	12	.	9	.	9	.	7	.	45	.
Injecton Drug Use	.	.	0	.	.	.	0	.	13	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	.	.	0	.	.	.
Heterosexual	14	.	14	.	5	.	5	.	48	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	10	.	8	.	4	.	.	.	23	.
Risk Group - White										
Male sex w/Male	7	.	9	.	5	.	.	.	43	.
Injecton Drug Use	.	.	0	.	0	.	0	.	6	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	4	.
Hemophiliac	.	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	.	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	.	.	0	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	3.9
13-19	.	2.5	0	0.0	0	0.0	0	0.0	0	0.0
20-29	10	18.0	8	12.5	11	16.2	4	5.7	11	47.3
30-39	18	34.0	13	24.9	6	10.8	5	8.6	40	205.7
40-49	21	39.3	19	35.8	5	9.4	5	9.1	64	348.6
50-59	6	12.1	7	12.8	7	11.7	7	11.0	72	330.0
60 and Up	.	3.0	5	4.0	5	3.3	.	0.6	40	66.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Berkeley HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	54	11.6	68	13.1	53	9.4	70	11.4	523	247.9
Gender										
Male	41	17.5	48	18.5	40	14.1	58	19.0	378	360.6
Female	13	5.6	20	7.7	13	4.6	12	4.0	145	136.7
Race										
Black	28	21.8	47	34.3	40	27.7	42	27.3	333	633.7
White	19	6.2	16	4.6	8	2.2	22	5.5	145	105.3
Hispanic	6	39.8	4	16.1	.	5.8	5	13.2	35	265.2
Other	0	0.0	.	6.4	.	16.2	0	0.0	9	121.7
Race/Gender										
Black Male	19	30.5	34	51.7	28	40.7	35	47.7	220	879.9
Black Female	9	13.6	13	18.3	12	15.8	7	8.7	113	410.2
White Male	16	10.1	10	5.7	8	4.3	20	9.9	125	180.2
White Female	.	2.0	6	3.5	0	0.0	.	1.0	20	29.3
Hispanic Male	5	65.5	.	22.8	.	5.3	.	10.0	25	358.5
Hispanic Female	.	13.4	.	8.5	.	6.5	.	16.9	10	160.6
Risk Group - Total										
Male sex w/Male	21	.	31	.	32	.	42	.	233	.
Injecton Drug Use	.	.	.	.	0	.	4	.	33	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	16	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	16	.	12	.	8	.	12	.	128	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	11	.
Other/Undetermined	13	.	21	.	12	.	12	.	102	.
Risk Group - Black										
Male sex w/Male	10	.	23	.	22	.	25	.	123	.
Injecton Drug Use	.	.	.	.	0	.	0	.	23	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	8	.	8	.	10	.	102	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	9	.
Other/Undetermined	6	.	13	.	9	.	7	.	70	.
Risk Group - White										
Male sex w/Male	9	.	7	.	6	.	15	.	88	.
Injecton Drug Use	.	.	0	.	0	.	.	.	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	.	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	4	.	6	.	.	.	.	.	22	.
Age Group										
Less than 13	0	0.0	.	1.0	0	0.0	0	0.0	5	13.5
13-19	0	0.0	.	5.5	.	5.6	.	3.5	.	15.5
20-29	15	22.1	21	26.2	26	29.8	34	37.6	66	214.6
30-39	11	17.8	18	25.5	7	9.0	12	14.2	85	287.5
40-49	20	27.9	14	18.8	10	12.9	8	10.1	106	396.3
50-59	6	9.9	9	13.3	4	5.4	10	12.2	165	587.6
60 and Up	.	3.0	.	2.6	.	3.2	4	3.6	93	236.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Berkeley AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	47	10.0	48	9.2	30	5.3	20	3.3	274	129.9
Gender										
Male	30	12.9	37	14.2	22	7.7	18	5.9	211	201.3
Female	17	7.3	11	4.2	8	2.9	.	0.7	63	59.4
Race										
Black	27	21.0	33	24.1	22	15.3	16	10.3	181	344.4
White	14	4.5	8	2.3	5	1.3	.	0.8	67	48.6
Hispanic	5	33.2	7	28.1	.	2.9	.	2.6	20	151.6
Other	.	7.6	0	0.0	.	10.8	0	0.0	6	81.1
Race/Gender										
Black Male	15	24.1	27	41.0	14	20.4	15	20.5	128	511.9
Black Female	12	18.2	6	8.5	8	10.6	.	1.2	53	192.4
White Male	10	6.4	5	2.9	5	2.6	.	1.0	61	87.9
White Female	4	2.6	.	1.8	0	0.0	.	0.6	6	8.8
Hispanic Male	4	52.4	5	38.0	.	5.3	.	5.0	17	243.8
Hispanic Female	.	13.4	.	17.1	0	0.0	0	0.0	.	48.2
Risk Group - Total										
Male sex w/Male	18	.	18	.	19	.	10	.	116	.
Injecton Drug Use	4	.	7	.	.	.	.	.	20	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	7	.	8	.	5	.	74	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	5	.
Other/Undetermined	9	.	14	.	.	.	4	.	52	.
Risk Group - Black										
Male sex w/Male	8	.	13	.	12	.	8	.	59	.
Injecton Drug Use	.	.	6	.	.	.	0	.	13	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	.	.	8	.	5	.	61	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	6	.	10	.	.	.	.	.	40	.
Risk Group - White										
Male sex w/Male	7	.	4	.	4	.	.	.	44	.
Injecton Drug Use	.	.	.	.	.	.	.	.	6	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	6	.
Age Group										
Less than 13	0	0.0	.	1.0	0	0.0	0	0.0	.	2.8
13-19	0	0.0	.	1.9	0	0.0	.	1.8	.	15.5
20-29	7	10.3	5	6.3	12	13.8	.	2.2	17	55.3
30-39	14	22.7	15	21.2	7	9.0	5	5.9	27	91.3
40-49	19	26.5	15	20.1	6	7.7	4	5.1	66	246.7
50-59	4	6.6	9	13.3	5	6.7	7	8.6	99	352.6
60 and Up	.	4.5	.	2.6	0	0.0	.	0.9	61	155.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Calhoun HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	26.7	8	18.0	5	11.1	10	22.4	46	310.9
Gender										
Male	8	37.4	4	18.8	4	18.3	9	41.8	34	476.7
Female	4	17.1	4	17.3	.	4.3	.	4.4	12	156.5
Race										
Black	7	34.8	8	40.8	4	20.8	7	37.6	31	502.7
White	5	21.0	0	0.0	.	4.2	.	8.4	14	175.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	.	295.9	.	980.4
Race/Gender										
Black Male	4	43.6	4	44.6	.	33.8	6	70.1	21	744.2
Black Female	.	27.5	4	37.7	.	9.7	.	10.0	10	299.0
White Male	4	34.3	0	0.0	.	8.3	.	16.6	12	302.3
White Female	.	8.3	0	0.0	0	0.0	0	0.0	.	49.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	.	.	6	.	21	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	5	.	.	.	.	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	.	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	5	.	12	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	5	.	.	.	0	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	0	.	.	.	.	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	4	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	23.9	.	24.9	0	0.0	0	0.0	0	0.0
20-29	.	57.1	.	40.6	.	40.6	5	104.2	7	433.2
30-39	0	0.0	.	20.9	.	21.7	.	43.3	6	395.2
40-49	6	90.4	.	31.2	0	0.0	.	18.6	11	626.8
50-59	0	0.0	.	27.2	.	27.4	.	14.2	16	699.1
60 and Up	.	21.8	0	0.0	0	0.0	.	7.8	6	136.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Calhoun AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	11.1	9	20.2	4	8.9	.	6.7	27	182.5
Gender										
Male	.	9.4	7	32.9	4	18.3	.	9.2	21	294.5
Female	.	12.8	.	8.7	0	0.0	.	4.4	6	78.3
Race										
Black	5	24.9	8	40.8	.	15.6	.	10.8	19	308.1
White	0	0.0	.	4.3	.	4.2	0	0.0	7	87.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	.	295.9	.	980.4
Race/Gender										
Black Male	.	21.8	6	66.9	.	33.8	.	11.7	13	460.7
Black Female	.	27.5	.	18.9	0	0.0	.	10.0	6	179.4
White Male	0	0.0	.	8.6	.	8.3	0	0.0	7	176.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	.	.	.	.	11	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	6	.	.	.	0	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	.	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	.	.	0	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	6	.	.	.	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	.	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	0	.	4	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	38.1	.	20.4	.	20.2	.	20.8	.	185.7
30-39	0	0.0	.	41.8	.	21.7	0	0.0	.	65.9
40-49	.	30.1	.	47.0	0	0.0	.	18.6	10	569.8
50-59	.	13.9	.	40.7	.	27.4	0	0.0	10	436.9
60 and Up	0	0.0	0	0.0	0	0.0	.	7.8	.	68.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Charleston HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	202	20.1	247	23.4	257	23.4	263	22.6	2,057	518.8
Gender										
Male	139	28.6	190	37.3	211	39.7	215	38.1	1,536	800.5
Female	63	12.1	57	10.5	46	8.1	48	7.9	521	254.7
Race										
Black	122	37.6	178	55.3	181	56.1	189	57.3	1,334	1,208.7
White	57	9.0	48	7.3	58	8.4	53	7.0	574	222.3
Hispanic	15	45.0	13	27.9	14	24.2	9	15.3	95	479.5
Other	8	43.7	8	39.3	.	14.1	7	28.9	47	576.2
Race/Gender										
Black Male	79	53.0	128	86.8	141	94.7	151	99.3	916	1,797.6
Black Female	43	24.5	50	28.7	40	23.0	38	21.3	418	703.6
White Male	49	15.8	44	13.5	53	15.6	46	12.4	492	389.5
White Female	8	2.5	4	1.2	5	1.4	7	1.9	82	62.3
Hispanic Male	7	36.6	11	41.5	13	39.4	7	21.9	79	740.4
Hispanic Female	8	56.3	.	10.0	.	4.0	.	7.4	16	175.0
Risk Group - Total										
Male sex w/Male	70	.	124	.	158	.	151	.	955	.
Injecton Drug Use	10	.	7	.	5	.	4	.	148	.
MSM and Inj Drug Use	4	.	8	.	7	.	4	.	98	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	55	.	37	.	37	.	42	.	396	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	.	.	.	.	41	.
Other/Undetermined	63	.	70	.	49	.	60	.	418	.
Risk Group - Black										
Male sex w/Male	30	.	78	.	103	.	103	.	509	.
Injecton Drug Use	8	.	7	.	.	.	.	.	111	.
MSM and Inj Drug Use	0	.	.	.	4	.	0	.	41	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	41	.	34	.	31	.	37	.	334	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	.	.	0	.	38	.
Other/Undetermined	43	.	56	.	39	.	46	.	300	.
Risk Group - White										
Male sex w/Male	37	.	36	.	43	.	36	.	376	.
Injecton Drug Use	.	.	0	.	.	.	.	.	30	.
MSM and Inj Drug Use	.	.	5	.	.	.	.	.	47	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	.	.	4	.	43	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	10	.	6	.	7	.	10	.	76	.
Age Group										
Less than 13	0	0.0	.	0.6	4	2.4	.	1.1	27	45.9
13-19	8	8.1	18	19.3	13	15.0	15	16.8	9	29.8
20-29	42	28.5	80	46.0	110	57.9	116	61.3	259	415.0
30-39	53	38.9	49	34.2	52	34.8	51	29.6	320	532.4
40-49	62	42.8	52	37.4	43	31.1	36	26.1	434	932.9
50-59	30	22.6	33	23.7	25	16.9	25	16.0	660	1,255.3
60 and Up	7	4.1	14	7.2	10	4.6	18	7.3	348	405.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Charleston AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	184	18.3	202	19.1	177	16.2	110	9.5	1,079	272.1
Gender										
Male	126	25.9	147	28.8	131	24.6	79	14.0	797	415.4
Female	58	11.2	55	10.1	46	8.1	31	5.2	282	137.8
Race										
Black	129	39.8	158	49.2	126	39.1	81	24.5	727	658.7
White	43	6.8	31	4.6	34	5.0	24	3.2	275	106.5
Hispanic	9	27.1	6	12.9	11	19.0	.	5.1	50	252.3
Other	.	16.4	7	34.4	6	28.1	.	8.3	26	318.8
Race/Gender										
Black Male	81	54.3	108	73.2	86	57.8	58	38.2	496	973.4
Black Female	48	27.4	50	28.7	40	23.0	23	13.0	231	388.7
White Male	36	11.7	27	8.3	30	8.8	19	5.2	236	186.8
White Female	7	2.2	4	1.2	4	1.1	5	1.3	39	29.6
Hispanic Male	7	36.6	5	18.8	10	30.3	.	3.1	41	384.3
Hispanic Female	.	14.1	.	5.0	.	4.0	.	7.4	9	98.5
Risk Group - Total										
Male sex w/Male	43	.	84	.	95	.	44	.	482	.
Injecton Drug Use	22	.	14	.	.	.	7	.	95	.
MSM and Inj Drug Use	7	.	6	.	5	.	5	.	64	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	56	.	47	.	44	.	28	.	235	.
Transfusion	.	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	.	.	0	.	11	.
Other/Undetermined	55	.	48	.	29	.	26	.	191	.
Risk Group - Black										
Male sex w/Male	20	.	53	.	60	.	34	.	271	.
Injecton Drug Use	18	.	13	.	.	.	4	.	74	.
MSM and Inj Drug Use	.	.	4	.	.	.	.	.	28	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	46	.	42	.	40	.	22	.	198	.
Transfusion	.	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	.	.	0	.	10	.
Other/Undetermined	42	.	43	.	22	.	18	.	145	.
Risk Group - White										
Male sex w/Male	21	.	23	.	23	.	10	.	178	.
Injecton Drug Use	.	.	.	.	.	.	.	.	17	.
MSM and Inj Drug Use	4	.	.	.	.	.	.	.	29	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	0	.	4	.	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.	4	.	6	.	6	.	27	.
Age Group										
Less than 13	0	0.0	.	1.2	.	0.6	0	0.0	.	5.1
13-19	4	4.1	4	4.3	8	9.2	.	3.4	4	13.3
20-29	23	15.6	33	18.9	41	21.6	35	18.5	87	139.4
30-39	42	30.8	43	30.0	44	29.4	22	12.8	130	216.3
40-49	73	50.4	62	44.6	47	34.0	22	16.0	243	522.3
50-59	35	26.3	44	31.6	22	15.0	16	10.2	396	753.2
60 and Up	7	4.1	14	7.2	14	6.5	12	4.8	216	251.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Cherokee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	7.4	22	13.4	14	8.4	12	7.2	98	173.0
Gender										
Male	9	11.4	14	17.5	13	16.1	7	8.6	71	257.1
Female	.	3.6	8	9.5	.	1.2	5	5.7	27	93.1
Race										
Black	9	26.8	17	49.7	9	25.9	8	22.6	64	535.8
White	.	2.4	4	3.2	5	4.1	4	3.2	27	64.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	4	164.5
Other	0	0.0	.	78.7	0	0.0	0	0.0	.	540.5
Race/Gender										
Black Male	7	45.3	10	63.6	9	56.5	4	24.5	42	762.4
Black Female	.	11.1	7	38.0	0	0.0	4	20.8	22	341.9
White Male	.	3.3	.	5.0	4	6.6	.	5.0	23	112.0
White Female	.	1.7	.	1.5	.	1.5	.	1.5	4	18.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	228.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	89.5
Risk Group - Total										
Male sex w/Male	4	.	6	.	8	.	6	.	38	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	5	.	.	.	.	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	10	.	5	.	.	.	24	.
Risk Group - Black										
Male sex w/Male	.	.	4	.	5	.	4	.	22	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	0	.	.	.	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	9	.	4	.	.	.	19	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	14	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	.	.	.	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	6.4	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	14.3	6	29.3	.	14.0	6	26.6	14	183.7
30-39	.	8.7	.	9.1	.	5.0	0	0.0	10	155.8
40-49	5	21.7	11	47.2	4	17.1	5	22.0	36	486.8
50-59	0	0.0	.	8.9	6	26.2	.	4.3	32	412.9
60 and Up	.	3.5	.	3.2	0	0.0	0	0.0	6	48.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Cherokee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	9	5.6	16	9.7	12	7.2	8	4.7	52	91.9
Gender										
Male	6	7.6	12	15.0	12	14.7	4	4.8	38	137.6
Female	.	3.6	4	4.7	0	0.0	4	4.6	14	48.2
Race										
Black	7	20.9	12	35.1	8	23.0	6	16.9	36	301.4
White	.	1.7	4	3.2	4	3.2	.	1.7	11	26.4
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	123.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	360.4
Race/Gender										
Black Male	5	32.5	8	50.9	8	50.3	.	12.2	24	435.6
Black Female	.	11.1	4	21.7	0	0.0	4	20.8	12	186.5
White Male	.	1.7	4	6.6	4	6.6	.	3.3	10	48.7
White Female	.	1.7	0	0.0	0	0.0	0	0.0	.	4.7
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	152.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	89.5
Risk Group - Total										
Male sex w/Male	.	.	4	.	6	.	.	.	16	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	4	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	7	.	5	.	.	.	14	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	9	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	4	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	7	.	4	.	.	.	10	.
Risk Group - White										
Male sex w/Male	0	.	.	.	.	.	.	.	6	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	4.7	.	9.8	0	0.0	4	17.7	.	39.4
30-39	4	17.5	.	9.1	.	5.0	.	5.2	.	46.8
40-49	.	8.7	8	34.3	5	21.3	.	8.8	20	270.4
50-59	.	4.6	.	13.3	6	26.2	.	4.3	22	283.9
60 and Up	.	3.5	.	3.2	0	0.0	0	0.0	4	32.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Chester HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	15.2	16	16.3	7	7.2	19	19.6	102	316.9
Gender										
Male	14	29.5	13	27.5	6	12.7	18	38.4	80	513.2
Female	.	2.0	.	5.9	.	2.0	.	2.0	22	132.6
Race										
Black	10	26.6	14	37.6	5	13.4	13	35.8	74	613.0
White	.	5.1	.	1.7	.	3.4	4	6.9	22	114.7
Hispanic	.	103.8	0	0.0	0	0.0	0	0.0	.	162.9
Other	.	143.9	.	129.4	0	0.0	.	103.6	4	1,253.9
Race/Gender										
Black Male	9	51.3	12	69.2	4	23.1	12	70.1	58	1,015.7
Black Female	.	5.0	.	10.1	.	5.1	.	5.2	16	251.6
White Male	.	10.3	.	3.5	.	6.9	4	14.2	18	192.2
White Female	0	0.0	0	0.0	0	0.0	0	0.0	4	40.8
Hispanic Male	.	192.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	389.1
Risk Group - Total										
Male sex w/Male	9	.	4	.	5	.	11	.	47	.
Injecton Drug Use	0	.	.	.	0	.	0	.	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	7	.	.	.	8	.	29	.
Risk Group - Black										
Male sex w/Male	6	.	4	.	4	.	7	.	32	.
Injecton Drug Use	0	.	.	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	.	0	.	6	.	21	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	4	.	14	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	0	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	11.4	0	0.0	0	0.0
20-29	5	43.3	4	35.3	.	25.7	9	76.0	12	303.5
30-39	6	48.1	6	51.0	.	9.4	.	19.3	18	512.1
40-49	.	6.9	4	28.3	.	14.4	.	8.0	24	602.9
50-59	.	7.0	.	13.6	0	0.0	5	34.5	27	565.7
60 and Up	.	10.8	0	0.0	0	0.0	.	8.5	21	262.9

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Chester AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	10	10.1	11	11.2	7	7.2	6	6.2	51	158.5
Gender										
Male	8	16.8	11	23.3	6	12.7	6	12.8	38	243.8
Female	.	4.0	0	0.0	.	2.0	0	0.0	13	78.3
Race										
Black	7	18.6	10	27.0	4	10.8	.	8.3	41	339.7
White	.	5.1	0	0.0	.	3.4	.	3.5	8	41.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	.	129.4	.	104.0	.	103.6	.	627.0
Race/Gender										
Black Male	6	34.2	10	57.6	.	17.4	.	17.5	30	525.4
Black Female	.	5.0	0	0.0	.	5.1	0	0.0	11	172.9
White Male	.	6.9	0	0.0	.	6.9	.	7.0	6	64.0
White Female	.	3.3	0	0.0	0	0.0	0	0.0	.	20.4
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	.	.	4	.	.	.	18	.
Injecton Drug Use	0	.	.	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	4	.	14	.
Risk Group - Black										
Male sex w/Male	4	.	.	.	.	.	.	.	12	.
Injecton Drug Use	0	.	.	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	12	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	.	.	5	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	26.0	.	17.7	0	0.0	.	8.5	.	25.3
30-39	.	16.1	4	34.0	.	9.4	.	19.3	7	199.1
40-49	.	20.7	.	14.1	4	28.8	0	0.0	11	276.3
50-59	.	7.0	.	20.6	.	13.5	.	6.9	18	377.1
60 and Up	.	5.4	0	0.0	0	0.0	.	8.5	14	175.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Chesterfield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	12.3	12	9.0	18	13.0	15	10.9	115	249.9
Gender										
Male	10	16.1	10	15.6	9	13.3	9	13.4	80	357.4
Female	6	8.9	.	3.0	9	12.7	6	8.5	35	148.2
Race										
Black	12	27.8	8	18.2	13	28.5	9	19.7	80	520.4
White	.	3.7	4	4.8	.	3.5	.	2.3	28	99.8
Hispanic	.	24.9	0	0.0	.	38.4	.	35.0	5	250.3
Other	0	0.0	0	0.0	0	0.0	.	59.6	.	348.5
Race/Gender										
Black Male	8	40.5	8	39.3	7	32.8	5	23.3	54	755.0
Black Female	4	17.2	0	0.0	6	24.6	4	16.4	26	316.4
White Male	.	2.5	.	5.0	0	0.0	.	2.4	21	153.2
White Female	.	4.8	.	4.7	.	6.8	.	2.3	7	48.7
Hispanic Male	.	38.8	0	0.0	.	61.1	.	56.2	4	317.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	135.3
Risk Group - Total										
Male sex w/Male	.	.	4	.	7	.	6	.	43	.
Injecton Drug Use	.	.	.	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	8	.	.	.	5	.	.	.	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	6	.	6	.	27	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	7	.	4	.	26	.
Injecton Drug Use	.	.	.	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	.	.	.	.	.	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	21	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	15	.
Injecton Drug Use	.	.	.	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	.	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	13.6
13-19	0	0.0	.	7.6	.	7.5	.	7.9	0	0.0
20-29	4	24.9	.	12.9	5	30.9	8	47.5	20	354.3
30-39	5	29.4	.	18.5	.	18.5	.	13.1	20	396.0
40-49	4	20.8	.	5.1	4	19.8	4	21.3	29	472.3
50-59	.	10.8	.	15.8	5	25.0	0	0.0	30	444.2
60 and Up	.	4.3	.	7.6	0	0.0	0	0.0	15	137.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Chesterfield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	10.0	6	4.5	11	7.9	10	7.3	66	143.4
Gender										
Male	9	14.4	5	7.8	5	7.4	7	10.5	46	205.5
Female	4	5.9	.	1.4	6	8.5	.	4.2	20	84.6
Race										
Black	9	20.9	4	9.0	9	19.7	7	15.3	47	305.8
White	.	3.7	.	2.4	0	0.0	.	1.2	14	49.8
Hispanic	.	24.9	0	0.0	.	38.4	.	17.5	4	200.2
Other	0	0.0	0	0.0	0	0.0	.	59.6	.	174.2
Race/Gender										
Black Male	6	30.4	.	14.7	.	14.1	4	18.7	28	391.5
Black Female	.	12.9	.	4.2	6	24.6	.	12.3	19	231.2
White Male	.	5.1	.	5.0	0	0.0	.	2.4	13	94.9
White Female	.	2.4	0	0.0	0	0.0	0	0.0	.	6.9
Hispanic Male	.	38.8	0	0.0	.	61.1	.	28.1	4	317.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	4	.	.	.	4	.	25	.
Injecton Drug Use	.	.	.	.	0	.	.	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	5	.	0	.	5	.	.	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	13	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	13	.
Injecton Drug Use	.	.	.	.	0	.	.	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	0	.	4	.	.	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	11	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	10	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	12.4	0	0.0	.	6.2	.	17.8	5	88.6
30-39	.	17.6	.	12.3	4	24.5	.	19.6	11	217.8
40-49	.	15.5	.	10.2	4	19.8	.	5.3	20	325.7
50-59	4	21.6	.	5.3	.	10.0	.	9.8	24	355.3
60 and Up	.	4.3	.	3.9	0	0.0	.	3.1	6	55.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Clarendon HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	20.1	19	18.8	28	27.1	19	18.7	183	539.0
Gender										
Male	15	30.5	11	22.0	18	35.3	12	24.0	108	645.2
Female	5	9.9	8	15.6	10	19.0	7	13.5	75	435.8
Race										
Black	20	39.8	16	31.8	26	51.0	19	38.7	157	964.3
White	0	0.0	.	2.1	0	0.0	0	0.0	17	104.5
Hispanic	0	0.0	.	74.0	.	68.2	0	0.0	8	749.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	294.1
Race/Gender										
Black Male	15	61.8	9	36.9	16	65.2	12	50.5	90	1,139.8
Black Female	5	19.3	7	27.0	10	38.0	7	27.6	67	798.9
White Male	0	0.0	0	0.0	0	0.0	0	0.0	10	123.2
White Female	0	0.0	.	4.3	0	0.0	0	0.0	7	85.9
Hispanic Male	0	0.0	.	129.7	.	124.0	0	0.0	8	1,403.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	5	.	11	.	8	.	43	.
Injecton Drug Use	0	.	.	.	.	.	0	.	14	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	8	.	.	.	8	.	.	.	65	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	6	.
Other/Undetermined	6	.	10	.	8	.	8	.	52	.
Risk Group - Black										
Male sex w/Male	6	.	4	.	10	.	8	.	35	.
Injecton Drug Use	0	.	.	.	.	.	0	.	14	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	8	.	.	.	56	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	6	.
Other/Undetermined	6	.	8	.	7	.	8	.	45	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	0	.	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	9.9	5	52.5	0	0.0	.	34.1
20-29	6	41.4	7	50.6	9	65.9	9	66.7	17	381.6
30-39	4	38.1	.	29.5	.	19.6	.	19.3	23	654.5
40-49	4	29.9	4	31.6	5	39.8	.	26.7	42	1,149.7
50-59	5	36.9	.	20.8	6	39.6	5	33.6	57	1,156.7
60 and Up	.	4.7	.	4.2	.	3.7	0	0.0	43	442.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Clarendon AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	23	23.1	21	20.8	16	15.5	7	6.8	108	318.1
Gender										
Male	12	24.4	14	28.1	12	23.5	4	8.0	71	424.2
Female	11	21.9	7	13.6	4	7.6	.	5.8	37	214.9
Race										
Black	22	43.8	19	37.7	15	29.5	6	12.2	92	565.1
White	.	2.2	.	2.1	0	0.0	0	0.0	9	55.3
Hispanic	0	0.0	.	37.1	.	34.1	0	0.0	6	561.8
Other	0	0.0	0	0.0	0	0.0	.	104.8	.	294.1
Race/Gender										
Black Male	12	49.4	12	49.2	11	44.9	.	12.7	57	721.9
Black Female	10	38.4	7	27.0	4	15.2	.	11.9	35	417.3
White Male	0	0.0	.	4.2	0	0.0	0	0.0	8	98.6
White Female	.	4.3	0	0.0	0	0.0	0	0.0	.	12.3
Hispanic Male	0	0.0	.	64.9	.	62.0	0	0.0	6	1,052.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	.	.	5	.	.	.	29	.
Injecton Drug Use	.	.	.	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	6	.	5	.	.	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	4	.
Other/Undetermined	6	.	8	.	4	.	.	.	22	.
Risk Group - Black										
Male sex w/Male	6	.	.	.	5	.	.	.	22	.
Injecton Drug Use	.	.	.	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	6	.	5	.	.	.	37	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	4	.
Other/Undetermined	6	.	7	.	.	.	.	.	18	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.7	0	0.0	.	10.5	0	0.0	0	0.0
20-29	.	13.8	4	28.9	.	22.0	.	14.9	7	157.1
30-39	8	76.1	.	29.5	4	39.1	.	9.6	8	227.7
40-49	5	37.4	9	71.1	4	31.8	.	8.9	27	739.1
50-59	6	44.2	.	20.8	.	13.2	.	20.1	40	811.7
60 and Up	.	4.7	.	8.3	.	7.5	0	0.0	26	267.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Colleton HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	13.5	20	17.1	14	12.2	22	19.4	196	516.9
Gender										
Male	9	15.8	12	21.5	9	16.4	17	31.2	125	686.1
Female	7	11.4	8	13.1	5	8.4	5	8.5	71	360.4
Race										
Black	10	20.8	17	36.3	12	26.7	16	36.7	138	952.6
White	6	9.0	.	3.1	.	3.1	4	6.2	49	225.7
Hispanic	0	0.0	.	34.1	0	0.0	.	56.1	4	327.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	781.2
Race/Gender										
Black Male	5	22.3	10	46.5	7	34.2	13	64.9	82	1,223.8
Black Female	5	19.5	7	27.6	5	20.5	.	12.8	56	719.3
White Male	4	12.3	.	6.3	.	6.3	.	9.5	38	357.3
White Female	.	5.8	0	0.0	0	0.0	.	3.1	11	99.4
Hispanic Male	0	0.0	0	0.0	0	0.0	.	52.6	.	308.2
Hispanic Female	0	0.0	.	87.0	0	0.0	.	60.1	.	349.7
Risk Group - Total										
Male sex w/Male	7	.	10	.	7	.	12	.	81	.
Injecton Drug Use	0	.	.	.	.	.	0	.	16	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	5	.	7	.	49	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	7	.
Other/Undetermined	.	.	6	.	.	.	.	.	41	.
Risk Group - Black										
Male sex w/Male	.	.	8	.	6	.	9	.	45	.
Injecton Drug Use	0	.	.	.	0	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	.	.	5	.	5	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	7	.
Other/Undetermined	.	.	5	.	.	.	.	.	33	.
Risk Group - White										
Male sex w/Male	4	.	.	.	.	.	.	.	33	.
Injecton Drug Use	0	.	0	.	.	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	.	.	5	.
Age Group										
Less than 13	.	4.7	0	0.0	0	0.0	0	0.0	.	33.0
13-19	.	25.4	.	17.4	.	9.6	.	20.4	.	61.4
20-29	.	20.6	11	80.5	4	30.8	9	68.6	26	594.1
30-39	.	20.7	.	15.2	4	32.3	6	50.2	38	940.6
40-49	6	35.8	.	12.3	.	20.2	.	14.7	34	776.4
50-59	0	0.0	.	11.8	.	11.9	.	18.2	60	1,088.9
60 and Up	0	0.0	.	4.0	0	0.0	0	0.0	34	329.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Colleton AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	14	11.9	18	15.4	12	10.5	14	12.3	107	282.2
Gender										
Male	9	15.8	9	16.1	8	14.5	8	14.7	73	400.6
Female	5	8.1	9	14.7	4	6.7	6	10.1	34	172.6
Race										
Black	10	20.8	15	32.0	11	24.5	12	27.5	74	510.8
White	.	4.5	.	4.5	.	1.5	0	0.0	28	129.0
Hispanic	0	0.0	0	0.0	0	0.0	.	28.1	.	82.0
Other	.	84.8	0	0.0	0	0.0	.	68.9	4	781.2
Race/Gender										
Black Male	7	31.4	7	32.6	7	34.2	7	35.0	49	731.3
Black Female	.	11.7	8	31.5	4	16.4	5	21.2	25	321.1
White Male	.	6.2	.	6.3	.	3.2	0	0.0	22	206.8
White Female	.	3.0	.	3.0	0	0.0	0	0.0	6	54.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	.	60.1	.	174.8
Risk Group - Total										
Male sex w/Male	.	.	5	.	4	.	.	.	41	.
Injecton Drug Use	.	.	.	.	0	.	0	.	13	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	6	.	4	.	9	.	28	.
Transfusion	.	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	5	.
Other/Undetermined	.	.	4	.	4	.	.	.	18	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	22	.
Injecton Drug Use	.	.	.	.	0	.	0	.	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	6	.	4	.	8	.	24	.
Transfusion	.	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	5	.
Other/Undetermined	.	.	.	.	4	.	0	.	13	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	18	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	0	.	0	.	4	.
Age Group										
Less than 13	.	4.7	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	8.7	0	0.0	.	10.2	.	30.7
20-29	0	0.0	.	22.0	.	15.4	4	30.5	11	251.4
30-39	.	13.8	4	30.4	5	40.4	.	16.7	15	371.3
40-49	6	35.8	5	30.7	.	20.2	6	44.3	19	433.8
50-59	4	24.3	4	23.7	0	0.0	.	6.1	39	707.9
60 and Up	.	4.4	.	4.0	.	7.2	0	0.0	22	213.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Darlington HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	37	18.4	37	18.3	54	26.4	30	14.9	284	422.4
Gender										
Male	21	22.0	28	29.3	37	38.3	24	25.1	189	594.9
Female	16	15.1	9	8.5	17	15.7	6	5.6	95	268.0
Race										
Black	33	38.9	33	38.9	47	55.3	25	29.7	233	831.3
White	4	3.5	.	2.6	5	4.4	5	4.4	42	112.4
Hispanic	0	0.0	.	32.6	.	53.8	0	0.0	6	461.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	537.7
Race/Gender										
Black Male	18	46.4	26	67.0	31	80.2	22	57.5	151	1,181.5
Black Female	15	32.7	7	15.2	16	34.5	.	6.6	82	537.7
White Male	.	5.5	.	3.6	4	7.3	.	3.6	32	177.4
White Female	.	1.7	.	1.8	.	1.7	.	5.2	10	51.8
Hispanic Male	0	0.0	0	0.0	.	101.0	0	0.0	4	582.2
Hispanic Female	0	0.0	.	71.2	0	0.0	0	0.0	.	326.8
Risk Group - Total										
Male sex w/Male	11	.	14	.	14	.	9	.	87	.
Injecton Drug Use	4	.	0	.	.	.	.	.	21	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	11	.	9	.	19	.	.	.	106	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	11	.	13	.	18	.	18	.	59	.
Risk Group - Black										
Male sex w/Male	9	.	13	.	11	.	7	.	63	.
Injecton Drug Use	.	.	0	.	.	.	.	.	19	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	7	.	17	.	.	.	92	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	11	.	12	.	17	.	15	.	51	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	22	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.9	5	24.3	.	15.3	.	10.7	.	16.1
20-29	8	32.6	7	30.1	19	79.4	9	35.6	29	345.1
30-39	11	43.1	10	40.4	13	54.9	7	31.8	49	684.4
40-49	6	20.4	11	39.1	11	40.4	6	23.3	72	854.4
50-59	8	27.1	.	10.0	8	26.4	6	20.6	77	812.7
60 and Up	.	5.4	.	2.4	0	0.0	0	0.0	56	333.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Darlington AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	35	17.4	29	14.3	24	11.8	19	9.4	156	232.0
Gender										
Male	23	24.1	20	20.9	18	18.6	11	11.6	100	314.7
Female	12	11.2	9	8.5	6	5.6	8	7.5	56	158.0
Race										
Black	33	38.9	24	28.3	19	22.3	14	16.6	125	445.9
White	.	1.8	4	3.5	4	3.5	4	3.5	26	69.6
Hispanic	0	0.0	0	0.0	.	27.0	.	24.6	4	307.9
Other	0	0.0	.	84.5	0	0.0	0	0.0	.	179.2
Race/Gender										
Black Male	22	56.8	15	38.6	14	36.2	8	20.9	74	579.0
Black Female	11	24.0	9	19.6	5	10.8	6	13.1	51	334.4
White Male	.	1.9	4	7.4	.	5.4	.	3.6	22	122.0
White Female	.	1.7	0	0.0	.	1.7	.	3.4	4	20.7
Hispanic Male	0	0.0	0	0.0	.	50.5	.	46.9	.	436.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	163.4
Risk Group - Total										
Male sex w/Male	11	.	9	.	8	.	4	.	47	.
Injecton Drug Use	.	.	.	.	.	.	.	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	15	.	12	.	8	.	8	.	64	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	6	.	5	.	7	.	6	.	25	.
Risk Group - Black										
Male sex w/Male	10	.	6	.	5	.	.	.	32	.
Injecton Drug Use	.	.	.	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	14	.	11	.	7	.	7	.	57	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	6	.	5	.	6	.	4	.	20	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	14	.
Injecton Drug Use	0	.	.	.	0	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	.	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	9.8	0	0.0	0	0.0	0	0.0
20-29	4	16.3	.	8.6	9	37.6	.	4.0	9	107.0
30-39	13	51.0	9	36.3	4	16.9	6	27.2	24	335.3
40-49	7	23.8	9	32.0	9	33.1	9	35.0	46	545.8
50-59	9	30.5	6	19.9	.	6.6	.	10.3	46	485.5
60 and Up	.	5.4	.	2.4	0	0.0	0	0.0	31	184.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Dillon HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	33	35.6	17	18.2	13	13.8	17	18.3	153	495.8
Gender										
Male	19	43.9	15	34.2	12	27.0	14	31.7	108	737.4
Female	14	28.4	.	4.1	.	2.0	.	6.2	45	277.5
Race										
Black	29	68.5	15	34.7	10	22.7	17	38.6	128	874.0
White	.	2.2	.	2.2	.	2.2	0	0.0	17	117.9
Hispanic	.	118.8	.	36.7	0	0.0	0	0.0	5	591.0
Other	0	0.0	0	0.0	.	73.6	0	0.0	.	316.1
Race/Gender										
Black Male	16	83.5	13	66.3	9	44.3	14	68.4	90	1,314.8
Black Female	13	56.1	.	8.5	.	4.2	.	12.8	38	487.1
White Male	.	4.6	.	4.6	.	4.6	0	0.0	14	202.5
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	39.9
Hispanic Male	.	144.0	.	66.7	0	0.0	0	0.0	.	719.4
Hispanic Female	.	88.0	0	0.0	0	0.0	0	0.0	.	466.2
Risk Group - Total										
Male sex w/Male	8	.	6	.	7	.	9	.	51	.
Injecton Drug Use	.	.	.	.	0	.	.	.	14	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	.	.	.	.	.	.	48	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	12	.	6	.	4	.	6	.	36	.
Risk Group - Black										
Male sex w/Male	7	.	5	.	5	.	9	.	42	.
Injecton Drug Use	.	.	.	.	0	.	.	.	13	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	.	.	.	.	.	.	40	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	10	.	5	.	.	.	6	.	29	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	9	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	4	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	21.0	0	0.0	.	11.0	.	34.7	.	69.2
20-29	13	100.1	4	33.6	5	42.1	5	42.1	12	305.5
30-39	4	36.0	6	53.8	4	35.3	.	18.0	25	686.3
40-49	11	85.1	.	16.0	.	25.1	.	9.0	40	1,106.5
50-59	.	24.2	5	38.8	0	0.0	4	31.2	52	1,242.6
60 and Up	0	0.0	0	0.0	0	0.0	.	9.8	22	316.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Dillon AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	23	24.9	20	21.3	6	6.4	5	5.4	96	311.1
Gender										
Male	14	32.3	18	41.0	4	9.0	.	6.8	68	464.3
Female	9	18.3	.	4.1	.	4.0	.	4.1	28	172.7
Race										
Black	19	44.9	16	37.0	6	13.5	4	9.1	78	532.6
White	.	4.4	.	4.4	0	0.0	0	0.0	12	83.3
Hispanic	.	79.2	.	36.7	0	0.0	.	41.3	4	472.8
Other	0	0.0	.	36.7	0	0.0	0	0.0	.	210.8
Race/Gender										
Black Male	12	62.6	15	76.6	4	19.7	.	14.6	55	803.6
Black Female	7	30.3	.	4.2	.	8.4	.	4.3	23	294.8
White Male	.	4.6	.	9.4	0	0.0	0	0.0	11	159.2
White Female	.	4.2	0	0.0	0	0.0	0	0.0	.	13.3
Hispanic Male	.	71.9	.	66.7	0	0.0	0	0.0	.	479.6
Hispanic Female	.	88.0	0	0.0	0	0.0	.	84.5	.	466.2
Risk Group - Total										
Male sex w/Male	7	.	11	.	.	.	.	.	32	.
Injecton Drug Use	.	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	4	.	.	.	.	.	36	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	5	.	.	.	.	.	14	.
Risk Group - Black										
Male sex w/Male	6	.	10	.	.	.	.	.	25	.
Injecton Drug Use	.	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	.	.	.	.	.	.	29	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	.	.	.	.	10	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	.	34.7
20-29	6	46.2	4	33.6	.	16.8	.	8.5	4	101.9
30-39	5	44.9	8	71.7	.	8.8	.	9.0	13	356.8
40-49	7	54.1	.	16.0	.	16.7	.	9.0	25	691.6
50-59	5	40.4	6	46.6	.	7.5	.	7.8	37	884.1
60 and Up	0	0.0	0	0.0	0	0.0	.	5.0	16	230.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Dorchester HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	51	14.3	43	10.9	45	10.5	42	9.2	420	273.1
Gender										
Male	35	20.1	30	15.6	33	15.8	37	16.7	283	377.9
Female	16	8.8	13	6.5	12	5.5	5	2.2	137	173.7
Race										
Black	39	43.1	32	31.1	27	23.9	29	24.3	266	663.0
White	8	3.2	8	3.0	12	4.2	12	4.0	122	120.5
Hispanic	.	20.4	.	20.2	.	15.1	0	0.0	21	264.4
Other	.	24.9	0	0.0	.	25.9	.	7.7	11	247.6
Race/Gender										
Black Male	25	57.1	24	48.7	20	37.2	26	45.9	162	849.8
Black Female	14	30.0	8	15.0	7	11.9	.	4.8	104	493.9
White Male	7	5.7	4	3.1	9	6.5	10	6.8	95	190.1
White Female	.	0.8	4	3.0	.	2.1	.	1.3	27	52.6
Hispanic Male	.	40.5	.	26.6	.	9.8	0	0.0	16	411.0
Hispanic Female	0	0.0	.	13.6	.	20.6	0	0.0	5	123.5
Risk Group - Total										
Male sex w/Male	18	.	16	.	25	.	30	.	179	.
Injecton Drug Use	.	.	.	.	0	.	.	.	33	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	13	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	18	.	10	.	8	.	4	.	116	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	14	.
Other/Undetermined	11	.	15	.	11	.	6	.	65	.
Risk Group - Black										
Male sex w/Male	13	.	16	.	17	.	21	.	102	.
Injecton Drug Use	.	.	0	.	0	.	.	.	18	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	17	.	5	.	5	.	.	.	89	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	9	.
Other/Undetermined	6	.	10	.	4	.	4	.	43	.
Risk Group - White										
Male sex w/Male	5	.	0	.	5	.	8	.	66	.
Injecton Drug Use	0	.	.	.	0	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	.	.	20	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	15	.
Age Group										
Less than 13	.	1.5	.	1.3	0	0.0	.	1.2	7	25.6
13-19	.	5.4	0	0.0	5	11.6	.	4.5	4	27.3
20-29	12	23.3	14	26.2	20	35.9	15	25.0	60	298.9
30-39	10	20.2	11	20.5	7	12.1	13	20.8	68	318.1
40-49	14	24.2	9	14.7	8	12.5	5	7.9	96	462.6
50-59	9	19.6	7	13.8	.	3.5	.	4.7	124	581.2
60 and Up	.	5.9	.	1.7	.	4.3	.	3.7	61	215.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Dorchester AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	37	10.5	25	6.4	39	9.1	28	6.2	228	148.3
Gender										
Male	25	14.4	19	9.9	29	13.9	22	9.9	155	206.9
Female	12	6.6	6	3.0	10	4.5	6	2.5	73	92.5
Race										
Black	22	24.3	16	15.6	26	23.0	22	18.5	152	378.8
White	11	4.4	6	2.2	8	2.9	6	2.0	61	60.3
Hispanic	.	30.5	.	20.2	.	15.1	0	0.0	9	113.3
Other	.	12.4	0	0.0	.	17.3	0	0.0	6	135.1
Race/Gender										
Black Male	12	27.4	12	24.4	20	37.2	18	31.7	95	498.3
Black Female	10	21.5	4	7.5	6	10.1	4	6.4	57	270.7
White Male	10	8.3	5	3.9	6	4.3	4	2.8	47	94.1
White Female	.	0.8	.	0.8	.	1.4	.	1.3	14	27.3
Hispanic Male	.	60.7	.	26.6	.	19.6	0	0.0	8	205.5
Hispanic Female	0	0.0	.	13.6	.	10.3	0	0.0	.	24.8
Risk Group - Total										
Male sex w/Male	9	.	10	.	16	.	15	.	92	.
Injecton Drug Use	5	.	.	.	0	.	0	.	21	.
MSM and Inj Drug Use	.	.	.	.	.	.	.	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	5	.	10	.	4	.	65	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	5	.
Other/Undetermined	8	.	6	.	12	.	6	.	37	.
Risk Group - Black										
Male sex w/Male	.	.	8	.	11	.	12	.	57	.
Injecton Drug Use	4	.	.	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	.	.	.	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	4	.	7	.	.	.	52	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	4	.
Other/Undetermined	5	.	.	.	7	.	4	.	23	.
Risk Group - White										
Male sex w/Male	5	.	.	.	.	.	.	.	32	.
Injecton Drug Use	0	.	0	.	0	.	0	.	6	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	.	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	.	.	.	.	9	.
Age Group										
Less than 13	.	1.5	.	1.3	0	0.0	.	1.2	.	3.6
13-19	.	2.6	0	0.0	.	6.9	.	2.3	.	13.6
20-29	.	5.8	9	16.8	11	19.7	9	15.0	23	114.6
30-39	8	16.2	6	11.2	5	8.6	5	8.0	30	140.4
40-49	13	22.4	4	6.5	13	20.4	9	14.3	57	274.7
50-59	6	13.1	4	7.8	5	8.7	.	1.5	75	351.6
60 and Up	5	9.9	.	1.7	.	2.9	.	2.5	40	141.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Edgefield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	15.7	8	10.2	12	15.1	19	23.9	151	572.9
Gender										
Male	11	26.7	6	14.2	11	25.6	16	37.3	128	902.7
Female	.	2.9	.	5.5	.	2.8	.	8.3	23	188.9
Race										
Black	9	29.4	7	23.2	10	33.9	10	34.5	120	1,261.9
White	.	4.6	.	2.2	.	2.2	.	2.2	10	66.3
Hispanic	.	53.6	0	0.0	.	22.6	6	130.1	16	1,032.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	905.0
Race/Gender										
Black Male	9	51.7	5	29.6	9	56.0	8	50.4	99	1,904.2
Black Female	0	0.0	.	15.2	.	7.5	.	15.3	21	487.2
White Male	.	4.5	.	4.4	.	4.3	.	4.3	9	117.0
White Female	.	4.7	0	0.0	0	0.0	0	0.0	.	13.5
Hispanic Male	.	76.8	0	0.0	.	29.3	6	170.9	16	1,359.4
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	.	.	4	.	4	.	41	.
Injecton Drug Use	.	.	0	.	.	.	.	.	26	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	6	.	12	.	48	.
Risk Group - Black										
Male sex w/Male	4	.	.	.	4	.	.	.	35	.
Injecton Drug Use	0	.	0	.	.	.	.	.	21	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	.	.	0	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	4	.	6	.	37	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	26.6	.	13.5	0	0.0	0	0.0	0	0.0
20-29	.	8.7	0	0.0	.	20.6	.	29.7	8	238.3
30-39	4	36.3	.	27.9	4	37.1	5	47.5	33	939.1
40-49	.	25.0	.	24.9	.	8.6	4	37.2	37	1,057.1
50-59	.	9.4	.	8.6	4	32.2	6	48.4	40	984.7
60 and Up	.	8.3	0	0.0	.	5.9	.	5.4	33	515.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Edgefield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	6.6	7	8.9	5	6.3	4	5.1	58	220.0
Gender										
Male	5	12.1	5	11.9	5	11.7	4	9.4	50	352.6
Female	0	0.0	.	5.5	0	0.0	0	0.0	8	65.7
Race										
Black	5	16.4	6	19.9	4	13.5	.	6.9	47	494.2
White	0	0.0	0	0.0	0	0.0	.	2.2	5	33.1
Hispanic	0	0.0	.	33.9	.	22.6	.	21.7	5	322.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	452.5
Race/Gender										
Black Male	5	28.7	4	23.7	4	24.9	.	12.7	40	769.3
Black Female	0	0.0	.	15.2	0	0.0	0	0.0	7	162.4
White Male	0	0.0	0	0.0	0	0.0	.	4.3	4	52.0
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	13.5
Hispanic Male	0	0.0	.	47.6	.	29.3	.	28.5	5	424.8
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	0	.	.	.	16	.
Injecton Drug Use	.	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	0	.	0	.	13	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	5	.	.	.	15	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	0	.	.	.	12	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	4	.	0	.	0	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	13	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	8.7	.	9.2	.	10.3	.	9.9	4	119.1
30-39	.	18.2	.	18.6	.	18.6	.	9.5	13	369.9
40-49	.	8.4	.	24.9	.	8.6	0	0.0	12	342.9
50-59	.	9.4	.	8.6	.	8.0	.	16.2	17	418.6
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	12	187.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Fairfield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	18.3	16	22.7	17	24.3	18	26.3	104	459.1
Gender										
Male	7	20.7	13	38.6	12	35.9	14	42.9	73	674.1
Female	6	16.1	.	8.1	5	13.6	4	11.2	31	262.2
Race										
Black	10	24.5	12	29.4	17	41.0	10	24.9	84	633.7
White	.	10.3	4	14.1	0	0.0	7	26.5	16	183.2
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	423.7
Other	0	0.0	0	0.0	0	0.0	.	204.5	.	1,047.1
Race/Gender										
Black Male	6	31.5	10	52.6	12	61.8	9	48.0	62	999.6
Black Female	4	18.4	.	9.2	5	22.8	.	4.6	22	312.0
White Male	.	7.0	.	21.7	0	0.0	4	30.9	8	187.8
White Female	.	13.5	.	6.8	0	0.0	.	22.3	8	178.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	371.8
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	492.6
Risk Group - Total										
Male sex w/Male	.	.	9	.	8	.	8	.	35	.
Injecton Drug Use	.	.	0	.	0	.	.	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	7	.	5	.	33	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	.	.	4	.	20	.
Risk Group - Black										
Male sex w/Male	.	.	7	.	8	.	5	.	28	.
Injecton Drug Use	.	.	0	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	.	.	7	.	.	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	16	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	.	.	5	.
Injecton Drug Use	.	.	0	.	0	.	.	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	.	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	15.0	.	16.3	0	0.0	.	53.9
20-29	.	33.2	7	85.9	8	103.5	6	76.5	13	498.5
30-39	.	11.3	.	24.6	.	13.8	4	58.1	22	959.4
40-49	6	58.0	.	10.0	4	42.4	4	47.3	22	809.2
50-59	.	28.5	.	26.5	.	16.9	.	26.1	33	880.0
60 and Up	0	0.0	.	13.3	.	5.8	.	5.4	13	204.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Fairfield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	22.4	13	18.4	12	17.2	9	13.2	55	242.8
Gender										
Male	10	29.5	7	20.8	10	29.9	8	24.5	39	360.1
Female	6	16.1	6	16.2	.	5.5	.	2.8	16	135.3
Race										
Black	14	34.3	10	24.5	11	26.6	7	17.4	45	339.5
White	.	3.4	.	10.6	.	3.7	.	3.7	7	80.2
Hispanic	0	0.0	0	0.0	0	0.0	.	74.5	.	211.9
Other	.	274.8	0	0.0	0	0.0	0	0.0	.	1,047.1
Race/Gender										
Black Male	9	47.3	6	31.6	9	46.4	6	32.0	33	532.0
Black Female	5	22.9	4	18.4	.	9.1	.	4.6	12	170.2
White Male	0	0.0	.	7.3	.	7.6	.	7.7	.	70.4
White Female	.	6.8	.	13.6	0	0.0	0	0.0	4	89.4
Hispanic Male	0	0.0	0	0.0	0	0.0	.	137.5	.	371.8
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	5	.	6	.	15	.
Injecton Drug Use	.	.	.	.	0	.	.	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	4	.	6	.	.	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	5	.	4	.	.	.	0	.	11	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	4	.	4	.	11	.
Injecton Drug Use	.	.	0	.	0	.	.	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	4	.	6	.	.	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	.	.	0	.	9	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.	.	.	.	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	.	17.6	.	53.9
20-29	5	55.3	5	61.4	4	51.7	.	25.5	5	191.7
30-39	5	56.4	.	24.6	.	13.8	.	29.0	10	436.2
40-49	.	9.7	.	30.0	4	42.4	.	35.5	14	514.9
50-59	5	47.5	.	8.8	.	8.5	.	8.7	17	453.3
60 and Up	0	0.0	.	13.3	.	11.8	0	0.0	8	126.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Florence HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	124	31.5	109	27.0	84	20.2	90	21.6	840	605.4
Gender										
Male	81	43.6	70	36.9	58	29.8	59	30.3	533	822.8
Female	43	20.7	39	18.3	26	11.9	31	14.0	307	415.0
Race										
Black	109	67.9	96	57.8	75	43.1	81	45.5	701	1,178.9
White	12	5.4	13	5.8	6	2.6	8	3.6	122	166.7
Hispanic	.	37.6	0	0.0	.	10.1	.	9.8	7	196.9
Other	.	20.5	0	0.0	.	14.0	0	0.0	7	276.9
Race/Gender										
Black Male	68	93.1	61	81.1	51	65.2	52	65.3	430	1,617.7
Black Female	41	46.9	35	38.5	24	25.1	29	29.6	271	824.2
White Male	11	10.2	9	8.4	5	4.6	7	6.6	93	263.7
White Female	.	0.9	4	3.4	.	0.9	.	0.9	29	76.5
Hispanic Male	.	72.3	0	0.0	0	0.0	0	0.0	4	226.3
Hispanic Female	0	0.0	0	0.0	.	21.3	.	19.5	.	167.8
Risk Group - Total										
Male sex w/Male	39	.	39	.	36	.	30	.	275	.
Injecton Drug Use	4	.	4	.	.	.	.	.	54	.
MSM and Inj Drug Use	.	.	.	.	0	.	.	.	17	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	44	.	23	.	31	.	8	.	279	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	9	.
Other/Undetermined	33	.	40	.	15	.	50	.	206	.
Risk Group - Black										
Male sex w/Male	33	.	33	.	30	.	26	.	208	.
Injecton Drug Use	.	.	.	.	.	.	0	.	45	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	11	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	38	.	22	.	31	.	8	.	253	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	9	.
Other/Undetermined	32	.	37	.	12	.	47	.	175	.
Risk Group - White										
Male sex w/Male	6	.	6	.	5	.	4	.	61	.
Injecton Drug Use	.	.	.	.	0	.	.	.	8	.
MSM and Inj Drug Use	.	.	.	.	0	.	.	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	0	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	28	.
Age Group										
Less than 13	.	1.4	0	0.0	0	0.0	0	0.0	.	12.7
13-19	6	15.3	14	35.9	6	15.7	5	13.2	.	23.8
20-29	28	53.9	26	49.7	26	47.0	30	53.6	89	482.0
30-39	35	68.4	29	56.8	23	44.6	22	42.9	157	919.8
40-49	41	71.5	23	41.5	13	23.5	12	22.9	218	1,267.6
50-59	12	21.8	13	23.2	14	24.6	12	21.3	245	1,318.7
60 and Up	.	1.4	4	5.2	.	2.4	9	9.9	125	401.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Florence AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	87	22.1	88	21.8	70	16.9	51	12.2	488	351.8
Gender										
Male	54	29.0	59	31.0	51	26.2	35	17.9	325	501.7
Female	33	15.8	29	13.5	19	8.7	16	7.3	163	220.3
Race										
Black	78	48.5	77	46.3	64	36.9	48	27.1	411	691.2
White	8	3.6	11	5.0	5	2.2	.	1.3	68	93.0
Hispanic	0	0.0	0	0.0	.	10.1	0	0.0	6	168.7
Other	.	20.5	0	0.0	0	0.0	0	0.0	.	118.7
Race/Gender										
Black Male	45	61.6	50	66.4	47	60.2	33	41.5	266	1,000.7
Black Female	33	37.7	27	29.7	17	17.8	15	15.3	145	441.0
White Male	8	7.4	9	8.4	4	3.7	.	1.9	52	147.4
White Female	0	0.0	.	1.8	.	0.9	.	0.9	16	42.1
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	4	226.3
Hispanic Female	0	0.0	0	0.0	.	21.3	0	0.0	.	111.9
Risk Group - Total										
Male sex w/Male	26	.	26	.	28	.	15	.	160	.
Injecton Drug Use	4	.	.	.	.	.	.	.	43	.
MSM and Inj Drug Use	0	.	.	.	4	.	.	.	11	.
Hemophiliac	.	.	0	.	0	.	0	.	0	.
Heterosexual	39	.	32	.	18	.	9	.	188	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.	27	.	17	.	24	.	84	.
Risk Group - Black										
Male sex w/Male	20	.	20	.	27	.	14	.	123	.
Injecton Drug Use	.	.	.	.	.	.	.	.	36	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	38	.	30	.	18	.	9	.	169	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.	24	.	15	.	23	.	74	.
Risk Group - White										
Male sex w/Male	5	.	6	.	.	.	.	.	34	.
Injecton Drug Use	.	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	.	.	.	.	4	.
Hemophiliac	.	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	0	.	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	10	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	7.6	.	5.2	.	5.3	.	5.3	.	7.9
20-29	13	25.0	16	30.6	20	36.1	9	16.1	30	162.5
30-39	31	60.6	25	49.0	14	27.2	13	25.3	75	439.3
40-49	24	41.8	25	45.1	16	29.0	14	26.6	136	790.8
50-59	13	23.7	18	32.1	12	21.1	8	14.2	164	882.8
60 and Up	.	4.4	.	2.6	6	7.2	5	5.5	82	263.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Georgetown HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	38	20.8	26	14.3	24	13.3	24	13.1	268	436.5
Gender										
Male	28	31.9	19	21.8	18	20.9	19	21.8	176	602.7
Female	10	10.6	7	7.4	6	6.4	5	5.2	92	285.8
Race										
Black	27	43.5	17	27.9	18	29.9	15	25.3	165	842.3
White	9	7.8	9	7.9	6	5.3	6	5.2	88	223.2
Hispanic	.	45.3	0	0.0	0	0.0	.	52.0	10	534.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	986.2
Race/Gender										
Black Male	21	73.9	12	43.2	12	43.6	13	48.3	103	1,153.1
Black Female	6	17.8	5	15.2	6	18.4	.	6.2	62	581.8
White Male	6	10.7	7	12.7	6	11.0	4	7.2	68	359.4
White Female	.	5.2	.	3.4	0	0.0	.	3.3	20	97.5
Hispanic Male	.	36.9	0	0.0	0	0.0	.	59.6	.	178.9
Hispanic Female	.	59.0	0	0.0	0	0.0	.	41.5	8	1,062.4
Risk Group - Total										
Male sex w/Male	13	.	10	.	15	.	12	.	108	.
Injecton Drug Use	.	.	.	.	0	.	.	.	17	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	13	.	8	.	6	.	.	.	88	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	9	.	6	.	.	.	8	.	43	.
Risk Group - Black										
Male sex w/Male	10	.	7	.	10	.	7	.	57	.
Injecton Drug Use	.	.	.	.	0	.	.	.	11	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	6	.	6	.	.	.	63	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	.	.	6	.	27	.
Risk Group - White										
Male sex w/Male	.	.	.	.	5	.	.	.	48	.
Injecton Drug Use	.	.	.	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	.	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	0	.	.	.	14	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	24.8
13-19	.	6.2	.	6.4	.	6.7	0	0.0	.	20.8
20-29	8	35.1	5	25.9	8	46.4	9	49.4	19	310.6
30-39	5	23.7	4	20.0	7	38.7	10	56.9	52	898.3
40-49	15	60.2	9	38.3	4	18.6	.	4.8	63	932.8
50-59	9	35.0	5	18.3	4	14.7	.	7.6	72	826.5
60 and Up	0	0.0	.	4.3	0	0.0	.	3.3	59	279.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Georgetown AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	25	13.8	18	9.9	24	13.3	13	7.0	150	244.3
Gender										
Male	19	21.7	14	16.1	16	18.6	9	10.3	98	335.6
Female	6	6.4	4	4.2	8	8.5	4	4.2	52	161.5
Race										
Black	19	30.6	15	24.6	16	26.6	7	11.9	93	474.8
White	4	3.5	.	2.6	6	5.3	5	4.3	48	121.8
Hispanic	.	22.7	0	0.0	.	36.2	.	17.4	5	267.2
Other	.	91.7	0	0.0	0	0.0	0	0.0	4	788.9
Race/Gender										
Black Male	13	45.8	11	39.6	10	36.3	4	14.9	56	627.0
Black Female	6	17.8	4	12.1	6	18.4	.	9.4	37	347.2
White Male	4	7.2	.	5.4	6	11.0	4	7.2	39	206.1
White Female	0	0.0	0	0.0	0	0.0	.	1.7	9	43.9
Hispanic Male	.	36.9	0	0.0	0	0.0	.	29.8	.	89.4
Hispanic Female	0	0.0	0	0.0	.	85.0	0	0.0	4	531.2
Risk Group - Total										
Male sex w/Male	6	.	6	.	9	.	6	.	53	.
Injecton Drug Use	.	.	.	.	.	.	0	.	13	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	6	.	8	.	5	.	54	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	5	.	.	.	.	.	20	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	6	.	.	.	27	.
Injecton Drug Use	.	.	.	.	.	.	0	.	9	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	6	.	6	.	4	.	38	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	.	.	.	.	.	14	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	25	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	.	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	0	.	.	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	6.2	0	0.0	0	0.0	0	0.0	.	20.8
20-29	.	13.1	.	15.5	8	46.4	.	16.5	7	114.4
30-39	.	4.7	.	10.0	6	33.2	.	17.1	19	328.2
40-49	8	32.1	7	29.8	5	23.2	5	24.4	37	547.8
50-59	11	42.8	5	18.3	4	14.7	0	0.0	45	516.6
60 and Up	.	2.4	.	2.1	.	1.8	.	3.3	41	194.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Greenville HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	180	14.4	172	12.9	176	12.5	201	13.6	1,489	298.5
Gender										
Male	134	21.8	136	20.7	140	20.6	169	23.7	1,139	470.5
Female	46	7.3	36	5.3	36	5.0	32	4.2	350	136.4
Race										
Black	101	43.5	109	44.6	114	44.0	110	40.3	859	926.3
White	58	6.4	44	4.6	43	4.4	59	5.7	484	139.0
Hispanic	21	26.8	17	16.3	16	13.4	29	22.2	122	273.2
Other	0	0.0	.	5.9	.	8.5	.	5.2	23	172.9
Race/Gender										
Black Male	67	61.1	81	70.3	85	69.5	91	70.5	607	1,389.6
Black Female	34	27.7	28	21.7	29	21.1	19	13.2	252	513.7
White Male	48	10.8	40	8.6	39	8.1	52	10.3	411	243.3
White Female	10	2.1	4	0.8	4	0.8	7	1.3	73	40.7
Hispanic Male	19	42.5	14	24.2	14	22.0	23	33.7	99	422.7
Hispanic Female	.	6.1	.	6.4	.	3.6	6	9.7	23	108.4
Risk Group - Total										
Male sex w/Male	87	.	100	.	101	.	122	.	777	.
Injecton Drug Use	7	.	9	.	9	.	.	.	109	.
MSM and Inj Drug Use	6	.	7	.	6	.	7	.	63	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	46	.	22	.	20	.	16	.	268	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	10	.
Other/Undetermined	33	.	34	.	40	.	51	.	258	.
Risk Group - Black										
Male sex w/Male	41	.	56	.	65	.	68	.	386	.
Injecton Drug Use	4	.	6	.	.	.	.	.	69	.
MSM and Inj Drug Use	.	.	.	.	.	.	.	.	35	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	33	.	19	.	15	.	10	.	194	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	9	.
Other/Undetermined	19	.	25	.	29	.	28	.	166	.
Risk Group - White										
Male sex w/Male	36	.	34	.	28	.	38	.	314	.
Injecton Drug Use	.	.	.	.	4	.	0	.	29	.
MSM and Inj Drug Use	.	.	4	.	.	.	6	.	26	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	10	.	0	.	.	.	4	.	53	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	.	.
Other/Undetermined	7	.	4	.	6	.	10	.	57	.
Age Group										
Less than 13	.	0.4	0	0.0	0	0.0	4	1.7	4	4.7
13-19	5	4.2	8	6.4	8	6.3	8	6.1	.	6.8
20-29	53	32.8	56	31.9	69	36.4	80	39.8	175	260.0
30-39	52	28.9	43	23.2	30	16.2	50	25.7	277	417.9
40-49	44	23.0	40	20.4	37	18.8	35	17.8	400	613.5
50-59	18	10.7	15	8.4	21	11.1	16	8.0	432	641.5
60 and Up	7	3.3	10	4.2	11	4.1	8	2.6	198	189.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Greenville AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	154	12.3	126	9.4	109	7.8	90	6.2	810	162.4
Gender										
Male	109	17.7	91	13.9	76	11.1	76	10.7	617	254.9
Female	45	7.0	35	5.1	33	4.6	14	1.9	193	75.2
Race										
Black	92	39.5	83	33.9	70	27.0	51	18.7	476	513.3
White	49	5.4	23	2.4	26	2.6	27	2.6	249	71.5
Hispanic	13	16.6	17	16.3	11	9.2	12	9.2	70	156.8
Other	0	0.0	.	8.9	.	5.7	0	0.0	15	112.8
Race/Gender										
Black Male	58	52.8	57	49.5	46	37.6	41	31.8	332	760.1
Black Female	34	27.7	26	20.1	24	17.5	10	6.9	144	293.6
White Male	40	8.9	19	4.1	21	4.4	24	4.8	213	126.2
White Female	9	2.0	4	0.8	5	1.0	.	0.6	36	20.1
Hispanic Male	11	24.5	14	24.2	7	11.0	11	16.1	58	247.6
Hispanic Female	.	6.1	.	6.4	4	7.3	.	1.7	12	56.5
Risk Group - Total										
Male sex w/Male	69	.	66	.	42	.	50	.	404	.
Injecton Drug Use	11	.	9	.	9	.	.	.	66	.
MSM and Inj Drug Use	4	.	.	.	7	.	.	.	39	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	37	.	26	.	18	.	9	.	163	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	32	.	23	.	33	.	25	.	133	.
Risk Group - Black										
Male sex w/Male	35	.	37	.	24	.	29	.	204	.
Injecton Drug Use	8	.	6	.	.	.	.	.	39	.
MSM and Inj Drug Use	.	.	.	.	5	.	.	.	23	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	27	.	22	.	14	.	7	.	122	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	19	.	16	.	24	.	13	.	86	.
Risk Group - White										
Male sex w/Male	29	.	18	.	14	.	17	.	160	.
Injecton Drug Use	.	.	.	.	.	.	.	.	20	.
MSM and Inj Drug Use	.	.	0	.	.	.	.	.	14	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	9	.	.	.	.	.	.	.	29	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	8	.	.	.	6	.	4	.	23	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	2.5	.	2.4	.	0.8	0	0.0	0	0.0
20-29	31	19.3	22	12.5	15	7.9	21	10.5	38	56.4
30-39	47	26.1	40	21.6	19	10.2	22	11.3	128	193.2
40-49	42	21.9	32	16.3	38	19.4	25	12.8	255	391.1
50-59	24	14.3	18	10.0	24	12.7	17	8.5	258	383.1
60 and Up	7	3.3	11	4.6	12	4.5	5	1.7	131	125.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Greenwood HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	42	20.6	16	7.7	24	11.4	35	16.7	251	357.9
Gender										
Male	28	29.0	12	12.2	17	17.3	26	26.6	182	556.1
Female	14	13.0	4	3.6	7	6.3	9	8.0	69	184.5
Race										
Black	34	52.4	12	18.4	15	22.4	26	38.5	188	831.7
White	7	5.5	.	1.5	6	4.7	7	5.5	43	101.8
Hispanic	0	0.0	.	9.1	.	25.1	.	8.0	13	305.7
Other	.	40.7	.	35.3	0	0.0	0	0.0	6	595.2
Race/Gender										
Black Male	21	72.1	9	30.8	10	33.6	21	70.1	132	1,309.6
Black Female	13	36.3	.	8.4	5	13.5	5	13.3	56	447.2
White Male	6	9.9	.	1.7	5	8.3	.	5.0	33	165.2
White Female	.	1.5	.	1.4	.	1.4	4	5.9	10	44.9
Hispanic Male	0	0.0	.	16.4	.	30.8	.	15.1	11	490.2
Hispanic Female	0	0.0	0	0.0	.	18.3	0	0.0	.	99.6
Risk Group - Total										
Male sex w/Male	19	.	10	.	12	.	19	.	122	.
Injecton Drug Use	.	.	0	.	.	.	.	.	15	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	13	.	4	.	4	.	5	.	56	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	4	.
Other/Undetermined	6	.	.	.	4	.	9	.	48	.
Risk Group - Black										
Male sex w/Male	15	.	7	.	6	.	15	.	89	.
Injecton Drug Use	.	.	0	.	.	.	0	.	9	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	.	.	.	.	.	.	47	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	4	.
Other/Undetermined	5	.	.	.	4	.	8	.	36	.
Risk Group - White										
Male sex w/Male	.	.	.	.	4	.	.	.	24	.
Injecton Drug Use	.	.	0	.	.	.	.	.	4	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	.	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	.	.	7	.
Age Group										
Less than 13	.	2.9	0	0.0	0	0.0	0	0.0	.	8.6
13-19	.	14.5	4	19.3	4	19.7	0	0.0	.	30.7
20-29	11	39.7	4	14.5	8	27.9	14	50.2	32	344.2
30-39	9	32.8	4	15.2	7	28.7	8	32.8	42	517.1
40-49	11	39.2	.	7.3	.	7.3	7	26.8	59	688.1
50-59	5	19.3	.	7.5	.	7.3	6	21.8	70	760.8
60 and Up	.	5.1	0	0.0	.	2.2	0	0.0	45	268.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Greenwood AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	25	12.2	13	6.3	21	10.0	16	7.6	138	196.8
Gender										
Male	19	19.7	10	10.2	17	17.3	11	11.2	104	317.8
Female	6	5.5	.	2.8	4	3.6	5	4.5	34	90.9
Race										
Black	20	30.8	11	16.8	15	22.4	14	20.8	105	464.5
White	4	3.1	.	1.5	4	3.1	.	1.5	21	49.7
Hispanic	.	11.2	0	0.0	.	16.7	0	0.0	7	164.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	396.9
Race/Gender										
Black Male	15	51.5	9	30.8	11	36.9	10	33.3	76	753.9
Black Female	5	14.0	.	5.5	4	10.9	4	10.7	29	231.6
White Male	.	5.0	.	1.7	4	6.6	.	1.7	17	85.1
White Female	.	1.5	.	1.4	0	0.0	.	1.5	4	17.9
Hispanic Male	.	19.6	0	0.0	.	30.8	0	0.0	7	312.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	12	.	9	.	10	.	6	.	64	.
Injecton Drug Use	.	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	.	.	6	.	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	5	.	4	.	28	.
Risk Group - Black										
Male sex w/Male	11	.	8	.	5	.	5	.	45	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	.	.	5	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	5	.	4	.	22	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	12	.
Injecton Drug Use	.	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	.	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	4.8	.	5.0	0	0.0	.	15.4
20-29	9	32.5	4	14.5	4	14.0	4	14.3	9	96.8
30-39	.	10.9	6	22.8	.	12.3	5	20.5	20	246.3
40-49	6	21.3	.	3.6	6	21.9	4	15.4	34	396.6
50-59	7	26.8	.	3.7	6	21.8	.	7.3	43	467.4
60 and Up	0	0.0	0	0.0	.	2.2	.	2.1	31	184.9

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Hampton HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	25.1	12	19.0	14	22.6	22	36.4	155	778.0
Gender										
Male	8	24.6	8	24.9	12	37.6	17	54.8	110	1,075.3
Female	8	25.5	4	12.9	.	6.6	5	17.1	45	464.3
Race										
Black	16	45.2	9	26.1	7	21.1	14	43.2	125	1,167.9
White	0	0.0	.	3.9	4	15.4	6	24.0	15	181.7
Hispanic	0	0.0	.	94.4	.	128.7	.	83.6	13	1,649.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	1,123.7
Race/Gender										
Black Male	8	45.5	5	29.3	6	36.1	10	61.4	83	1,541.3
Black Female	8	45.0	4	23.0	.	6.1	4	24.9	42	789.8
White Male	0	0.0	.	7.5	.	22.7	5	39.4	12	287.7
White Female	0	0.0	0	0.0	.	7.9	.	8.0	.	73.5
Hispanic Male	0	0.0	.	125.6	.	175.7	.	114.1	13	2,253.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	5	.	6	.	11	.	49	.
Injecton Drug Use	.	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	.	.	5	.	55	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	4	.	6	.	5	.	34	.
Risk Group - Black										
Male sex w/Male	.	.	4	.	4	.	5	.	37	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	0	.	5	.	47	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	.	.	4	.	27	.
Risk Group - White										
Male sex w/Male	0	.	.	.	.	.	5	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	.	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	33.1
13-19	0	0.0	.	16.1	0	0.0	0	0.0	0	0.0
20-29	.	11.0	.	23.7	4	51.8	6	78.2	9	354.4
30-39	.	36.2	4	49.7	.	24.5	7	89.5	28	1,093.7
40-49	6	65.1	.	22.7	4	47.9	5	64.0	52	2,049.6
50-59	4	47.0	.	22.9	4	45.3	.	35.5	36	1,310.5
60 and Up	.	18.2	.	8.4	0	0.0	.	7.2	29	609.0

Hampton AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	14	21.9	7	11.1	14	22.6	8	13.2	78	391.5
Gender										
Male	6	18.5	4	12.4	11	34.5	8	25.7	61	596.3
Female	8	25.5	.	9.7	.	10.0	0	0.0	17	175.5
Race										
Black	14	39.6	6	17.4	10	30.1	8	24.8	63	588.6
White	0	0.0	.	3.9	.	7.7	0	0.0	6	72.7
Hispanic	0	0.0	0	0.0	.	42.9	0	0.0	7	888.4
Other	0	0.0	0	0.0	.	185.9	0	0.0	.	1,123.7
Race/Gender										
Black Male	6	34.1	.	17.5	8	48.1	8	49.1	47	872.7
Black Female	8	45.0	.	17.3	.	12.1	0	0.0	16	300.9
White Male	0	0.0	.	7.5	.	7.6	0	0.0	5	119.9
White Female	0	0.0	0	0.0	.	7.9	0	0.0	.	24.5
Hispanic Male	0	0.0	0	0.0	.	58.5	0	0.0	7	1,213.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	8	.	4	.	28	.
Injecton Drug Use	0	.	.	.	0	.	0	.	5	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	.	.	.	.	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	16	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	5	.	4	.	22	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	.	.	.	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	14	.
Risk Group - White										
Male sex w/Male	0	.	.	.	.	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	.	8.9	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	22.0	.	11.9	4	51.8	.	26.1	4	157.5
30-39	.	12.1	.	24.9	.	36.7	.	38.4	13	507.8
40-49	4	43.5	.	22.7	4	47.9	.	25.6	27	1,064.3
50-59	4	47.0	.	22.9	.	34.0	0	0.0	20	728.1
60 and Up	.	18.2	0	0.0	0	0.0	.	7.2	14	294.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Horry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	151	21.1	107	13.5	102	12.0	129	13.9	1,046	324.5
Gender										
Male	104	29.6	82	21.2	77	18.6	97	21.6	739	474.4
Female	47	12.9	25	6.2	25	5.7	32	6.7	307	184.3
Race										
Black	68	64.5	49	44.1	38	32.2	56	43.7	445	1,014.4
White	66	11.6	48	7.7	56	8.5	59	8.1	515	203.5
Hispanic	14	49.6	6	14.4	7	13.3	7	12.4	55	284.8
Other	.	29.9	4	31.5	.	6.6	7	40.3	31	511.1
Race/Gender										
Black Male	43	86.4	37	70.6	32	57.4	36	59.4	266	1,282.8
Black Female	25	44.9	12	20.5	6	9.7	20	29.6	179	773.7
White Male	46	16.5	37	12.1	39	12.1	48	13.6	406	332.9
White Female	20	6.8	11	3.4	17	5.0	11	3.0	109	83.2
Hispanic Male	13	74.7	6	24.8	5	17.1	7	23.1	45	438.5
Hispanic Female	.	9.2	0	0.0	.	8.7	0	0.0	10	110.4
Risk Group - Total										
Male sex w/Male	55	.	54	.	50	.	64	.	477	.
Injecton Drug Use	17	.	10	.	6	.	5	.	96	.
MSM and Inj Drug Use	6	.	.	.	6	.	4	.	33	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	45	.	22	.	25	.	16	.	239	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	.	.	15	.
Other/Undetermined	27	.	18	.	15	.	39	.	186	.
Risk Group - Black										
Male sex w/Male	18	.	21	.	19	.	23	.	136	.
Injecton Drug Use	5	.	4	.	.	.	.	.	38	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	31	.	15	.	10	.	12	.	153	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	.	.	7	.
Other/Undetermined	13	.	9	.	7	.	19	.	104	.
Risk Group - White										
Male sex w/Male	28	.	28	.	27	.	32	.	302	.
Injecton Drug Use	10	.	5	.	4	.	4	.	50	.
MSM and Inj Drug Use	4	.	.	.	5	.	.	.	23	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	13	.	5	.	13	.	4	.	70	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	11	.	7	.	7	.	16	.	67	.
Age Group										
Less than 13	.	0.9	.	1.7	0	0.0	.	0.8	8	18.6
13-19	4	7.0	7	11.1	.	4.5	4	5.7	.	12.3
20-29	40	39.7	25	24.1	33	29.7	38	33.8	103	273.0
30-39	32	32.2	31	30.5	31	30.8	30	28.2	182	497.0
40-49	51	50.9	28	26.6	25	23.1	22	19.8	260	687.9
50-59	18	19.5	9	8.5	7	5.9	28	21.5	351	776.9
60 and Up	5	3.2	5	2.6	.	1.3	6	2.2	139	142.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Horry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	116	16.2	96	12.1	74	8.7	63	6.8	570	176.9
Gender										
Male	80	22.8	68	17.6	59	14.3	46	10.2	426	273.5
Female	36	9.9	28	6.9	15	3.4	17	3.5	144	86.5
Race										
Black	52	49.3	47	42.4	41	34.8	31	24.2	258	588.1
White	52	9.1	39	6.3	27	4.1	28	3.9	265	104.7
Hispanic	10	35.4	7	16.8	4	7.6	.	5.3	34	176.0
Other	.	19.9	.	23.7	.	13.2	.	5.7	13	214.3
Race/Gender										
Black Male	28	56.2	33	62.9	31	55.6	18	29.7	170	819.8
Black Female	24	43.1	14	23.9	10	16.1	13	19.3	88	380.4
White Male	40	14.3	27	8.9	23	7.2	24	6.8	216	177.1
White Female	12	4.1	12	3.7	4	1.2	4	1.1	49	37.4
Hispanic Male	10	57.4	7	28.9	.	10.2	.	9.9	31	302.1
Hispanic Female	0	0.0	0	0.0	.	4.3	0	0.0	.	33.1
Risk Group - Total										
Male sex w/Male	45	.	37	.	37	.	27	.	268	.
Injecton Drug Use	15	.	9	.	5	.	.	.	58	.
MSM and Inj Drug Use	.	.	.	.	.	.	.	.	19	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	36	.	32	.	16	.	13	.	139	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	.	.	0	.	0	.	.	.
Other/Undetermined	17	.	14	.	14	.	18	.	83	.
Risk Group - Black										
Male sex w/Male	11	.	14	.	18	.	7	.	79	.
Injecton Drug Use	6	.	6	.	.	.	0	.	26	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.	22	.	12	.	11	.	92	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	5	.	10	.	12	.	54	.
Risk Group - White										
Male sex w/Male	26	.	17	.	17	.	17	.	167	.
Injecton Drug Use	8	.	.	.	.	.	.	.	25	.
MSM and Inj Drug Use	.	.	.	.	.	.	.	.	13	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	9	.	.	.	.	.	40	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	0	.
Other/Undetermined	6	.	7	.	.	.	5	.	20	.
Age Group										
Less than 13	0	0.0	.	0.9	0	0.0	0	0.0	0	0.0
13-19	.	5.3	0	0.0	.	1.5	0	0.0	.	4.1
20-29	25	24.8	16	15.4	12	10.8	8	7.2	22	58.3
30-39	30	30.3	30	29.5	22	21.9	12	11.2	86	234.9
40-49	43	43.0	26	24.8	26	24.1	15	13.5	166	439.2
50-59	12	13.0	14	13.2	9	7.7	24	18.4	216	478.1
60 and Up	.	1.9	9	4.7	4	1.8	4	1.4	79	81.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Jasper HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	30.7	8	11.3	11	14.2	7	8.4	104	365.3
Gender										
Male	15	43.1	7	18.8	10	24.9	6	14.1	76	525.5
Female	5	16.5	.	3.1	.	2.6	.	2.4	28	200.0
Race										
Black	15	46.4	8	24.3	6	16.9	7	19.5	75	613.6
White	.	7.8	0	0.0	4	13.2	0	0.0	18	147.2
Hispanic	.	43.8	0	0.0	0	0.0	0	0.0	7	189.2
Other	0	0.0	0	0.0	.	124.9	0	0.0	4	1,269.8
Race/Gender										
Black Male	12	72.3	7	41.8	6	34.0	6	33.6	56	921.0
Black Female	.	19.1	.	6.2	0	0.0	.	5.5	19	309.3
White Male	.	15.0	0	0.0	.	19.3	0	0.0	15	244.8
White Female	0	0.0	0	0.0	.	6.7	0	0.0	.	49.2
Hispanic Male	.	21.6	0	0.0	0	0.0	0	0.0	4	189.8
Hispanic Female	.	90.4	0	0.0	0	0.0	0	0.0	.	188.5
Risk Group - Total										
Male sex w/Male	4	.	5	.	8	.	4	.	31	.
Injecton Drug Use	0	.	0	.	.	.	0	.	11	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	.	.	0	.	36	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	.	.	.	.	.	.	21	.
Risk Group - Black										
Male sex w/Male	.	.	5	.	4	.	4	.	21	.
Injecton Drug Use	0	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	.	.	0	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	.	.	.	.	19	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	0	.	9	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	45.8
13-19	.	15.7	0	0.0	.	14.7	0	0.0	0	0.0
20-29	5	52.0	5	48.0	.	25.1	4	33.1	10	250.1
30-39	4	42.9	.	10.2	0	0.0	.	9.7	12	342.5
40-49	6	62.5	.	10.1	5	48.0	.	9.8	19	566.9
50-59	.	39.7	.	11.6	.	19.4	0	0.0	42	1,053.5
60 and Up	.	9.4	0	0.0	0	0.0	.	5.1	19	267.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.
Note: See technical notes at end of document.

Jasper AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	23.0	9	12.8	6	7.7	6	7.2	57	200.2
Gender										
Male	9	25.9	7	18.8	5	12.4	5	11.7	40	276.5
Female	6	19.8	.	6.1	.	2.6	.	2.4	17	121.4
Race										
Black	12	37.2	8	24.3	.	8.5	4	11.1	46	376.3
White	.	4.0	0	0.0	.	6.6	.	2.9	5	40.9
Hispanic	.	29.2	0	0.0	0	0.0	0	0.0	4	108.1
Other	0	0.0	.	155.0	.	124.9	.	111.3	.	634.9
Race/Gender										
Black Male	8	48.2	7	41.8	.	11.3	.	16.8	32	526.4
Black Female	4	25.5	.	6.2	.	5.6	.	5.5	14	227.9
White Male	.	7.5	0	0.0	.	12.9	.	5.6	5	81.6
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	94.9
Hispanic Female	.	90.4	0	0.0	0	0.0	0	0.0	.	125.7
Risk Group - Total										
Male sex w/Male	4	.	5	.	.	.	.	.	18	.
Injecton Drug Use	.	.	0	.	0	.	.	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	.	.	0	.	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	9	.
Risk Group - Black										
Male sex w/Male	4	.	5	.	0	.	.	.	12	.
Injecton Drug Use	.	.	0	.	0	.	.	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	.	.	0	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	8	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.	.	.	5	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	41.6	5	48.0	.	8.4	.	8.3	.	25.0
30-39	.	21.5	.	10.2	0	0.0	0	0.0	6	171.3
40-49	6	62.5	.	10.1	.	19.1	.	9.8	9	268.6
50-59	.	26.5	.	11.6	.	28.9	.	25.5	29	727.3
60 and Up	.	9.4	.	8.4	0	0.0	.	5.1	12	168.9

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Kershaw HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	27	15.7	15	8.3	25	13.3	26	13.6	209	326.0
Gender										
Male	19	22.9	11	12.5	18	19.8	21	22.7	141	454.1
Female	8	9.0	4	4.3	7	7.3	5	5.1	68	205.8
Race										
Black	22	49.1	11	23.8	19	40.3	17	35.2	148	920.9
White	5	4.1	.	1.5	5	3.9	5	3.7	49	110.0
Hispanic	0	0.0	.	36.5	0	0.0	.	12.4	4	145.5
Other	0	0.0	0	0.0	.	52.1	.	93.0	7	974.9
Race/Gender										
Black Male	14	66.9	7	32.5	14	63.1	14	62.0	93	1,232.1
Black Female	8	33.4	4	16.2	5	19.9	.	11.7	55	645.3
White Male	5	8.4	.	3.2	.	4.7	4	6.2	39	179.5
White Female	0	0.0	0	0.0	.	3.0	.	1.4	10	43.8
Hispanic Male	0	0.0	.	68.3	0	0.0	.	23.0	.	206.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	77.2
Risk Group - Total										
Male sex w/Male	9	.	9	.	14	.	15	.	81	.
Injecton Drug Use	0	.	0	.	.	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	.	.	.	.	.	.	62	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	4	.	8	.	9	.	57	.
Risk Group - Black										
Male sex w/Male	6	.	6	.	10	.	9	.	44	.
Injecton Drug Use	0	.	0	.	.	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	.	.	.	.	.	.	52	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	6	.	7	.	44	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	.	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	9	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	.	11.7	0	0.0
20-29	4	18.2	5	23.8	15	71.9	10	46.2	21	292.6
30-39	5	23.3	5	23.5	.	4.6	7	31.2	28	369.8
40-49	9	33.9	.	11.6	5	19.6	.	12.4	43	541.8
50-59	7	28.5	.	7.5	.	7.0	.	10.6	72	760.1
60 and Up	.	6.3	0	0.0	.	4.8	.	2.2	45	289.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Kershaw AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	27	15.7	18	10.0	14	7.5	21	11.0	124	193.5
Gender										
Male	21	25.3	15	17.2	8	8.8	19	20.6	88	283.4
Female	6	6.7	.	3.2	6	6.3	.	2.0	36	108.9
Race										
Black	22	49.1	13	28.2	9	19.0	15	31.1	87	541.3
White	5	4.1	4	3.2	.	2.3	.	2.3	29	65.1
Hispanic	0	0.0	.	18.3	.	13.2	.	24.8	4	145.5
Other	0	0.0	0	0.0	.	52.1	.	46.5	4	557.2
Race/Gender										
Black Male	16	76.5	10	46.4	5	22.6	13	57.6	57	755.2
Black Female	6	25.1	.	12.1	4	16.0	.	7.8	30	352.0
White Male	5	8.4	4	6.4	.	3.2	.	4.6	25	115.1
White Female	0	0.0	0	0.0	.	1.5	0	0.0	4	17.5
Hispanic Male	0	0.0	.	34.2	0	0.0	.	46.0	.	206.5
Hispanic Female	0	0.0	0	0.0	.	29.3	0	0.0	.	77.2
Risk Group - Total										
Male sex w/Male	10	.	11	.	5	.	11	.	50	.
Injecton Drug Use	.	.	.	.	.	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	.	.	5	.	4	.	39	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	5	.	4	.	.	.	6	.	29	.
Risk Group - Black										
Male sex w/Male	6	.	6	.	.	.	6	.	26	.
Injecton Drug Use	.	.	.	.	.	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	.	.	.	.	4	.	35	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	4	.	4	.	.	.	5	.	20	.
Risk Group - White										
Male sex w/Male	4	.	4	.	.	.	.	.	20	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	0	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	5.8	.	5.8	0	0.0	0	0.0
20-29	.	13.6	.	9.6	.	9.6	5	23.1	7	97.6
30-39	6	27.9	8	37.6	.	4.6	6	26.7	19	250.9
40-49	10	37.7	5	19.3	7	27.4	6	25.0	28	352.8
50-59	7	28.5	.	7.5	.	3.5	.	7.0	44	464.5
60 and Up	.	3.2	0	0.0	.	4.8	.	4.4	26	167.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lancaster HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	30	15.0	21	9.1	18	7.6	20	7.7	302	337.0
Gender										
Male	18	18.0	12	10.5	9	7.7	17	13.4	202	463.3
Female	12	11.9	9	7.7	9	7.5	.	2.3	100	217.4
Race										
Black	16	30.0	17	29.3	11	19.6	16	27.5	174	878.2
White	11	7.9	.	1.9	7	4.2	4	2.2	105	164.9
Hispanic	.	16.5	0	0.0	0	0.0	0	0.0	14	299.9
Other	.	148.2	.	51.9	0	0.0	0	0.0	9	625.9
Race/Gender										
Black Male	9	34.0	10	34.8	4	14.4	13	45.3	108	1,122.3
Black Female	7	26.1	7	23.9	7	24.8	.	10.1	66	647.7
White Male	6	8.7	.	1.2	5	6.2	4	4.5	76	246.2
White Female	5	7.0	.	2.4	.	2.3	0	0.0	29	88.4
Hispanic Male	.	26.5	0	0.0	0	0.0	0	0.0	12	494.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	89.2
Risk Group - Total										
Male sex w/Male	8	.	9	.	4	.	9	.	127	.
Injecton Drug Use	.	.	0	.	0	.	0	.	17	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	9	.	5	.	0	.	73	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	.	.	9	.	11	.	75	.
Risk Group - Black										
Male sex w/Male	.	.	7	.	.	.	6	.	55	.
Injecton Drug Use	0	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	8	.	4	.	0	.	50	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	5	.	10	.	52	.
Risk Group - White										
Male sex w/Male	5	.	.	.	.	.	.	.	61	.
Injecton Drug Use	.	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	.	.	18	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	5.3	.	4.7	.	5.2	.	5.0	.	29.2
20-29	5	19.5	11	38.9	.	3.7	10	34.7	38	387.2
30-39	14	49.3	.	9.6	.	9.8	4	12.1	55	479.8
40-49	6	20.0	4	12.0	4	12.2	.	2.9	83	700.2
50-59	.	11.0	.	6.4	6	18.9	.	5.9	79	684.5
60 and Up	.	2.8	0	0.0	.	5.3	.	3.0	45	189.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lancaster AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	10.0	17	7.4	19	8.0	15	5.8	179	199.8
Gender										
Male	14	14.1	8	7.0	10	8.6	11	8.7	115	263.8
Female	6	5.9	9	7.7	9	7.5	4	3.1	64	139.2
Race										
Black	10	18.7	14	24.1	14	25.0	12	20.6	108	545.1
White	9	6.5	.	1.9	5	3.0	.	1.1	60	94.3
Hispanic	.	16.5	0	0.0	0	0.0	.	7.5	7	149.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	278.2
Race/Gender										
Black Male	6	22.7	7	24.3	7	25.2	11	38.4	65	675.5
Black Female	4	14.9	7	23.9	7	24.8	.	3.4	43	422.0
White Male	7	10.2	.	1.2	.	3.6	0	0.0	43	139.3
White Female	.	2.9	.	2.4	.	2.3	.	2.1	17	51.8
Hispanic Male	.	26.5	0	0.0	0	0.0	0	0.0	6	247.3
Hispanic Female	0	0.0	0	0.0	0	0.0	.	15.7	.	44.6
Risk Group - Total										
Male sex w/Male	5	.	.	.	5	.	.	.	69	.
Injecton Drug Use	.	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	6	.	.	.	5	.	47	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	8	.	11	.	6	.	48	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	4	.	.	.	32	.
Injecton Drug Use	.	.	0	.	0	.	.	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	6	.	.	.	.	.	31	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	8	.	8	.	6	.	36	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	34	.
Injecton Drug Use	.	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	.	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	.	.	0	.	9	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	11.7	.	10.6	.	7.4	4	13.9	11	112.1
30-39	8	28.2	4	12.7	5	16.4	.	9.1	23	200.6
40-49	4	13.3	6	18.0	5	15.2	.	5.8	61	514.6
50-59	5	18.4	4	12.8	5	15.8	5	14.7	58	502.6
60 and Up	0	0.0	0	0.0	.	3.5	.	1.5	26	109.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Laurens HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	24	11.4	15	7.3	24	12.1	25	12.5	205	307.0
Gender										
Male	13	12.8	13	13.0	20	20.7	17	17.5	147	455.4
Female	11	10.2	.	1.9	4	4.0	8	7.8	58	168.2
Race										
Black	16	29.7	8	15.3	19	36.9	20	38.5	140	812.6
White	6	4.1	6	4.2	4	2.9	5	3.6	53	115.3
Hispanic	.	31.0	.	12.9	0	0.0	0	0.0	8	263.1
Other	0	0.0	0	0.0	.	70.0	0	0.0	.	561.8
Race/Gender										
Black Male	8	32.1	6	24.5	15	61.7	14	57.3	96	1,187.8
Black Female	8	27.6	.	7.2	4	14.7	6	21.8	44	481.0
White Male	4	5.5	6	8.5	4	5.9	.	4.5	40	179.0
White Female	.	2.6	0	0.0	0	0.0	.	2.9	13	55.0
Hispanic Male	.	25.2	.	22.8	0	0.0	0	0.0	7	434.5
Hispanic Female	.	40.3	0	0.0	0	0.0	0	0.0	.	70.0
Risk Group - Total										
Male sex w/Male	8	.	13	.	16	.	12	.	106	.
Injecton Drug Use	4	.	.	.	0	.	.	.	13	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	.	.	.	.	.	.	47	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	6	.	8	.	31	.
Risk Group - Black										
Male sex w/Male	4	.	6	.	13	.	10	.	68	.
Injecton Drug Use	.	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	.	.	.	.	.	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	4	.	6	.	19	.
Risk Group - White										
Male sex w/Male	.	.	6	.	.	.	.	.	31	.
Injecton Drug Use	.	.	0	.	0	.	.	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	.	.	.	.	11	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	4.6	0	0.0	.	10.7	.	11.0	0	0.0
20-29	8	30.0	5	19.7	8	31.9	8	30.8	18	207.9
30-39	5	17.7	6	23.5	4	18.4	5	23.0	41	560.0
40-49	9	28.9	.	6.7	5	18.5	7	27.5	45	542.1
50-59	.	3.5	.	6.9	.	6.9	.	3.4	65	674.4
60 and Up	0	0.0	0	0.0	.	6.7	.	4.2	36	219.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Laurens AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	7.6	18	8.7	24	12.1	8	4.0	112	167.8
Gender										
Male	12	11.8	9	9.0	16	16.5	6	6.2	79	244.8
Female	4	3.7	9	8.5	8	7.8	.	2.0	33	95.7
Race										
Black	10	18.6	11	21.0	19	36.9	5	9.7	74	429.4
White	.	2.0	6	4.2	5	3.6	.	2.2	29	63.0
Hispanic	.	31.0	.	12.9	0	0.0	0	0.0	7	230.2
Other	.	96.6	0	0.0	0	0.0	0	0.0	.	374.6
Race/Gender										
Black Male	7	28.2	.	12.3	12	49.4	5	20.5	50	618.6
Black Female	.	10.3	8	28.6	7	25.7	0	0.0	24	262.4
White Male	.	4.1	5	7.0	4	5.9	.	1.5	21	93.9
White Female	0	0.0	.	1.3	.	1.4	.	2.9	8	33.9
Hispanic Male	.	25.2	.	22.8	0	0.0	0	0.0	6	372.5
Hispanic Female	.	40.3	0	0.0	0	0.0	0	0.0	.	70.0
Risk Group - Total										
Male sex w/Male	6	.	7	.	14	.	.	.	55	.
Injecton Drug Use	.	.	0	.	.	.	.	.	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	8	.	5	.	.	.	28	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	17	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	11	.	.	.	33	.
Injecton Drug Use	.	.	0	.	.	.	0	.	7	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	7	.	5	.	.	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	.	.	11	.
Risk Group - White										
Male sex w/Male	.	.	5	.	.	.	.	.	17	.
Injecton Drug Use	0	.	0	.	.	.	.	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	4	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	0	.	.	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	16.0	0	0.0	0	0.0
20-29	5	18.8	.	7.9	4	16.0	0	0.0	6	69.3
30-39	5	17.7	7	27.4	4	18.4	.	13.8	19	259.5
40-49	5	16.1	6	20.2	9	33.2	4	15.7	24	289.1
50-59	.	3.5	.	6.9	.	6.9	.	3.4	39	404.7
60 and Up	0	0.0	.	2.3	.	4.5	0	0.0	24	146.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	32.7	22	37.4	22	39.3	16	29.7	168	952.6
Gender										
Male	15	47.6	14	45.8	18	61.8	7	25.2	102	1,133.4
Female	5	16.8	8	28.4	4	14.9	9	34.5	66	764.3
Race										
Black	18	47.1	21	57.1	20	56.2	14	41.0	154	1,379.7
White	.	9.6	.	5.1	0	0.0	.	5.5	8	136.0
Hispanic	0	0.0	0	0.0	.	86.0	0	0.0	.	444.4
Other	0	0.0	0	0.0	.	244.5	0	0.0	.	1,459.8
Race/Gender										
Black Male	13	67.7	13	69.4	16	87.0	6	34.3	90	1,588.2
Black Female	5	26.4	8	44.3	4	23.2	8	48.1	64	1,164.7
White Male	.	18.4	.	9.6	0	0.0	0	0.0	8	266.1
White Female	0	0.0	0	0.0	0	0.0	.	11.4	0	0.0
Hispanic Male	0	0.0	0	0.0	.	144.5	0	0.0	.	793.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	8	.	11	.	4	.	50	.
Injecton Drug Use	.	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	7	.	6	.	4	.	59	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	7	.	5	.	8	.	49	.
Risk Group - Black										
Male sex w/Male	4	.	7	.	9	.	4	.	42	.
Injecton Drug Use	.	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	7	.	6	.	4	.	57	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	7	.	5	.	6	.	45	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	37.1	.	41.4	0	0.0	0	0.0
20-29	5	50.6	6	68.4	10	121.4	5	63.4	22	853.7
30-39	5	64.0	5	66.8	.	30.1	.	46.5	24	1,141.3
40-49	5	54.0	.	24.0	6	84.7	.	32.2	32	1,645.3
50-59	.	35.2	.	34.3	.	11.7	6	75.4	59	2,293.1
60 and Up	.	19.9	4	36.9	.	8.4	0	0.0	31	697.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	26.2	16	27.2	17	30.4	8	14.9	100	567.1
Gender										
Male	13	41.3	7	22.9	11	37.7	5	18.0	61	677.8
Female	.	10.1	9	31.9	6	22.3	.	11.6	39	451.6
Race										
Black	13	34.0	15	40.8	16	45.0	8	23.4	92	824.2
White	.	14.3	.	5.1	0	0.0	0	0.0	5	84.9
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	444.4
Other	0	0.0	0	0.0	.	244.5	0	0.0	.	730.0
Race/Gender										
Black Male	10	52.0	6	32.0	10	54.5	5	28.6	54	952.9
Black Female	.	15.8	9	49.8	6	34.9	.	18.0	38	691.6
White Male	.	27.5	.	9.6	0	0.0	0	0.0	5	166.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	793.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	9	.	.	.	7	.	.	.	30	.
Injecton Drug Use	0	.	.	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	8	.	6	.	.	.	37	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	4	.	4	.	25	.
Risk Group - Black										
Male sex w/Male	6	.	.	.	6	.	.	.	25	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	8	.	6	.	.	.	35	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	4	.	4	.	24	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	4	.
Injecton Drug Use	0	.	.	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	18.5	.	41.4	0	0.0	0	0.0
20-29	5	50.6	.	34.2	7	85.0	4	50.6	9	349.3
30-39	5	64.0	5	66.8	5	75.2	.	15.5	13	618.2
40-49	.	32.5	.	24.0	.	42.4	.	16.1	16	822.6
50-59	.	23.5	4	45.8	0	0.0	.	25.1	38	1,476.9
60 and Up	.	9.9	.	9.2	0	0.0	0	0.0	24	540.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lexington HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	114	15.8	106	13.9	96	11.9	103	12.2	830	290.0
Gender										
Male	88	25.1	76	20.4	79	19.9	87	21.1	601	431.2
Female	26	7.0	30	7.6	17	4.1	16	3.7	229	156.0
Race										
Black	59	56.4	52	46.0	47	38.7	42	32.5	417	950.4
White	42	7.3	42	6.9	33	5.3	45	6.9	327	149.7
Hispanic	13	55.3	10	28.4	13	28.1	10	20.4	63	379.8
Other	0	0.0	.	13.8	.	17.3	5	24.4	20	276.1
Race/Gender										
Black Male	41	83.5	37	69.9	37	64.9	35	57.5	278	1,351.6
Black Female	18	32.5	15	25.0	10	15.5	7	10.2	139	596.3
White Male	35	12.4	32	10.9	27	8.9	37	11.8	254	238.8
White Female	7	2.3	10	3.2	6	1.9	8	2.4	73	65.1
Hispanic Male	12	86.9	5	25.0	12	46.4	9	33.6	49	548.1
Hispanic Female	.	10.3	5	33.0	.	4.8	.	4.5	14	183.2
Risk Group - Total										
Male sex w/Male	43	.	53	.	59	.	53	.	372	.
Injecton Drug Use	4	.	.	.	.	.	.	.	49	.
MSM and Inj Drug Use	6	.	.	.	.	.	.	.	23	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	29	.	19	.	14	.	12	.	193	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	10	.
Other/Undetermined	31	.	32	.	19	.	34	.	182	.
Risk Group - Black										
Male sex w/Male	22	.	24	.	32	.	22	.	157	.
Injecton Drug Use	.	.	0	.	0	.	0	.	23	.
MSM and Inj Drug Use	.	.	.	.	0	.	.	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	20	.	8	.	8	.	6	.	122	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	9	.
Other/Undetermined	13	.	19	.	7	.	13	.	97	.
Risk Group - White										
Male sex w/Male	20	.	26	.	19	.	23	.	186	.
Injecton Drug Use	.	.	.	.	.	.	.	.	24	.
MSM and Inj Drug Use	4	.	0	.	.	.	0	.	15	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	8	.	5	.	.	.	53	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	8	.	7	.	5	.	17	.	49	.
Age Group										
Less than 13	.	0.8	0	0.0	0	0.0	0	0.0	.	2.1
13-19	6	8.8	9	12.4	6	8.1	6	8.0	6	23.7
20-29	33	36.3	39	40.2	39	37.4	34	31.7	86	239.3
30-39	29	29.6	28	27.5	20	18.9	15	13.6	146	391.4
40-49	25	21.8	17	14.9	14	12.0	28	24.3	214	556.7
50-59	14	13.9	10	9.2	11	9.5	15	12.3	246	605.0
60 and Up	6	5.1	.	2.2	6	3.9	5	2.9	131	215.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lexington AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	84	11.7	68	8.9	63	7.8	56	6.6	463	161.8
Gender										
Male	65	18.6	49	13.1	46	11.7	43	10.5	339	243.2
Female	19	5.2	19	4.8	17	4.1	13	3.0	124	84.5
Race										
Black	42	40.2	38	33.6	31	25.5	28	21.7	247	562.9
White	32	5.5	21	3.5	21	3.3	18	2.8	165	75.6
Hispanic	10	42.6	8	22.8	7	15.1	7	14.3	39	235.2
Other	0	0.0	.	6.9	4	23.1	.	14.6	11	151.9
Race/Gender										
Black Male	29	59.1	26	49.1	21	36.9	22	36.2	168	816.8
Black Female	13	23.4	12	19.9	10	15.5	6	8.7	79	338.9
White Male	26	9.2	17	5.8	16	5.3	14	4.4	131	123.2
White Female	6	2.0	4	1.3	5	1.5	4	1.2	34	30.4
Hispanic Male	10	72.5	5	25.0	6	23.2	4	14.9	30	335.6
Hispanic Female	0	0.0	.	19.8	.	4.8	.	13.5	9	117.7
Risk Group - Total										
Male sex w/Male	29	.	28	.	34	.	25	.	202	.
Injecton Drug Use	.	.	.	.	.	.	4	.	33	.
MSM and Inj Drug Use	8	.	.	.	.	.	0	.	12	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	23	.	16	.	13	.	8	.	113	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	6	.
Other/Undetermined	22	.	19	.	14	.	19	.	96	.
Risk Group - Black										
Male sex w/Male	15	.	14	.	17	.	13	.	89	.
Injecton Drug Use	0	.	.	.	0	.	.	.	18	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	13	.	11	.	6	.	5	.	75	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	6	.
Other/Undetermined	10	.	10	.	7	.	7	.	51	.
Risk Group - White										
Male sex w/Male	12	.	12	.	11	.	10	.	99	.
Injecton Drug Use	.	.	.	.	.	.	.	.	13	.
MSM and Inj Drug Use	4	.	.	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	5	.	5	.	0	.	28	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	.	.	4	.	7	.	20	.
Age Group										
Less than 13	.	0.8	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	2.8	.	4.1	.	1.3	.	7.9
20-29	14	15.4	11	11.3	15	14.4	12	11.2	29	80.7
30-39	27	27.5	21	20.6	15	14.2	8	7.3	70	187.7
40-49	29	25.3	16	14.0	12	10.3	21	18.3	125	325.2
50-59	9	8.9	15	13.9	12	10.3	12	9.9	153	376.3
60 and Up	4	3.4	.	2.2	6	3.9	.	1.1	84	137.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

McCormick HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	4	13.1	.	9.9	4	13.4	.	6.8	26	269.6
Gender										
Male	4	24.5	.	18.3	.	18.4	.	12.5	21	402.5
Female	0	0.0	0	0.0	.	7.4	0	0.0	5	113.0
Race										
Black	.	13.2	.	20.6	.	20.1	.	7.2	19	417.9
White	.	13.4	0	0.0	.	6.8	0	0.0	6	122.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	.	500.0	.	1,369.8
Race/Gender										
Black Male	.	24.8	.	37.6	.	24.2	.	12.7	15	594.3
Black Female	0	0.0	0	0.0	.	15.1	0	0.0	4	197.8
White Male	.	25.2	0	0.0	.	12.9	0	0.0	5	194.2
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	43.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	.	.	.	.	.	.	15	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	0	.	.	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	.	.	10	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	4	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	0	.	.	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	4	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	49.3	0	0.0	.	71.9	0	0.0
20-29	0	0.0	0	0.0	0	0.0	.	34.9	4	440.6
30-39	.	26.8	0	0.0	.	30.8	0	0.0	.	102.3
40-49	.	71.6	.	50.5	.	55.3	0	0.0	4	389.8
50-59	0	0.0	0	0.0	.	21.6	0	0.0	15	1,049.7
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	.	50.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

McCormick AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	16.4	0	0.0	.	6.7	.	6.8	20	207.4
Gender										
Male	4	24.5	0	0.0	.	6.2	.	6.3	16	306.7
Female	.	7.0	0	0.0	.	7.4	.	7.6	4	90.4
Race										
Black	4	26.4	0	0.0	.	13.4	.	14.2	15	329.9
White	.	6.7	0	0.0	0	0.0	0	0.0	5	102.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	.	37.1	0	0.0	.	12.1	.	12.7	12	475.4
Black Female	.	14.2	0	0.0	.	15.1	.	16.3	.	148.3
White Male	.	12.5	0	0.0	0	0.0	0	0.0	4	155.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	43.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	0	.	.	.	.	.	12	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	.	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	.	.	.	.	9	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	.	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	.	330.4
30-39	.	26.8	0	0.0	.	30.8	.	33.3	.	102.3
40-49	.	71.6	0	0.0	0	0.0	.	30.8	.	194.9
50-59	.	23.1	0	0.0	.	21.6	0	0.0	12	839.7
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	.	50.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Marion HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	22	21.2	25	24.9	14	14.4	8	8.4	173	545.3
Gender										
Male	10	20.8	15	32.3	8	17.8	.	6.8	96	656.4
Female	12	21.7	10	18.6	6	11.4	5	9.7	77	450.2
Race										
Black	19	33.1	23	41.5	12	22.0	7	13.0	149	827.4
White	.	7.0	.	4.8	.	5.2	0	0.0	16	128.2
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	5	603.1
Other	0	0.0	0	0.0	0	0.0	.	83.6	.	740.7
Race/Gender										
Black Male	8	31.6	13	53.1	7	29.2	.	12.5	83	1,035.5
Black Female	11	34.3	10	32.2	5	16.4	4	13.3	66	660.6
White Male	.	9.8	.	10.2	.	5.4	0	0.0	9	151.0
White Female	.	4.5	0	0.0	.	5.0	0	0.0	7	107.3
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	646.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	547.9
Risk Group - Total										
Male sex w/Male	7	.	9	.	8	.	.	.	40	.
Injecton Drug Use	0	.	.	.	0	.	0	.	14	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	7	.	.	.	4	.	70	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	5	.
Other/Undetermined	6	.	6	.	.	.	.	.	42	.
Risk Group - Black										
Male sex w/Male	6	.	8	.	7	.	.	.	35	.
Injecton Drug Use	0	.	.	.	0	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	7	.	.	.	4	.	60	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	4	.
Other/Undetermined	4	.	5	.	.	.	0	.	38	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	5	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	.	5.7	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	20.6	0	0.0	0	0.0	.	72.2
20-29	9	61.9	7	55.8	7	60.9	.	25.7	15	389.3
30-39	4	33.1	5	42.4	.	8.9	.	18.7	27	772.3
40-49	5	35.3	7	53.8	4	33.3	.	17.8	45	1,210.0
50-59	.	19.6	.	19.7	0	0.0	.	7.5	55	1,268.7
60 and Up	.	5.4	0	0.0	.	8.8	0	0.0	29	354.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Marion AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	18	17.4	26	25.9	16	16.4	7	7.4	114	359.4
Gender										
Male	7	14.5	12	25.9	8	17.8	5	11.3	64	437.6
Female	11	19.8	14	26.0	8	15.2	.	3.9	50	292.4
Race										
Black	18	31.4	26	46.9	15	27.5	7	13.0	100	555.4
White	0	0.0	0	0.0	.	2.5	0	0.0	8	64.1
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	4	482.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	493.8
Race/Gender										
Black Male	7	27.6	12	49.1	7	29.2	5	20.9	55	686.2
Black Female	11	34.3	14	45.1	8	26.3	.	6.7	45	450.3
White Male	0	0.0	0	0.0	.	5.4	0	0.0	5	83.9
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	46.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	646.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	274.0
Risk Group - Total										
Male sex w/Male	.	.	5	.	4	.	.	.	24	.
Injecton Drug Use	.	.	.	.	.	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	13	.	7	.	.	.	50	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	5	.
Other/Undetermined	6	.	5	.	.	.	.	.	21	.
Risk Group - Black										
Male sex w/Male	.	.	5	.	.	.	.	.	21	.
Injecton Drug Use	.	.	.	.	.	.	0	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	13	.	7	.	.	.	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	4	.
Other/Undetermined	6	.	5	.	.	.	.	.	20	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	.	5.7	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	20.6	0	0.0	0	0.0	.	72.2
20-29	.	6.9	5	39.8	.	17.4	.	8.6	7	181.7
30-39	.	24.9	6	50.8	.	8.9	.	18.7	15	429.1
40-49	9	63.6	6	46.1	9	75.0	.	17.8	31	833.6
50-59	4	26.2	6	39.4	.	13.9	.	7.5	39	899.7
60 and Up	.	5.4	0	0.0	.	8.8	.	4.2	20	244.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Marlboro HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	17.5	11	12.8	17	20.1	14	17.1	142	527.0
Gender										
Male	6	13.5	7	15.4	14	31.1	13	29.8	90	634.6
Female	9	21.6	4	9.8	.	7.6	.	2.5	52	407.4
Race										
Black	13	28.9	10	22.2	16	36.7	6	14.2	108	778.6
White	.	5.4	0	0.0	.	2.9	4	12.1	25	233.3
Hispanic	0	0.0	.	70.0	0	0.0	4	148.7	6	654.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	138.8
Race/Gender										
Black Male	5	21.2	6	24.8	14	60.5	5	22.2	65	884.6
Black Female	8	37.6	4	19.3	.	9.8	.	5.1	43	659.1
White Male	.	5.4	0	0.0	0	0.0	4	23.8	17	316.0
White Female	.	5.4	0	0.0	.	5.9	0	0.0	8	149.9
Hispanic Male	0	0.0	.	98.3	0	0.0	4	184.9	6	816.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	4	.	5	.	7	.	.	.	36	.
Injecton Drug Use	0	.	0	.	.	.	.	.	20	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	4	.	.	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	4	.	9	.	33	.
Risk Group - Black										
Male sex w/Male	.	.	4	.	7	.	.	.	23	.
Injecton Drug Use	0	.	0	.	0	.	.	.	18	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	.	.	4	.	.	.	38	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	4	.	4	.	.	.	26	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	.	.	10	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	25.3	0	0.0	.	15.1	.	46.3
20-29	4	31.2	.	24.0	9	79.8	.	26.6	16	437.4
30-39	.	25.5	.	16.4	0	0.0	4	34.3	18	479.2
40-49	7	55.1	.	24.1	5	41.5	.	18.4	28	799.0
50-59	.	8.6	.	8.4	.	16.6	4	34.1	58	1,507.3
60 and Up	0	0.0	0	0.0	.	5.7	0	0.0	21	341.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Marlboro AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	18	20.9	.	2.3	15	17.7	7	8.5	80	296.9
Gender										
Male	11	24.9	0	0.0	14	31.1	5	11.4	49	345.5
Female	7	16.7	.	4.8	.	2.5	.	5.2	31	242.9
Race										
Black	15	33.4	.	4.4	14	32.2	7	16.5	60	432.5
White	.	5.4	0	0.0	0	0.0	0	0.0	18	168.0
Hispanic	0	0.0	0	0.0	.	39.3	0	0.0	.	109.0
Other	.	30.1	0	0.0	0	0.0	0	0.0	.	69.4
Race/Gender										
Black Male	8	33.9	0	0.0	13	56.2	5	22.2	34	462.7
Black Female	7	32.9	.	9.6	.	5.0	.	10.1	26	398.5
White Male	.	10.8	0	0.0	0	0.0	0	0.0	13	241.7
White Female	0	0.0	0	0.0	0	0.0	0	0.0	5	93.7
Hispanic Male	0	0.0	0	0.0	.	48.4	0	0.0	.	136.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	0	.	4	.	.	.	17	.
Injecton Drug Use	0	.	0	.	0	.	.	.	14	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	.	.	6	.	.	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	4	.	.	.	14	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	4	.	.	.	9	.
Injecton Drug Use	0	.	0	.	0	.	.	.	12	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	.	.	5	.	.	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	4	.	.	.	14	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	7.8	0	0.0	4	35.4	.	17.7	6	164.0
30-39	7	59.5	.	8.3	.	24.9	.	8.6	8	213.0
40-49	9	70.8	.	8.0	4	33.2	.	18.4	20	570.8
50-59	.	8.6	0	0.0	.	16.6	0	0.0	34	883.6
60 and Up	0	0.0	0	0.0	.	11.4	.	11.0	12	195.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Newberry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	19	16.8	12	10.6	11	9.8	11	9.7	114	299.4
Gender										
Male	12	21.7	10	17.8	7	12.7	10	18.0	77	413.8
Female	7	12.2	.	3.4	4	6.9	.	1.8	37	190.0
Race										
Black	14	39.6	7	19.8	10	28.6	8	22.7	77	650.8
White	4	5.8	4	5.8	0	0.0	.	4.4	24	104.2
Hispanic	.	12.0	.	10.3	.	11.9	0	0.0	9	320.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	753.7
Race/Gender										
Black Male	9	54.8	6	36.2	6	35.6	7	41.3	53	930.2
Black Female	5	26.4	.	5.4	4	22.0	.	5.5	24	391.3
White Male	.	6.1	.	9.0	0	0.0	.	8.9	14	124.9
White Female	.	5.7	.	2.9	0	0.0	0	0.0	10	84.6
Hispanic Male	.	18.5	.	16.8	.	22.1	0	0.0	8	544.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	74.5
Risk Group - Total										
Male sex w/Male	8	.	6	.	4	.	6	.	43	.
Injecton Drug Use	.	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	.	.	.	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	6	.	4	.	4	.	37	.
Risk Group - Black										
Male sex w/Male	6	.	.	.	.	.	.	.	30	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	0	.	.	.	.	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	4	.	4	.	4	.	26	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	.	.	9	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	7	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	16.7
13-19	.	18.9	.	18.5	0	0.0	.	9.5	.	28.2
20-29	.	19.6	.	13.8	.	14.1	4	27.9	10	210.0
30-39	4	28.2	5	36.4	4	32.0	.	24.8	21	526.4
40-49	6	37.1	.	12.9	0	0.0	.	7.3	25	549.7
50-59	.	13.1	0	0.0	.	18.6	.	12.4	40	753.2
60 and Up	.	9.0	.	4.1	.	7.5	0	0.0	16	161.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Newberry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	18	16.0	10	8.8	12	10.7	8	7.0	63	165.4
Gender										
Male	13	23.5	5	8.9	8	14.5	7	12.5	43	231.1
Female	5	8.7	5	8.6	4	6.9	.	1.8	20	102.7
Race										
Black	12	34.0	8	22.7	10	28.6	6	17.1	45	380.3
White	4	5.8	.	3.0	.	1.4	.	1.4	10	43.5
Hispanic	.	23.9	0	0.0	.	11.9	.	11.8	5	177.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	753.7
Race/Gender										
Black Male	8	48.7	5	30.1	6	35.6	5	29.5	32	561.6
Black Female	4	21.1	.	16.1	4	22.0	.	5.5	13	212.0
White Male	.	9.0	0	0.0	.	3.0	.	3.0	5	44.6
White Female	.	2.9	.	5.7	0	0.0	0	0.0	5	42.2
Hispanic Male	.	37.1	0	0.0	.	22.1	.	22.7	5	340.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	0	.	4	.	5	.	23	.
Injecton Drug Use	5	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	.	.	0	.	.	.
Heterosexual	.	.	5	.	.	.	.	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	5	.	4	.	.	.	22	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	.	.	.	.	17	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	.	.	0	.	.	.
Heterosexual	.	.	4	.	.	.	.	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	4	.	4	.	.	.	16	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	.	.	.	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	16.7
13-19	0	0.0	0	0.0	0	0.0	.	9.5	.	28.2
20-29	.	13.0	0	0.0	.	7.0	.	6.9	4	84.0
30-39	4	28.2	6	43.7	.	24.1	.	16.5	8	200.5
40-49	8	49.5	4	25.6	.	13.9	.	14.5	14	307.8
50-59	.	13.1	0	0.0	4	24.9	.	12.4	29	546.0
60 and Up	.	9.0	0	0.0	.	7.5	0	0.0	6	60.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Oconee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	5.7	10	4.6	8	3.5	24	10.6	98	128.4
Gender										
Male	9	8.7	9	8.5	5	4.5	17	15.2	71	189.0
Female	.	2.8	.	0.9	.	2.6	7	6.1	27	69.6
Race										
Black	6	34.5	.	17.4	.	11.1	11	59.8	31	502.6
White	6	3.2	6	3.2	.	1.5	8	4.1	53	81.1
Hispanic	0	0.0	.	11.1	.	19.1	.	26.4	9	229.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	111.9
Race/Gender										
Black Male	4	48.4	.	24.3	.	11.4	8	89.9	19	633.5
Black Female	.	22.0	.	11.1	.	10.8	.	31.7	12	378.6
White Male	5	5.5	6	6.5	.	3.2	6	6.3	44	137.0
White Female	.	1.1	0	0.0	0	0.0	.	2.0	9	27.1
Hispanic Male	0	0.0	.	20.8	.	17.8	.	16.5	4	197.6
Hispanic Female	0	0.0	0	0.0	.	20.6	.	37.8	5	262.5
Risk Group - Total										
Male sex w/Male	4	.	9	.	.	.	11	.	50	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	0	.	.	.	.	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	11	.	22	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	0	.	6	.	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	5	.	10	.
Risk Group - White										
Male sex w/Male	.	.	6	.	.	.	5	.	34	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	.	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	5.4	.	5.6	.	16.9	0	0.0
20-29	.	7.6	.	12.1	.	7.7	10	37.8	16	181.7
30-39	4	15.1	4	16.0	.	12.5	.	8.6	15	190.9
40-49	5	17.1	0	0.0	.	3.6	.	11.1	21	236.0
50-59	.	3.5	.	6.5	.	3.1	4	12.1	33	299.8
60 and Up	0	0.0	0	0.0	0	0.0	.	3.0	13	56.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Oconee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	10	4.7	4	1.9	7	3.1	8	3.5	46	60.3
Gender										
Male	8	7.7	.	1.9	4	3.6	4	3.5	29	77.2
Female	.	1.9	.	1.8	.	2.6	4	3.5	17	43.9
Race										
Black	5	28.8	.	11.6	.	11.1	.	16.3	16	259.4
White	5	2.8	.	1.1	.	1.5	4	2.1	26	39.8
Hispanic	0	0.0	0	0.0	.	9.6	0	0.0	.	76.3
Other	0	0.0	0	0.0	0	0.0	.	38.5	0	0.0
Race/Gender										
Black Male	5	60.5	.	12.2	.	11.4	0	0.0	8	266.8
Black Female	0	0.0	.	11.1	.	10.8	.	31.7	8	252.5
White Male	.	3.3	.	1.1	.	3.2	.	3.1	20	62.3
White Female	.	2.1	.	1.0	0	0.0	.	1.0	6	18.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	49.4
Hispanic Female	0	0.0	0	0.0	.	20.6	0	0.0	.	104.9
Risk Group - Total										
Male sex w/Male	6	.	.	.	.	.	.	.	23	.
Injecton Drug Use	.	.	.	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	.	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	5	.	9	.
Risk Group - Black										
Male sex w/Male	4	.	.	.	.	.	0	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	5	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	.	.	17	.
Injecton Drug Use	.	.	.	.	.	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	5.6	.	5.6	0	0.0
20-29	.	7.6	.	4.1	0	0.0	.	3.7	.	34.1
30-39	.	3.7	.	4.0	0	0.0	.	8.6	6	76.3
40-49	5	17.1	0	0.0	4	14.3	.	3.7	10	112.3
50-59	.	6.9	.	6.5	.	3.1	.	9.0	18	163.5
60 and Up	0	0.0	0	0.0	.	1.7	0	0.0	9	39.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Orangeburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	84	30.8	83	30.4	85	31.0	58	21.7	519	590.4
Gender										
Male	59	46.5	62	48.7	66	51.2	48	38.4	357	867.1
Female	25	17.1	21	14.4	19	13.1	10	7.0	162	346.6
Race										
Black	74	43.5	79	46.5	79	46.2	56	33.7	463	844.3
White	8	8.3	.	2.1	4	4.3	0	0.0	40	134.5
Hispanic	.	60.9	.	44.9	.	36.0	0	0.0	11	596.2
Other	0	0.0	0	0.0	0	0.0	.	44.7	4	269.2
Race/Gender										
Black Male	54	69.7	59	76.2	62	79.0	46	60.4	309	1,230.7
Black Female	20	21.6	20	21.7	17	18.4	10	11.1	154	518.0
White Male	4	8.7	.	2.2	.	4.4	0	0.0	34	236.0
White Female	4	7.9	.	2.0	.	4.2	0	0.0	6	39.2
Hispanic Male	.	60.3	.	84.4	.	64.5	0	0.0	10	1,030.9
Hispanic Female	.	61.7	0	0.0	0	0.0	0	0.0	.	114.3
Risk Group - Total										
Male sex w/Male	30	.	40	.	50	.	38	.	214	.
Injecton Drug Use	.	.	.	.	0	.	0	.	33	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	10	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	32	.	25	.	24	.	11	.	173	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	10	.
Other/Undetermined	20	.	15	.	8	.	9	.	79	.
Risk Group - Black										
Male sex w/Male	27	.	38	.	48	.	36	.	185	.
Injecton Drug Use	.	.	.	.	0	.	0	.	30	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	28	.	25	.	22	.	11	.	165	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	9	.
Other/Undetermined	17	.	13	.	6	.	9	.	67	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	20	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	0	.	10	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	14.1
13-19	7	23.3	7	24.2	11	41.0	.	8.0	4	49.0
20-29	21	51.0	38	97.0	36	90.1	32	84.5	80	656.0
30-39	14	48.6	14	48.4	11	38.4	9	31.9	67	713.7
40-49	19	50.8	12	34.1	12	36.2	6	20.2	136	1,434.2
50-59	15	41.5	8	21.3	13	34.1	5	13.3	146	1,190.5
60 and Up	8	15.3	4	7.0	.	3.2	4	6.1	84	378.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Orangeburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	71	26.0	63	23.1	49	17.8	27	10.1	308	350.4
Gender										
Male	55	43.5	40	31.5	36	27.9	21	16.8	200	485.8
Female	16	10.9	23	15.7	13	8.9	6	4.2	108	231.1
Race										
Black	65	38.2	57	33.6	46	26.8	26	15.6	276	503.3
White	5	5.2	5	5.3	.	3.2	0	0.0	24	80.7
Hispanic	.	30.5	.	22.4	0	0.0	0	0.0	7	379.4
Other	0	0.0	0	0.0	0	0.0	.	22.3	.	67.3
Race/Gender										
Black Male	51	65.9	36	46.5	34	43.3	20	26.3	172	685.1
Black Female	14	15.1	21	22.8	12	13.0	6	6.6	104	349.8
White Male	.	6.5	.	6.6	.	4.4	0	0.0	21	145.8
White Female	.	4.0	.	4.1	.	2.1	0	0.0	.	19.6
Hispanic Male	.	60.3	.	42.1	0	0.0	0	0.0	6	618.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	114.3
Risk Group - Total										
Male sex w/Male	20	.	22	.	22	.	14	.	113	.
Injecton Drug Use	.	.	.	.	0	.	0	.	23	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	28	.	28	.	16	.	9	.	117	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	20	.	9	.	10	.	4	.	46	.
Risk Group - Black										
Male sex w/Male	19	.	20	.	22	.	13	.	95	.
Injecton Drug Use	.	.	.	.	0	.	0	.	22	.
MSM and Inj Drug Use	0	.	.	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	26	.	26	.	15	.	9	.	112	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.	7	.	8	.	4	.	40	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	0	.	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	4	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	.	.	.	.	0	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	13.3	.	6.9	4	15.0	0	0.0	.	12.2
20-29	8	19.5	18	46.0	13	32.6	6	15.8	18	147.6
30-39	18	62.5	13	44.9	9	31.4	4	14.2	38	404.8
40-49	16	42.8	15	42.7	13	39.2	9	30.4	91	959.6
50-59	13	35.9	9	24.0	7	18.4	5	13.3	102	831.7
60 and Up	12	23.0	6	10.6	.	4.8	.	4.6	58	261.5

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Pickens HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	23	6.7	20	5.6	26	7.3	16	4.4	164	133.4
Gender										
Male	18	10.5	16	9.0	20	11.1	14	7.7	128	209.0
Female	5	2.9	4	2.3	6	3.3	.	1.1	36	58.4
Race										
Black	11	46.8	5	20.1	10	39.1	6	22.9	55	631.1
White	9	3.0	13	4.2	14	4.5	8	2.5	97	90.6
Hispanic	.	34.4	.	18.3	.	8.4	.	7.8	9	203.7
Other	0	0.0	0	0.0	.	13.9	0	0.0	.	74.3
Race/Gender										
Black Male	7	62.0	4	33.3	7	55.7	5	39.1	40	934.3
Black Female	4	32.8	.	7.8	.	23.0	.	7.5	15	338.3
White Male	8	5.3	11	7.0	11	7.0	7	4.4	80	150.9
White Female	.	0.7	.	1.3	.	1.9	.	0.7	17	31.5
Hispanic Male	.	56.5	.	15.5	.	15.0	.	14.2	6	242.8
Hispanic Female	0	0.0	.	22.3	0	0.0	0	0.0	.	154.1
Risk Group - Total										
Male sex w/Male	11	.	12	.	17	.	11	.	89	.
Injecton Drug Use	.	.	.	.	.	.	.	.	12	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	0	.	29	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	4	.	4	.	.	.	24	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	7	.	5	.	25	.
Injecton Drug Use	.	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	4	.	.	.	.	.	.	.	12	.
Risk Group - White										
Male sex w/Male	7	.	9	.	10	.	5	.	59	.
Injecton Drug Use	0	.	.	.	.	.	.	.	8	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	.	.	.	.	0	.	15	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	9	.
Age Group										
Less than 13	.	2.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	7.9	.	2.4	.	2.4	.	5.0	0	0.0
20-29	5	7.7	6	9.5	9	13.4	6	8.7	17	73.9
30-39	7	16.5	.	2.5	7	18.2	.	2.6	26	200.8
40-49	.	6.5	9	19.5	6	13.6	.	4.7	37	267.9
50-59	.	7.2	.	2.3	.	6.6	4	8.5	66	412.8
60 and Up	.	1.7	.	3.0	0	0.0	.	1.3	18	67.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Pickens AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	3.7	16	4.5	17	4.7	10	2.8	101	82.2
Gender										
Male	12	6.9	10	5.6	10	5.6	9	5.0	77	125.7
Female	.	0.6	6	3.4	7	3.9	.	0.6	24	38.9
Race										
Black	5	21.2	.	8.0	8	31.2	.	11.4	30	344.2
White	6	2.0	11	3.5	7	2.2	6	1.9	65	60.7
Hispanic	.	23.0	.	18.3	.	8.4	.	7.8	4	90.5
Other	0	0.0	.	15.8	.	13.9	0	0.0	.	74.3
Race/Gender										
Black Male	4	35.4	.	8.4	4	31.8	.	23.4	22	513.9
Black Female	.	8.1	.	7.8	4	30.7	0	0.0	8	180.4
White Male	6	4.0	8	5.2	4	2.5	5	3.2	52	98.1
White Female	0	0.0	.	1.9	.	1.9	.	0.7	13	24.1
Hispanic Male	.	37.6	.	15.5	.	15.0	.	14.2	.	81.0
Hispanic Female	0	0.0	.	22.3	0	0.0	0	0.0	.	102.7
Risk Group - Total										
Male sex w/Male	7	.	8	.	5	.	7	.	51	.
Injecton Drug Use	.	.	.	.	4	.	.	.	11	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	5	.	.	.	0	.	19	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	.	.	4	.	.	.	13	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	.	.	.	.	12	.
Injecton Drug Use	.	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	0	.	6	.
Risk Group - White										
Male sex w/Male	6	.	7	.	.	.	.	.	37	.
Injecton Drug Use	0	.	.	.	.	.	.	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	.	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	2.6	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	3.1	.	3.2	.	4.5	.	4.4	.	13.1
30-39	.	2.3	4	9.9	6	15.6	.	5.2	16	123.5
40-49	6	13.0	9	19.5	6	13.6	.	4.7	24	173.8
50-59	.	4.7	0	0.0	.	4.4	.	6.4	45	281.5
60 and Up	.	1.7	.	1.5	0	0.0	0	0.0	13	49.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Richland HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	414	39.6	429	38.3	376	31.8	376	30.9	3,471	847.6
Gender										
Male	306	60.6	343	63.4	295	51.4	318	53.8	2,544	1,279.9
Female	108	20.0	86	14.9	81	13.3	58	9.2	927	439.8
Race										
Black	339	69.6	347	67.0	318	57.6	306	53.1	2,832	1,445.6
White	58	11.7	63	12.1	39	7.3	43	7.9	489	272.7
Hispanic	15	42.8	12	24.8	12	20.5	13	21.0	97	467.1
Other	.	7.2	6	18.7	7	19.9	8	20.0	43	316.8
Race/Gender										
Black Male	249	108.2	273	112.0	248	95.8	260	96.5	2,023	2,206.2
Black Female	90	35.0	74	27.0	70	23.9	46	15.0	809	776.3
White Male	44	18.2	54	21.0	31	11.7	33	12.2	403	449.9
White Female	14	5.5	9	3.4	8	3.0	10	3.7	86	95.8
Hispanic Male	11	60.3	9	35.1	11	34.4	13	39.9	76	704.8
Hispanic Female	4	23.9	.	13.2	.	3.7	0	0.0	21	210.3
Risk Group - Total										
Male sex w/Male	187	.	228	.	206	.	237	.	1,526	.
Injecton Drug Use	16	.	8	.	11	.	9	.	287	.
MSM and Inj Drug Use	7	.	9	.	5	.	0	.	109	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	107	.	66	.	50	.	27	.	760	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	0	.	34	.
Other/Undetermined	95	.	116	.	103	.	103	.	748	.
Risk Group - Black										
Male sex w/Male	152	.	176	.	175	.	200	.	1,173	.
Injecton Drug Use	11	.	8	.	8	.	5	.	245	.
MSM and Inj Drug Use	.	.	6	.	.	.	0	.	78	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	92	.	61	.	44	.	23	.	681	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	0	.	33	.
Other/Undetermined	79	.	94	.	87	.	78	.	618	.
Risk Group - White										
Male sex w/Male	30	.	41	.	22	.	24	.	287	.
Injecton Drug Use	5	.	0	.	.	.	4	.	30	.
MSM and Inj Drug Use	4	.	.	.	.	.	0	.	27	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	10	.	4	.	5	.	.	.	54	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.	15	.	9	.	13	.	88	.
Age Group										
Less than 13	.	1.1	.	1.1	.	0.6	0	0.0	9	14.3
13-19	24	20.0	32	25.3	27	21.2	21	16.3	10	23.1
20-29	133	78.1	153	78.5	136	61.3	193	81.8	444	556.9
30-39	107	73.8	82	53.2	88	55.7	66	40.8	616	1,131.8
40-49	103	66.7	99	65.0	65	42.9	46	31.5	826	1,717.4
50-59	39	29.2	46	32.6	41	27.6	39	26.1	1,050	2,107.6
60 and Up	6	4.1	15	9.1	18	9.8	11	5.4	516	726.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Richland AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	400	38.3	374	33.3	275	23.2	200	16.4	1,933	472.0
Gender										
Male	282	55.9	273	50.4	199	34.7	147	24.9	1,420	714.5
Female	118	21.8	101	17.5	76	12.5	53	8.5	513	243.4
Race										
Black	344	70.6	315	60.8	235	42.6	160	27.7	1,610	821.8
White	43	8.7	43	8.3	29	5.4	21	3.9	243	135.5
Hispanic	11	31.5	8	16.5	4	6.8	12	19.4	54	260.0
Other	.	7.2	8	25.0	7	19.9	7	17.5	26	191.6
Race/Gender										
Black Male	237	103.1	226	92.6	168	64.9	117	43.5	1,154	1,258.5
Black Female	107	41.6	89	32.5	67	22.9	43	14.0	456	437.6
White Male	33	13.5	36	14.0	23	8.6	14	5.2	205	228.8
White Female	10	4.0	7	2.6	6	2.2	7	2.6	38	42.4
Hispanic Male	10	54.8	4	15.6	.	6.3	12	36.9	43	398.8
Hispanic Female	.	5.9	4	17.6	.	7.5	0	0.0	11	110.1
Risk Group - Total										
Male sex w/Male	124	.	156	.	134	.	88	.	821	.
Injecton Drug Use	38	.	26	.	25	.	12	.	199	.
MSM and Inj Drug Use	14	.	13	.	.	.	.	.	80	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	123	.	102	.	47	.	34	.	455	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	0	.	15	.
Other/Undetermined	98	.	76	.	65	.	64	.	356	.
Risk Group - Black										
Male sex w/Male	100	.	123	.	113	.	70	.	633	.
Injecton Drug Use	36	.	24	.	21	.	10	.	175	.
MSM and Inj Drug Use	10	.	6	.	.	.	.	.	62	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	109	.	96	.	41	.	31	.	417	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	0	.	15	.
Other/Undetermined	86	.	65	.	58	.	47	.	304	.
Risk Group - White										
Male sex w/Male	19	.	27	.	19	.	10	.	154	.
Injecton Drug Use	.	.	0	.	.	.	.	.	14	.
MSM and Inj Drug Use	4	.	5	.	.	.	0	.	16	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	10	.	4	.	4	.	.	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	8	.	7	.	4	.	8	.	31	.
Age Group										
Less than 13	0	0.0	.	0.6	0	0.0	0	0.0	.	1.5
13-19	12	10.0	6	4.7	8	6.3	4	3.1	5	11.6
20-29	72	42.2	78	40.0	71	32.0	52	22.0	155	194.4
30-39	126	86.9	110	71.5	71	45.0	44	27.2	301	553.0
40-49	128	82.8	112	73.6	61	40.3	42	28.8	491	1,020.9
50-59	55	41.1	56	39.6	38	25.6	47	31.5	673	1,350.9
60 and Up	7	4.7	11	6.7	26	14.1	11	5.4	307	432.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Saluda HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	8	14.1	4	6.9	4	6.7	6	9.9	40	198.0
Gender										
Male	6	20.9	.	10.2	.	6.6	5	16.5	27	265.2
Female	.	7.2	.	3.5	.	6.7	.	3.3	13	129.8
Race										
Black	.	12.8	.	13.0	0	0.0	.	13.0	22	428.3
White	.	8.9	.	3.0	0	0.0	.	8.5	6	50.6
Hispanic	.	40.9	.	11.6	.	33.9	.	11.0	11	359.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	.	13.5	.	13.9	0	0.0	.	27.0	13	524.2
Black Female	.	12.0	.	12.3	0	0.0	0	0.0	9	338.9
White Male	.	18.3	.	6.1	0	0.0	.	11.4	5	85.6
White Female	0	0.0	0	0.0	0	0.0	.	5.6	.	16.6
Hispanic Male	.	41.6	.	18.0	.	18.8	.	18.8	8	446.4
Hispanic Female	.	39.5	0	0.0	.	56.4	0	0.0	.	236.2
Risk Group - Total										
Male sex w/Male	.	.	.	.	.	.	.	.	11	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	0	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	.	.	.	.	15	.
Risk Group - Black										
Male sex w/Male	0	.	0	.	0	.	.	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	0	.	0	.	4	.
Risk Group - White										
Male sex w/Male	.	.	.	.	0	.	.	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	25.3	.	13.1	0	0.0	.	14.2	4	176.3
30-39	.	40.9	.	13.9	.	28.7	.	14.1	8	333.1
40-49	.	24.8	.	13.0	.	12.9	.	26.4	9	359.6
50-59	.	13.2	.	12.7	.	12.0	.	23.0	13	449.8
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	6	114.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Saluda AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	.	3.5	5	8.7	5	8.4	4	6.6	26	128.7
Gender										
Male	.	6.9	4	13.6	.	9.9	.	6.6	18	176.9
Female	0	0.0	.	3.5	.	6.7	.	6.7	8	79.9
Race										
Black	0	0.0	.	13.0	.	12.8	.	6.5	13	253.1
White	0	0.0	.	6.1	0	0.0	.	5.6	.	25.3
Hispanic	.	27.3	.	11.6	.	33.9	.	11.0	9	293.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	0	0.0	.	13.9	.	26.7	0	0.0	8	322.6
Black Female	0	0.0	.	12.3	0	0.0	.	12.4	5	188.2
White Male	0	0.0	.	12.2	0	0.0	.	5.7	.	34.2
White Female	0	0.0	0	0.0	0	0.0	.	5.6	.	16.6
Hispanic Male	.	41.6	.	18.0	.	18.8	.	18.8	7	390.6
Hispanic Female	0	0.0	0	0.0	.	56.4	0	0.0	.	157.5
Risk Group - Total										
Male sex w/Male	0	.	.	.	.	.	0	.	7	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	4	.	11	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	.	.	0	.	4	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	0	.	.	.
Injecton Drug Use	0	.	.	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	12.7	.	13.1	.	13.0	0	0.0	0	0.0
30-39	.	13.6	0	0.0	.	43.1	.	14.1	6	249.8
40-49	0	0.0	4	51.9	.	12.9	.	26.4	6	239.7
50-59	0	0.0	0	0.0	0	0.0	.	11.6	11	380.6
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	.	57.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Spartanburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	109	13.4	107	12.5	107	12.3	92	10.3	811	269.1
Gender										
Male	69	17.4	72	17.4	78	18.6	72	16.6	573	392.2
Female	40	9.6	35	8.0	29	6.5	20	4.4	238	153.2
Race										
Black	73	42.8	65	36.6	71	38.8	59	31.2	498	780.8
White	29	5.0	33	5.4	32	5.3	28	4.5	272	129.8
Hispanic	6	16.6	7	14.9	.	5.6	4	6.9	27	135.3
Other	.	6.1	.	10.5	.	4.6	.	4.2	14	171.6
Race/Gender										
Black Male	39	48.7	40	48.3	49	57.8	44	50.1	325	1,096.0
Black Female	34	37.5	25	26.4	22	22.4	15	14.9	173	506.8
White Male	23	8.0	25	8.5	25	8.5	23	7.6	213	208.8
White Female	6	2.0	8	2.5	7	2.2	5	1.5	59	54.9
Hispanic Male	6	28.8	5	19.0	.	10.3	4	12.9	22	206.9
Hispanic Female	0	0.0	.	9.6	0	0.0	0	0.0	5	53.7
Risk Group - Total										
Male sex w/Male	38	.	47	.	46	.	52	.	351	.
Injecton Drug Use	6	.	4	.	8	.	4	.	74	.
MSM and Inj Drug Use	6	.	.	.	5	.	.	.	27	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	30	.	29	.	22	.	15	.	196	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	.	.	0	.	11	.
Other/Undetermined	27	.	24	.	25	.	20	.	152	.
Risk Group - Black										
Male sex w/Male	21	.	30	.	27	.	30	.	174	.
Injecton Drug Use	.	.	.	.	.	.	.	.	46	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	10	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.	18	.	18	.	11	.	145	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	.	.	0	.	8	.
Other/Undetermined	20	.	15	.	19	.	15	.	115	.
Risk Group - White										
Male sex w/Male	13	.	15	.	17	.	18	.	155	.
Injecton Drug Use	.	.	.	.	4	.	.	.	24	.
MSM and Inj Drug Use	4	.	.	.	.	.	.	.	17	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	8	.	4	.	4	.	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	6	.	5	.	4	.	30	.
Age Group										
Less than 13	.	1.4	0	0.0	.	0.7	0	0.0	.	4.0
13-19	8	10.3	.	2.4	.	2.4	.	3.5	6	21.2
20-29	33	30.8	45	41.4	32	28.2	45	37.0	98	237.1
30-39	21	18.6	20	18.0	25	23.9	14	13.2	135	375.1
40-49	30	24.9	23	18.7	26	21.6	8	6.8	180	462.2
50-59	15	13.6	15	13.1	15	12.7	17	14.0	270	660.9
60 and Up	0	0.0	.	1.2	6	3.4	5	2.6	120	182.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Spartanburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	86	10.6	66	7.7	65	7.5	39	4.4	435	144.3
Gender										
Male	54	13.6	41	9.9	51	12.1	30	6.9	316	216.3
Female	32	7.7	25	5.7	14	3.2	9	2.0	119	76.6
Race										
Black	62	36.3	35	19.7	43	23.5	23	12.2	265	415.5
White	21	3.5	23	3.7	17	2.8	12	2.0	146	69.6
Hispanic	.	8.3	6	12.8	.	5.6	4	6.9	16	80.2
Other	0	0.0	.	10.5	.	9.2	0	0.0	8	98.0
Race/Gender										
Black Male	35	43.8	16	19.3	31	36.5	18	20.5	177	597.0
Black Female	27	29.8	19	20.0	12	12.2	5	5.0	88	257.8
White Male	16	5.6	18	6.1	15	5.1	9	3.0	118	115.6
White Female	5	1.7	5	1.7	.	0.7	.	1.0	28	26.1
Hispanic Male	.	14.4	5	19.0	.	10.3	.	9.6	13	122.3
Hispanic Female	0	0.0	.	4.8	0	0.0	.	3.7	.	32.2
Risk Group - Total										
Male sex w/Male	28	.	25	.	33	.	18	.	200	.
Injecton Drug Use	5	.	.	.	5	.	4	.	43	.
MSM and Inj Drug Use	5	.	.	.	4	.	.	.	17	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	28	.	22	.	8	.	7	.	99	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	19	.	15	.	15	.	8	.	73	.
Risk Group - Black										
Male sex w/Male	17	.	13	.	19	.	10	.	96	.
Injecton Drug Use	4	.	.	.	.	.	.	.	24	.
MSM and Inj Drug Use	.	.	.	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	22	.	13	.	8	.	5	.	77	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	16	.	7	.	11	.	7	.	59	.
Risk Group - White										
Male sex w/Male	10	.	10	.	11	.	6	.	91	.
Injecton Drug Use	.	.	0	.	.	.	.	.	16	.
MSM and Inj Drug Use	.	.	.	.	.	.	.	.	11	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	6	.	0	.	.	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	.	.	.	0	.	10	.
Age Group										
Less than 13	.	0.8	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	1.3	0	0.0	.	1.2	0	0.0	.	3.5
20-29	13	12.1	11	10.1	11	9.7	11	9.0	25	60.5
30-39	24	21.3	15	13.5	15	14.3	9	8.5	52	144.5
40-49	36	29.9	17	13.9	21	17.4	5	4.3	113	290.2
50-59	11	10.0	20	17.4	12	10.1	11	9.0	168	411.3
60 and Up	0	0.0	.	1.9	5	2.9	.	1.5	76	115.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Sumter HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	97	30.9	105	33.2	79	24.4	76	23.5	676	629.4
Gender										
Male	64	42.5	73	48.3	61	39.1	57	36.6	429	826.4
Female	33	20.2	32	19.5	18	10.8	19	11.3	247	445.2
Race										
Black	87	57.9	87	57.8	68	44.4	63	41.0	583	1,130.7
White	6	4.0	13	8.6	8	5.2	7	4.6	64	129.0
Hispanic	.	30.8	.	33.0	.	25.9	0	0.0	10	242.1
Other	.	44.3	.	39.5	0	0.0	4	63.0	18	848.2
Race/Gender										
Black Male	57	80.7	60	85.5	56	78.9	47	66.2	364	1,522.8
Black Female	30	37.6	27	33.6	12	14.6	16	19.4	219	791.8
White Male	5	6.6	9	12.1	4	5.3	5	6.6	46	184.9
White Female	.	1.3	4	5.2	4	5.2	.	2.6	18	72.8
Hispanic Male	.	30.7	.	42.8	.	15.5	0	0.0	6	269.1
Hispanic Female	.	30.9	.	22.7	.	38.7	0	0.0	4	210.4
Risk Group - Total										
Male sex w/Male	31	.	44	.	41	.	32	.	191	.
Injecton Drug Use	5	.	6	.	.	.	.	.	55	.
MSM and Inj Drug Use	.	.	0	.	.	.	.	.	15	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	44	.	21	.	16	.	9	.	229	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	16	.	34	.	19	.	33	.	179	.
Risk Group - Black										
Male sex w/Male	26	.	33	.	37	.	27	.	154	.
Injecton Drug Use	4	.	5	.	0	.	0	.	47	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	41	.	20	.	15	.	8	.	215	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	16	.	29	.	15	.	28	.	154	.
Risk Group - White										
Male sex w/Male	.	.	8	.	.	.	.	.	26	.
Injecton Drug Use	.	.	.	.	.	.	.	.	7	.
MSM and Inj Drug Use	.	.	0	.	.	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	.	.	.	.	15	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	12.2	6	18.9	10	32.3	8	27.1	4	40.8
20-29	31	76.2	33	72.7	26	52.1	23	46.1	55	335.3
30-39	22	58.0	19	52.6	12	31.7	11	28.3	107	816.5
40-49	31	65.8	27	62.4	15	36.7	18	48.7	175	1,458.8
50-59	7	17.5	17	40.9	12	27.8	9	21.0	218	1,547.4
60 and Up	.	3.7	.	5.2	4	6.4	7	10.5	117	510.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Sumter AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	82	26.1	77	24.3	69	21.3	45	14.0	397	369.7
Gender										
Male	55	36.5	60	39.7	49	31.4	29	18.6	250	481.6
Female	27	16.5	17	10.3	20	12.0	16	9.6	147	264.9
Race										
Black	75	49.9	68	45.2	63	41.1	42	27.4	352	682.7
White	5	3.3	4	2.6	4	2.6	.	2.0	30	60.5
Hispanic	.	15.4	.	22.0	.	17.3	0	0.0	7	169.4
Other	.	22.1	.	59.2	0	0.0	0	0.0	8	377.0
Race/Gender										
Black Male	52	73.7	54	77.0	46	64.8	28	39.5	218	912.0
Black Female	23	28.8	14	17.4	17	20.7	14	16.9	134	484.4
White Male	.	2.6	.	4.1	.	2.6	.	1.3	23	92.4
White Female	.	3.9	.	1.3	.	2.6	.	2.6	7	28.4
Hispanic Male	.	30.7	.	42.8	.	15.5	0	0.0	5	224.2
Hispanic Female	0	0.0	0	0.0	.	19.4	0	0.0	.	105.2
Risk Group - Total										
Male sex w/Male	21	.	26	.	26	.	12	.	100	.
Injecton Drug Use	7	.	5	.	.	.	0	.	37	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	38	.	26	.	22	.	15	.	158	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	15	.	20	.	17	.	18	.	92	.
Risk Group - Black										
Male sex w/Male	19	.	22	.	23	.	12	.	82	.
Injecton Drug Use	7	.	5	.	.	.	0	.	32	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	34	.	24	.	21	.	15	.	150	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	14	.	17	.	15	.	15	.	83	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	4	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	9.5	.	9.7	.	6.8	.	10.2
20-29	12	29.5	10	22.0	18	36.1	6	12.0	16	97.6
30-39	24	63.3	18	49.8	11	29.0	6	15.4	49	373.9
40-49	35	74.4	20	46.2	22	53.9	16	43.2	103	858.7
50-59	8	20.0	20	48.2	14	32.5	8	18.7	151	1,071.8
60 and Up	.	5.5	6	10.2	.	1.7	7	10.5	77	335.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Union HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	18.9	8	9.6	11	13.0	11	13.2	57	206.0
Gender										
Male	13	32.7	6	15.1	7	17.4	6	15.2	37	281.5
Female	.	6.7	.	4.5	4	9.0	5	11.4	20	137.7
Race										
Black	14	52.4	4	15.1	9	33.2	7	26.1	42	470.4
White	.	3.5	4	7.2	.	3.5	4	7.3	14	77.0
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	12	96.3	.	16.2	5	39.2	.	23.9	26	625.1
Black Female	.	14.0	.	14.2	4	27.9	4	27.9	16	335.4
White Male	.	3.7	4	15.0	.	7.5	.	11.4	10	115.3
White Female	.	3.3	0	0.0	0	0.0	.	3.5	4	42.1
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	4	.	4	.	.	.	21	.
Injecton Drug Use	0	.	0	.	.	.	0	.	5	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	4	.	.	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	0	.	4	.	9	.	18	.
Risk Group - Black										
Male sex w/Male	6	.	.	.	.	.	.	.	15	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	0	.	4	.	6	.	12	.
Risk Group - White										
Male sex w/Male	0	.	.	.	.	.	.	.	5	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	0	.	0	.	.	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	24.0
13-19	.	12.4	.	12.8	0	0.0	.	14.0	.	42.8
20-29	4	43.7	0	0.0	.	11.0	.	10.5	.	92.5
30-39	.	28.6	.	10.0	.	21.0	.	22.7	6	207.8
40-49	4	31.6	4	33.6	5	42.9	.	28.2	14	405.4
50-59	.	24.3	0	0.0	.	15.2	.	23.4	24	570.4
60 and Up	.	5.4	.	10.2	.	4.8	.	4.6	8	108.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Union AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	10	11.8	7	8.4	12	14.1	5	6.1	36	130.1
Gender										
Male	6	15.1	5	12.5	7	17.4	.	5.1	23	175.0
Female	4	8.9	.	4.5	5	11.2	.	6.8	13	89.4
Race										
Black	8	29.9	5	18.9	9	33.2	.	11.1	26	291.2
White	.	3.5	.	3.5	.	5.3	.	3.6	10	55.0
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	6	48.1	.	24.2	4	31.4	0	0.0	15	360.7
Black Female	.	14.0	.	14.2	5	34.9	.	20.9	11	230.6
White Male	0	0.0	.	7.5	.	11.1	.	7.7	8	92.2
White Female	.	6.7	0	0.0	0	0.0	0	0.0	.	21.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	4	.	4	.	.	.	14	.
Injecton Drug Use	0	.	0	.	0	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	.	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	7	.	0	.	6	.	.	.	11	.
Risk Group - Black										
Male sex w/Male	.	.	.	.	.	.	0	.	10	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	.	.	.	.	.	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	0	.	5	.	.	.	7	.
Risk Group - White										
Male sex w/Male	0	.	.	.	.	.	.	.	4	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	.	.	4	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	10.9	0	0.0	.	11.0	0	0.0	.	30.8
30-39	.	28.6	.	20.0	.	21.0	0	0.0	4	138.5
40-49	.	15.8	.	25.2	.	25.7	.	28.2	10	289.5
50-59	.	16.2	0	0.0	4	30.4	.	7.8	14	332.8
60 and Up	.	10.9	.	10.2	.	9.6	.	4.6	7	95.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Williamsburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	35	32.8	39	37.5	27	26.8	37	38.1	268	838.6
Gender										
Male	25	48.3	25	49.2	23	47.0	32	68.2	191	1,242.9
Female	10	18.2	14	26.4	4	7.7	5	9.9	77	464.2
Race										
Black	34	47.5	35	50.6	21	31.8	25	39.5	228	1,095.8
White	.	3.0	.	9.2	.	3.2	6	19.5	18	177.8
Hispanic	0	0.0	.	68.0	5	228.5	5	223.9	19	2,638.9
Other	0	0.0	0	0.0	0	0.0	.	120.3	.	993.4
Race/Gender										
Black Male	25	72.8	22	65.6	17	54.3	20	67.2	153	1,568.1
Black Female	9	24.2	13	36.4	4	11.6	5	15.0	75	678.8
White Male	0	0.0	.	12.5	.	6.4	6	40.0	16	325.5
White Female	.	5.8	.	6.1	0	0.0	0	0.0	.	38.4
Hispanic Male	0	0.0	.	103.7	5	292.4	5	287.7	19	3,467.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	14	.	11	.	9	.	16	.	74	.
Injecton Drug Use	.	.	.	.	.	.	.	.	30	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	8	.	9	.	5	.	99	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	18	.	6	.	14	.	57	.
Risk Group - Black										
Male sex w/Male	14	.	9	.	8	.	9	.	55	.
Injecton Drug Use	.	.	0	.	.	.	.	.	24	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	4	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	8	.	6	.	.	.	89	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	18	.	6	.	13	.	54	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	6	.	11	.
Injecton Drug Use	0	.	.	.	.	.	0	.	4	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	8.8	0	0.0	.	10.8	.	12.0	0	0.0
20-29	12	85.1	7	52.6	6	50.3	9	74.8	16	411.8
30-39	6	46.5	8	64.4	7	59.0	12	106.8	55	1,506.0
40-49	9	62.6	14	103.0	6	46.3	7	59.3	85	2,207.8
50-59	.	19.0	6	38.3	5	33.1	6	44.0	63	1,438.0
60 and Up	4	19.9	4	18.3	.	8.5	.	7.8	49	563.8

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Williamsburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	32	29.9	29	27.9	20	19.8	13	13.4	151	472.6
Gender										
Male	16	30.9	15	29.5	14	28.6	9	19.1	99	644.3
Female	16	29.0	14	26.4	6	11.6	4	7.9	52	313.5
Race										
Black	30	41.9	24	34.7	15	22.8	12	18.9	137	658.5
White	.	5.9	4	12.3	.	9.5	0	0.0	7	69.1
Hispanic	0	0.0	0	0.0	.	91.4	.	44.8	6	833.4
Other	0	0.0	.	154.6	0	0.0	0	0.0	.	331.1
Race/Gender										
Black Male	15	43.7	12	35.8	10	32.0	8	26.8	87	891.7
Black Female	15	40.3	12	33.7	5	14.4	4	11.9	50	452.5
White Male	.	6.1	.	12.5	.	12.8	0	0.0	5	101.8
White Female	.	5.8	.	12.1	.	6.2	0	0.0	.	38.4
Hispanic Male	0	0.0	0	0.0	.	116.9	.	57.5	6	1,094.9
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	9	.	9	.	9	.	.	.	44	.
Injecton Drug Use	4	.	.	.	.	.	.	.	17	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	10	.	7	.	5	.	62	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	8	.	.	.	4	.	26	.
Risk Group - Black										
Male sex w/Male	8	.	7	.	7	.	.	.	38	.
Injecton Drug Use	.	.	.	.	0	.	.	.	15	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	8	.	6	.	4	.	58	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	4	.	8	.	.	.	4	.	25	.
Risk Group - White										
Male sex w/Male	.	.	.	.	.	.	0	.	.	.
Injecton Drug Use	.	.	.	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	28.4	6	45.1	4	33.6	.	16.6	5	128.7
30-39	13	100.9	6	48.3	5	42.1	5	44.6	27	739.3
40-49	7	48.6	10	73.6	6	46.3	4	33.9	51	1,324.7
50-59	5	31.7	4	25.5	4	26.5	.	7.4	33	753.3
60 and Up	.	15.0	.	13.8	.	4.2	.	4.0	35	402.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

York HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	76	12.8	88	13.1	70	9.9	74	9.8	555	214.7
Gender										
Male	52	17.8	70	21.6	49	14.4	63	17.3	404	323.8
Female	24	7.8	18	5.2	21	5.7	11	2.9	151	112.9
Race										
Black	44	38.0	59	45.8	42	30.6	45	30.4	325	640.4
White	24	5.3	22	4.4	21	4.1	22	4.1	189	101.3
Hispanic	7	35.8	4	14.0	.	5.9	.	5.2	25	182.5
Other	.	8.0	.	12.7	5	27.3	.	4.6	11	144.8
Race/Gender										
Black Male	27	50.1	44	73.6	27	42.7	37	54.1	213	910.6
Black Female	17	27.5	15	21.7	15	20.2	8	10.0	112	409.4
White Male	21	9.6	20	8.3	19	7.6	20	7.5	161	177.4
White Female	.	1.3	.	0.8	.	0.8	.	0.7	28	29.3
Hispanic Male	4	36.5	4	26.3	.	5.7	.	10.1	19	273.0
Hispanic Female	.	34.9	0	0.0	.	6.2	0	0.0	6	89.0
Risk Group - Total										
Male sex w/Male	31	.	53	.	27	.	41	.	248	.
Injecton Drug Use	5	.	.	.	.	.	.	.	54	.
MSM and Inj Drug Use	4	.	.	.	.	.	0	.	14	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	22	.	18	.	15	.	.	.	112	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.	0	.	8	.
Other/Undetermined	14	.	14	.	22	.	27	.	117	.
Risk Group - Black										
Male sex w/Male	14	.	34	.	13	.	27	.	119	.
Injecton Drug Use	5	.	0	.	0	.	.	.	36	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	15	.	14	.	.	.	89	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.	0	.	4	.
Other/Undetermined	10	.	9	.	14	.	14	.	74	.
Risk Group - White										
Male sex w/Male	15	.	16	.	12	.	13	.	114	.
Injecton Drug Use	0	.	.	.	.	.	.	.	17	.
MSM and Inj Drug Use	4	.	.	.	.	.	0	.	11	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	4	.	.	.	0	.	0	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	.	.	4	.	8	.	26	.
Age Group										
Less than 13	0	0.0	0	0.0	.	2.4	0	0.0	.	6.7
13-19	.	1.7	.	4.5	5	7.2	6	8.1	6	24.0
20-29	26	30.5	27	31.1	20	23.3	30	32.5	52	165.4
30-39	17	20.4	22	23.8	18	19.5	14	14.4	100	297.4
40-49	21	22.9	17	16.8	13	12.2	10	9.1	135	364.8
50-59	7	8.8	16	17.9	9	9.2	10	9.5	170	470.8
60 and Up	4	4.3	.	2.6	.	1.5	4	2.8	89	176.6

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

York AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	61	10.2	54	8.0	46	6.5	33	4.4	273	105.6
Gender										
Male	36	12.3	39	12.0	26	7.7	26	7.2	200	160.3
Female	25	8.1	15	4.4	20	5.5	7	1.8	73	54.6
Race										
Black	39	33.7	36	27.9	36	26.2	19	12.8	175	344.9
White	18	4.0	13	2.6	7	1.3	12	2.2	83	44.6
Hispanic	.	10.2	.	7.0	0	0.0	.	5.2	10	73.0
Other	.	16.1	.	18.9	.	16.4	0	0.0	5	65.8
Race/Gender										
Black Male	22	40.8	25	41.8	19	30.0	14	20.5	115	491.6
Black Female	17	27.5	11	15.8	17	23.0	5	6.3	60	219.3
White Male	12	5.5	11	4.5	7	2.8	10	3.7	73	80.4
White Female	6	2.6	.	0.8	0	0.0	.	0.7	10	10.5
Hispanic Male	.	9.1	.	13.2	0	0.0	.	10.1	9	129.4
Hispanic Female	.	11.7	0	0.0	0	0.0	0	0.0	.	14.9
Risk Group - Total										
Male sex w/Male	20	.	24	.	16	.	16	.	118	.
Injecton Drug Use	.	.	.	.	.	.	.	.	37	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	24	.	14	.	17	.	5	.	61	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	13	.	10	.	10	.	10	.	43	.
Risk Group - Black										
Male sex w/Male	11	.	16	.	10	.	8	.	61	.
Injecton Drug Use	.	.	.	.	.	.	.	.	28	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	14	.	11	.	15	.	5	.	51	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	11	.	8	.	9	.	5	.	31	.
Risk Group - White										
Male sex w/Male	9	.	8	.	6	.	6	.	53	.
Injecton Drug Use	0	.	.	.	.	.	.	.	8	.
MSM and Inj Drug Use	.	.	.	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	7	.	.	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	0	.	5	.	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	.	8.0
20-29	14	16.4	9	10.3	7	8.1	10	10.8	15	47.7
30-39	18	21.6	16	17.3	10	10.9	5	5.2	41	122.0
40-49	18	19.6	12	11.9	14	13.2	7	6.4	67	181.1
50-59	7	8.8	13	14.5	12	12.2	5	4.7	95	263.1
60 and Up	4	4.3	4	3.5	.	2.4	6	4.2	53	105.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lowcountry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	569	19.6	568	18.5	556	17.2	580	16.9	4,620	399.4
Gender										
Male	392	27.6	421	27.9	442	27.8	474	28.4	3,308	585.9
Female	177	12.0	147	9.4	114	6.8	106	6.1	1,312	221.5
Race										
Black	394	39.7	427	42.4	403	39.1	413	39.4	3,149	897.3
White	125	7.2	96	5.2	109	5.6	111	5.3	1,117	157.4
Hispanic	39	34.4	34	21.3	33	16.7	33	16.0	246	351.3
Other	10	19.7	11	18.7	10	14.7	15	19.7	95	364.0
Race/Gender										
Black Male	262	56.2	305	64.6	310	64.0	333	67.7	2,091	1,269.3
Black Female	132	25.1	122	22.8	93	16.9	80	14.4	1,058	568.2
White Male	102	11.8	79	8.6	94	9.8	95	9.2	933	266.2
White Female	23	2.6	17	1.8	15	1.5	16	1.5	184	51.3
Hispanic Male	22	34.5	28	31.7	27	24.8	26	23.5	196	527.0
Hispanic Female	17	34.2	6	8.5	6	6.8	7	7.3	50	152.4
Risk Group - Total										
Male sex w/Male	194	.	272	.	329	.	340	.	1,992	.
Injecton Drug Use	22	.	18	.	7	.	10	.	323	.
MSM and Inj Drug Use	12	.	10	.	14	.	6	.	162	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	184	.	115	.	103	.	100	.	1,153	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	.	.	97	.
Other/Undetermined	154	.	150	.	102	.	121	.	889	.
Risk Group - Black										
Male sex w/Male	116	.	196	.	234	.	240	.	1,160	.
Injecton Drug Use	17	.	14	.	.	.	4	.	236	.
MSM and Inj Drug Use	.	.	4	.	11	.	0	.	72	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	146	.	100	.	86	.	79	.	952	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	.	.	.	.	82	.
Other/Undetermined	110	.	112	.	68	.	89	.	643	.
Risk Group - White										
Male sex w/Male	71	.	62	.	70	.	74	.	690	.
Injecton Drug Use	4	.	.	.	4	.	4	.	66	.
MSM and Inj Drug Use	7	.	5	.	.	.	.	.	75	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	20	.	8	.	9	.	12	.	125	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	8	.
Other/Undetermined	23	.	19	.	23	.	18	.	153	.
Age Group										
Less than 13	.	0.6	4	0.8	4	0.8	.	0.6	50	27.4
13-19	30	10.1	39	13.3	39	13.6	28	9.8	26	26.8
20-29	130	31.5	202	44.0	233	47.6	252	50.8	577	350.9
30-39	122	32.5	112	28.5	100	24.2	117	26.1	749	486.4
40-49	169	40.4	113	27.3	97	23.3	79	19.3	1,030	753.7
50-59	85	22.6	69	17.2	59	13.6	63	13.9	1,402	911.0
60 and Up	30	5.8	29	5.0	24	3.5	38	5.0	786	292.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Lowcountry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	469	16.2	454	14.7	376	11.6	247	7.3	2,472	213.7
Gender										
Male	316	22.2	318	21.1	279	17.6	183	11.0	1,775	314.4
Female	153	10.3	136	8.6	97	5.8	64	3.6	697	117.7
Race										
Black	343	34.5	351	34.8	280	27.2	193	18.4	1,749	498.3
White	92	5.3	72	3.9	62	3.2	37	1.8	544	76.7
Hispanic	27	23.9	23	14.5	22	11.2	11	5.3	126	180.0
Other	7	13.9	8	13.6	12	17.7	6	7.9	52	199.2
Race/Gender										
Black Male	221	47.4	234	49.5	197	40.7	143	29.0	1,167	708.4
Black Female	122	23.2	117	21.9	83	15.2	50	9.0	582	312.5
White Male	72	8.4	59	6.4	53	5.5	28	2.8	462	131.8
White Female	20	2.3	13	1.4	9	0.9	9	0.9	82	22.9
Hispanic Male	19	29.9	18	20.4	19	17.4	7	6.4	103	277.0
Hispanic Female	8	16.2	5	7.0	.	3.4	4	4.2	23	70.1
Risk Group - Total										
Male sex w/Male	122	.	172	.	188	.	104	.	1,017	.
Injecton Drug Use	40	.	30	.	7	.	9	.	213	.
MSM and Inj Drug Use	13	.	11	.	9	.	8	.	103	.
Hemophiliac	.	.	0	.	.	.	0	.	.	.
Heterosexual	166	.	132	.	98	.	68	.	678	.
Transfusion	.	.	0	.	0	.	0	.	.	.
Perinatal Transmission	4	.	5	.	.	.	.	.	30	.
Other/Undetermined	121	.	104	.	71	.	56	.	428	.
Risk Group - Black										
Male sex w/Male	71	.	116	.	128	.	83	.	608	.
Injecton Drug Use	31	.	26	.	4	.	5	.	159	.
MSM and Inj Drug Use	.	.	6	.	6	.	5	.	51	.
Hemophiliac	0	.	0	.	.	.	0	.	.	.
Heterosexual	140	.	116	.	88	.	57	.	578	.
Transfusion	.	.	0	.	0	.	0	.	.	.
Perinatal Transmission	4	.	4	.	.	.	.	.	26	.
Other/Undetermined	92	.	83	.	51	.	41	.	324	.
Risk Group - White										
Male sex w/Male	44	.	46	.	39	.	18	.	342	.
Injecton Drug Use	7	.	.	.	.	.	4	.	41	.
MSM and Inj Drug Use	8	.	4	.	.	.	.	.	42	.
Hemophiliac	.	.	0	.	0	.	0	.	0	.
Heterosexual	13	.	9	.	.	.	6	.	57	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	19	.	10	.	14	.	8	.	60	.
Age Group										
Less than 13	.	0.6	4	0.8	.	0.2	.	0.2	6	3.3
13-19	10	3.4	9	3.1	16	5.6	6	2.1	11	11.3
20-29	61	14.7	86	18.7	97	19.8	64	12.9	178	108.2
30-39	109	29.0	102	26.0	82	19.8	50	11.1	311	202.0
40-49	169	40.4	129	31.1	96	23.1	61	14.9	609	445.6
50-59	80	21.2	92	22.9	56	13.0	43	9.5	869	564.7
60 and Up	37	7.3	32	5.4	28	4.2	22	2.9	488	181.7

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Midlands HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	804	21.9	775	19.7	699	17.1	750	17.6	6,433	447.8
Gender										
Male	586	32.8	601	31.5	532	26.6	627	30.4	4,648	665.7
Female	218	11.6	174	8.7	167	7.9	123	5.6	1,785	241.8
Race										
Black	579	51.9	566	48.3	516	42.1	534	42.0	4,643	1,079.2
White	176	7.4	161	6.4	127	5.0	147	5.5	1,395	156.0
Hispanic	43	34.9	32	18.6	35	16.8	34	15.1	257	334.1
Other	6	9.5	14	18.7	20	23.2	19	19.0	110	316.9
Race/Gender										
Black Male	410	77.8	430	77.7	385	66.7	443	74.0	3,228	1,596.0
Black Female	169	28.8	136	21.9	131	20.2	91	13.5	1,415	620.7
White Male	137	11.8	133	10.9	102	8.0	121	9.4	1,108	252.9
White Female	39	3.2	28	2.2	25	1.9	26	1.9	287	62.9
Hispanic Male	34	48.6	24	25.1	30	26.2	33	27.2	203	494.2
Hispanic Female	9	16.8	8	10.6	5	5.3	.	1.0	54	150.6
Risk Group - Total										
Male sex w/Male	343	.	407	.	363	.	424	.	2,752	.
Injecton Drug Use	34	.	14	.	18	.	22	.	496	.
MSM and Inj Drug Use	18	.	12	.	10	.	.	.	187	.
Hemophiliac	0	.	0	.	0	.	0	.	9	.
Heterosexual	222	.	144	.	113	.	56	.	1,469	.
Transfusion	0	.	0	.	0	.	0	.	4	.
Perinatal Transmission	.	.	.	.	.	.	0	.	67	.
Other/Undetermined	184	.	196	.	193	.	247	.	1,449	.
Risk Group - Black										
Male sex w/Male	239	.	280	.	268	.	316	.	1,807	.
Injecton Drug Use	21	.	9	.	10	.	9	.	375	.
MSM and Inj Drug Use	4	.	8	.	.	.	.	.	108	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	176	.	120	.	96	.	42	.	1,209	.
Transfusion	0	.	0	.	0	.	0	.	4	.
Perinatal Transmission	.	.	.	.	.	.	0	.	59	.
Other/Undetermined	136	.	147	.	137	.	166	.	1,077	.
Risk Group - White										
Male sex w/Male	94	.	104	.	69	.	81	.	793	.
Injecton Drug Use	12	.	5	.	6	.	11	.	96	.
MSM and Inj Drug Use	12	.	4	.	7	.	0	.	72	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	33	.	19	.	13	.	8	.	190	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	25	.	29	.	32	.	47	.	234	.
Age Group										
Less than 13	.	0.4	.	0.3	4	0.6	0	0.0	14	6.1
13-19	40	10.7	56	14.2	44	11.2	40	10.0	27	20.0
20-29	239	46.2	270	49.3	254	43.7	337	55.4	762	372.8
30-39	206	41.8	164	31.8	150	28.8	130	24.2	1,124	616.1
40-49	206	37.0	165	29.4	121	21.6	112	20.4	1,535	839.5
50-59	84	16.8	92	17.2	89	15.7	99	16.9	1,962	1,004.5
60 and Up	26	4.3	26	3.7	37	4.7	32	3.6	1,009	330.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Midlands AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	701	19.0	634	16.2	495	12.1	382	9.0	3,529	245.7
Gender										
Male	495	27.7	459	24.0	347	17.4	293	14.2	2,563	367.1
Female	206	10.9	175	8.7	148	7.0	89	4.1	966	130.9
Race										
Black	542	48.6	495	42.2	375	30.6	274	21.6	2,616	608.1
White	126	5.3	102	4.1	85	3.3	66	2.5	703	78.5
Hispanic	28	22.7	23	13.4	18	8.6	29	12.9	144	187.2
Other	5	7.9	14	18.7	17	19.7	13	13.0	63	181.5
Race/Gender										
Black Male	371	70.4	351	63.4	257	44.6	208	34.8	1,832	905.9
Black Female	171	29.2	144	23.2	118	18.3	66	9.8	784	343.9
White Male	94	8.1	82	6.7	67	5.3	50	3.9	568	129.7
White Female	32	2.6	20	1.5	18	1.3	16	1.2	135	29.6
Hispanic Male	26	37.2	16	16.7	12	10.5	25	20.6	116	282.4
Hispanic Female	.	3.7	7	9.2	6	6.4	4	3.9	28	78.1
Risk Group - Total										
Male sex w/Male	219	.	254	.	225	.	168	.	1,461	.
Injecton Drug Use	57	.	43	.	31	.	23	.	333	.
MSM and Inj Drug Use	23	.	19	.	6	.	.	.	120	.
Hemophiliac	0	.	0	.	.	.	0	.	9	.
Heterosexual	227	.	175	.	105	.	61	.	872	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	4	.	.	.	.	.	0	.	38	.
Other/Undetermined	171	.	140	.	125	.	128	.	693	.
Risk Group - Black										
Male sex w/Male	157	.	181	.	163	.	115	.	962	.
Injecton Drug Use	47	.	30	.	24	.	17	.	261	.
MSM and Inj Drug Use	13	.	8	.	.	.	.	.	84	.
Hemophiliac	0	.	0	.	.	.	0	.	4	.
Heterosexual	184	.	159	.	85	.	52	.	737	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	4	.	.	.	.	.	0	.	35	.
Other/Undetermined	137	.	114	.	97	.	88	.	530	.
Risk Group - White										
Male sex w/Male	54	.	61	.	50	.	34	.	423	.
Injecton Drug Use	9	.	10	.	4	.	5	.	52	.
MSM and Inj Drug Use	9	.	8	.	.	.	0	.	33	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	34	.	12	.	12	.	4	.	97	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	20	.	11	.	17	.	23	.	91	.
Age Group										
Less than 13	.	0.1	.	0.1	0	0.0	0	0.0	.	0.9
13-19	12	3.2	11	2.8	13	3.3	7	1.8	11	8.1
20-29	129	24.9	119	21.8	110	18.9	92	15.2	250	122.3
30-39	214	43.3	187	36.3	117	22.4	78	14.5	535	293.3
40-49	225	40.4	190	33.8	124	22.1	94	17.1	899	491.7
50-59	98	19.7	104	19.4	86	15.2	84	14.4	1,230	629.8
60 and Up	22	3.6	22	3.2	45	5.7	27	3.1	602	197.1

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Pee Dee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	608	25.0	529	21.0	482	18.6	475	17.8	4,316	480.2
Gender										
Male	398	33.9	369	30.4	353	28.3	346	27.1	2,841	658.6
Female	210	16.7	160	12.3	129	9.6	129	9.4	1,475	315.5
Race										
Black	469	53.2	410	46.2	364	40.4	337	37.2	3,131	1,032.2
White	109	7.5	98	6.5	89	5.7	98	6.1	960	176.2
Hispanic	24	38.9	15	17.9	23	23.0	22	20.7	138	381.0
Other	6	22.0	6	18.4	5	12.9	14	32.7	80	549.5
Race/Gender										
Black Male	297	72.3	280	67.7	268	63.9	235	55.8	1,939	1,377.3
Black Female	172	36.5	130	27.4	96	19.9	102	21.0	1,192	733.4
White Male	78	10.9	72	9.8	61	8.0	77	9.9	740	280.1
White Female	31	4.2	26	3.3	28	3.5	21	2.5	220	78.4
Hispanic Male	20	54.5	13	27.0	18	31.8	20	34.3	106	539.1
Hispanic Female	4	16.1	.	5.7	5	11.4	.	4.2	32	193.3
Risk Group - Total										
Male sex w/Male	196	.	209	.	216	.	195	.	1,475	.
Injecton Drug Use	40	.	29	.	15	.	14	.	352	.
MSM and Inj Drug Use	11	.	9	.	12	.	6	.	100	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	221	.	115	.	134	.	59	.	1,355	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	0	.	.	.	58	.
Other/Undetermined	138	.	165	.	105	.	200	.	969	.
Risk Group - Black										
Male sex w/Male	138	.	147	.	160	.	128	.	876	.
Injecton Drug Use	23	.	17	.	6	.	6	.	251	.
MSM and Inj Drug Use	4	.	5	.	4	.	0	.	48	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	188	.	101	.	110	.	48	.	1,139	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	.	.	0	.	.	.	45	.
Other/Undetermined	115	.	139	.	84	.	154	.	769	.
Risk Group - White										
Male sex w/Male	47	.	52	.	45	.	51	.	522	.
Injecton Drug Use	15	.	11	.	7	.	6	.	84	.
MSM and Inj Drug Use	6	.	.	.	8	.	5	.	45	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	24	.	12	.	17	.	7	.	156	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	6	.
Other/Undetermined	17	.	19	.	12	.	29	.	143	.
Age Group										
Less than 13	.	0.4	.	0.8	0	0.0	.	0.2	14	10.3
13-19	20	8.8	41	17.8	33	14.6	25	11.2	18	23.9
20-29	168	51.4	132	40.8	163	48.8	151	44.6	413	367.5
30-39	136	43.8	125	40.8	105	34.7	107	35.1	739	723.3
40-49	189	54.6	131	38.6	101	30.4	80	25.0	1,089	1,026.2
50-59	74	22.3	71	20.2	64	17.5	83	22.3	1,337	1,072.9
60 and Up	19	4.0	26	4.7	16	2.6	28	4.1	706	291.3

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Pee Dee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	488	20.0	428	17.1	362	14.0	248	9.4	2,476	275.4
Gender										
Male	313	26.6	292	24.1	261	20.9	168	13.1	1,657	384.1
Female	175	14.0	136	10.5	101	7.5	80	5.8	819	175.2
Race										
Black	383	43.5	337	38.0	293	32.5	193	21.2	1,845	608.2
White	84	5.7	71	4.7	50	3.2	44	2.8	510	93.6
Hispanic	15	24.3	11	13.2	16	16.0	8	7.5	83	229.1
Other	6	22.0	9	27.6	.	7.7	.	7.0	38	260.9
Race/Gender										
Black Male	230	56.0	223	53.9	206	49.2	124	29.5	1,154	819.7
Black Female	153	32.6	114	24.1	87	18.0	69	14.2	691	425.2
White Male	64	9.0	54	7.4	41	5.4	34	4.4	412	155.9
White Female	20	2.6	17	2.2	9	1.1	10	1.2	98	35.0
Hispanic Male	14	38.1	11	22.8	11	19.5	7	12.0	68	345.8
Hispanic Female	.	4.0	0	0.0	5	11.4	.	2.1	15	90.6
Risk Group - Total										
Male sex w/Male	149	.	139	.	142	.	83	.	829	.
Injecton Drug Use	41	.	24	.	19	.	9	.	241	.
MSM and Inj Drug Use	5	.	7	.	10	.	4	.	63	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	199	.	150	.	110	.	65	.	875	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	5	.	.	.	.	.	24	.
Other/Undetermined	90	.	103	.	80	.	86	.	439	.
Risk Group - Black										
Male sex w/Male	95	.	94	.	109	.	54	.	496	.
Injecton Drug Use	30	.	18	.	11	.	5	.	183	.
MSM and Inj Drug Use	.	.	4	.	4	.	.	.	29	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	176	.	131	.	99	.	59	.	748	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	4	.	.	.	.	.	20	.
Other/Undetermined	76	.	86	.	69	.	73	.	367	.
Risk Group - White										
Male sex w/Male	43	.	35	.	28	.	22	.	294	.
Injecton Drug Use	10	.	6	.	6	.	4	.	45	.
MSM and Inj Drug Use	.	.	.	.	6	.	.	.	30	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	19	.	16	.	5	.	4	.	91	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	10	.	11	.	5	.	11	.	45	.
Age Group										
Less than 13	0	0.0	.	0.4	0	0.0	0	0.0	0	0.0
13-19	8	3.5	10	4.3	9	4.0	4	1.8	7	9.2
20-29	78	23.9	69	21.3	90	27.0	42	12.4	127	113.0
30-39	143	46.1	115	37.5	80	26.4	54	17.7	348	340.6
40-49	160	46.2	119	35.1	110	33.0	71	22.2	678	638.9
50-59	80	24.2	87	24.8	54	14.7	53	14.2	867	695.8
60 and Up	19	4.0	26	4.7	19	3.1	24	3.4	449	185.2

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Upstate HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	472	11.9	429	10.3	442	10.5	476	10.9	3,619	246.4
Gender										
Male	335	17.3	322	16.0	340	16.5	374	17.6	2,681	375.7
Female	137	6.7	107	5.1	102	4.7	102	4.5	938	124.2
Race										
Black	295	37.7	256	31.9	273	33.0	285	33.6	2,133	746.8
White	140	4.7	137	4.5	133	4.3	139	4.4	1,203	113.4
Hispanic	34	21.0	30	14.1	27	11.0	41	15.4	208	227.5
Other	.	4.6	6	7.9	8	9.6	4	4.3	65	206.0
Race/Gender										
Black Male	189	51.5	179	47.4	200	51.4	219	54.7	1,476	1,098.5
Black Female	106	25.6	77	18.2	73	16.7	66	14.6	657	434.3
White Male	113	7.8	114	7.7	111	7.4	111	7.3	974	188.8
White Female	27	1.8	23	1.4	22	1.4	28	1.8	229	42.0
Hispanic Male	30	32.2	24	20.4	23	17.4	33	23.3	166	342.9
Hispanic Female	4	5.8	6	6.4	4	3.5	8	6.4	42	97.7
Risk Group - Total										
Male sex w/Male	207	.	230	.	240	.	272	.	1,776	.
Injecton Drug Use	25	.	18	.	26	.	13	.	264	.
MSM and Inj Drug Use	24	.	15	.	16	.	8	.	146	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	122	.	82	.	60	.	53	.	746	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	4	.	0	.	.	.	4	.	32	.
Other/Undetermined	90	.	84	.	99	.	126	.	649	.
Risk Group - Black										
Male sex w/Male	112	.	122	.	142	.	163	.	909	.
Injecton Drug Use	14	.	9	.	9	.	5	.	157	.
MSM and Inj Drug Use	8	.	5	.	8	.	.	.	67	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	96	.	57	.	44	.	37	.	540	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	4	.	0	.	.	.	.	.	23	.
Other/Undetermined	61	.	63	.	69	.	76	.	437	.
Risk Group - White										
Male sex w/Male	76	.	90	.	81	.	82	.	722	.
Injecton Drug Use	10	.	7	.	13	.	6	.	83	.
MSM and Inj Drug Use	16	.	10	.	7	.	7	.	72	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	19	.	17	.	12	.	13	.	163	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	.	.	7	.
Other/Undetermined	19	.	13	.	20	.	30	.	150	.
Age Group										
Less than 13	5	0.8	0	0.0	.	0.3	5	0.7	10	4.2
13-19	25	6.5	25	6.3	21	5.3	22	5.5	14	10.3
20-29	134	25.1	137	25.3	151	26.6	199	33.4	436	218.2
30-39	118	21.8	97	18.0	93	18.0	87	16.6	612	345.8
40-49	126	21.6	108	18.4	97	16.7	79	14.0	901	483.6
50-59	51	9.6	44	7.8	56	9.6	61	10.2	1,142	568.5
60 and Up	13	1.8	18	2.2	22	2.5	23	2.4	504	151.4

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

Upstate AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2005-2007		2008-2010		2011-2013		2014-2016		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	366	9.2	301	7.3	293	6.9	210	4.8	1,988	135.3
Gender										
Male	254	13.1	207	10.2	214	10.3	160	7.6	1,481	207.5
Female	112	5.5	94	4.4	79	3.6	50	2.2	507	67.1
Race										
Black	233	29.8	183	22.8	189	22.9	125	14.7	1,179	412.7
White	107	3.6	85	2.8	78	2.5	64	2.0	649	61.2
Hispanic	24	14.9	26	12.2	19	7.8	18	6.7	118	129.0
Other	.	3.1	7	9.2	6	7.2	.	3.3	40	126.7
Race/Gender										
Black Male	149	40.6	115	30.5	127	32.7	91	22.8	815	606.5
Black Female	84	20.2	68	16.1	62	14.2	34	7.6	364	240.7
White Male	83	5.7	68	4.6	67	4.5	51	3.3	534	103.5
White Female	24	1.5	17	1.1	11	0.7	13	0.8	115	21.1
Hispanic Male	20	21.5	21	17.8	14	10.6	16	11.3	95	196.2
Hispanic Female	4	5.8	5	5.3	5	4.5	.	1.7	23	53.5
Risk Group - Total										
Male sex w/Male	147	.	140	.	134	.	100	.	961	.
Injecton Drug Use	28	.	14	.	22	.	14	.	164	.
MSM and Inj Drug Use	15	.	8	.	16	.	5	.	87	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	97	.	79	.	44	.	34	.	431	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	0	.	.	.	11	.
Other/Undetermined	77	.	60	.	77	.	56	.	329	.
Risk Group - Black										
Male sex w/Male	79	.	73	.	75	.	57	.	485	.
Injecton Drug Use	18	.	8	.	8	.	.	.	91	.
MSM and Inj Drug Use	9	.	4	.	13	.	.	.	42	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	73	.	57	.	38	.	28	.	324	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	.	.	8	.
Other/Undetermined	53	.	41	.	55	.	35	.	229	.
Risk Group - White										
Male sex w/Male	57	.	53	.	49	.	34	.	398	.
Injecton Drug Use	9	.	4	.	9	.	8	.	58	.
MSM and Inj Drug Use	6	.	4	.	.	.	4	.	40	.
Hemophiliac	0	.	0	.	0	.	0	.	4	.
Heterosexual	19	.	14	.	.	.	6	.	81	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	16	.	10	.	15	.	12	.	64	.
Age Group										
Less than 13	.	0.1	0	0.0	0	0.0	.	0.1	0	0.0
13-19	6	1.5	5	1.2	7	1.8	.	0.2	.	1.4
20-29	71	13.3	48	8.8	43	7.6	53	8.9	112	56.1
30-39	101	18.6	83	15.5	58	11.2	46	8.8	274	154.9
40-49	119	20.4	93	15.8	102	17.6	53	9.4	554	297.3
50-59	57	10.7	52	9.2	60	10.3	42	7.0	713	355.0
60 and Up	11	1.5	20	2.4	23	2.6	14	1.4	333	100.0

* Cells with < 4 cases are set to '.'(period) due to confidentiality restrictions.

Note: See technical notes at end of document.

TECHNICAL NOTES

NOTICE: Beginning in 2016, Prevalence numbers (the number of people living with diagnosed HIV and/or AIDS) are based on Last Known Residence. This is a change from previous years Prevalence numbers, which were based on Residence at Time of Diagnosis.

This change makes comparisons with Reports prior to 2016 inaccurate and should not be done.

Report Specific Notes:

- AIDS cases are included in counts of HIV/AIDS cases.
- All data are provisional.
- Rates may be based on small numbers and should be interpreted with caution.
- Age groups for incidence data are based on age at time of diagnosis.
- Age groups for prevalence data are based on age as of December 31 of the reporting year.

Incidence/Prevalence/Rates/Totals

Incidence is the number of cases of AIDS or HIV infection diagnosed in a specified time period. **Prevalence** is the number of persons living with AIDS or HIV infection at the end a specified time period (usually December 31 of the reporting year).

Rates are per 100,000 population based on census estimates. Rates in this report include:

Prevalence rates: the numerators for computing prevalence rates are based on the number of persons living with AIDS or HIV, by county of residence. The denominators for computing rates are based on most currently available census estimates (Health and Demographics Section, South Carolina Revenue and Fiscal Affairs Office). Each prevalence rate is computed as the number of living cases divided by the current year estimated population, multiplied by 100,000.

Incidence rates: the numerators for incidence rates are based on the number of new AIDS cases or HIV infection during the year of report. Incidence rates are computed as the number of new cases in the report year divided by the current year estimated population, multiplied by 100,000.

Totals may include individual for whom select variables are unknown (i.e. the State total may include individuals with an unknown county).

Exposure Categories

A hierarchy of exposure categories designed by the Centers for Disease Control has always been used for surveillance purposes. Persons with more than one reported mode of exposure are classified in the category listed first in the hierarchy, except for men who have sex with other men and inject drugs. They comprise a separate category. In addition, “undetermined” refers to persons whose mode of exposure to HIV is unknown. This includes persons who are currently under investigation, persons who died before exposure history was obtained, persons who are lost to follow-up, or persons who refused to be interviewed. DHEC uses a combined HIV/AIDS report form designed by the Centers for Disease Control to collect mode of exposure for HIV infection in both DHEC clinics and non-DHEC settings. South Carolina actively pursues risk information. For HIV cases diagnosed in 2014, risk was obtained in 63% of cases.

Legal Reporting Requirements in South Carolina

HIV infection and AIDS cases are reportable in South Carolina by law. All physicians, hospitals, laboratories, administrators of health care facilities, charitable or penal institutions, etc., are required to report HIV infections and AIDS cases to DHEC with identifiers (See S.C. Code Ann. Sections 44-29-10, 70, and 80 (Supp. 1989); 24A S.C. Code Ann. Reg. 61-20 (Supp. 1989) and 24A S.C. Code Ann. Reg. 61-21 (as amended). All information regarding sexually transmitted diseases including HIV and AIDS, reported to DHEC must be kept strictly confidential (See S.C. Code Ann. Section 44-29-135 (Supp. 1989).

HIV/AIDS Surveillance and Reporting in South Carolina

The South Carolina Department of Health and Environmental Control (DHEC) has conducted named HIV/AIDS surveillance since the 1980's. State law requires physicians, hospitals, laboratories, and other health facilities to report diagnosed HIV infection and AIDS cases to DHEC. Follow-up with persons newly diagnosed with HIV infection is conducted by health department staff, who provide partner notification and referral to medical and support services.

HIV/AIDS surveillance data is used by the Ryan White, HIV, and STD prevention programs in South Carolina. Surveillance data has been used since 1988 to initiate partner notification services. Surveillance data are also used extensively by HIV program staff to determine priority populations, identify unmet need and Community Viral Load, describe risk behaviors, and evaluate specific prevention and linkage to care efforts. Percent of total prevalence and incident HIV cases by region are calculated annually to determine prevention and care funding allocations to local public health regions and HIV prevention and care providers.

The CDC routinely sends states a program to evaluate the completeness and timeliness of HIV case reporting. The results of the evaluations show that case completeness (percent of expected number of persons newly diagnosed with HIV infection) in South Carolina is consistently in the 98-99% range, well above the national standard of 85%. The timeliness for HIV reporting in South Carolina is consistently in the 96-97% range for reporting within 6 months, higher than the national standard of 66%. Several factors contribute to this success:

- 1) Both physicians and laboratories are required to report positive HIV confirmatory and screening tests, all CD4 T-Lymphocyte counts and all HIV Viral Load results. For cases diagnosed in

South Carolina, on average, 88% have a CD4 or Viral Load reported within 3 months (national standard = 60%);

- 2) Approximately 75% of all HIV test information is submitted through Electronic Laboratory Reporting, which significantly decreases data entry and processing times; and
- 3) Active surveillance activities are conducted by four surveillance coordinators. These regional surveillance coordinators are located in the 4 largest cities of the state (Charleston, Columbia, Florence, and Greenville) and are responsible for surveillance in the immediate areas surrounding them.

Death ascertainment is accomplished by linking HIV Surveillance data with three death registers on an annual basis;

- 1) The National Death Index (NDI)
- 2) The Social Security Death Match (SSDM)
- 3) South Carolina's Vital Records Death Files

Note that deaths of persons with AIDS can be due to any cause (i.e., the death may or may not be related to HIV infection), and the category is therefore different from the designation deaths due to AIDS.

Age group tabulations for incidence are based on person's age at diagnosis of HIV or AIDS. Prevalence age group tabulations are based on person's age at end of prevalence year. Adult/adolescent cases include persons 13 years and older. Pediatric AIDS cases include children under 13 years of age. HIV positive children are not included in the HIV data until they are confirmed HIV positive at 18 months of age.

HIV Case Definition

In April 2014, CDC published the Revised Surveillance Case Definition for HIV Infection — United States, 2014 (http://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm?s_cid=rr6303a1_e). This surveillance case definition revises and combines the surveillance case definitions for human immunodeficiency virus (HIV) infection into a single case definition for persons of all ages (i.e., adults and adolescents aged ≥ 13 years and children aged < 13 years). The revisions were made to address multiple issues, the most important of which was the need to adapt to recent changes in diagnostic criteria.

Laboratory criteria for defining a confirmed case now accommodate new multitest algorithms, including criteria for differentiating between HIV-1 and HIV-2 infection and for recognizing early HIV infection. The surveillance case definition is intended primarily for monitoring the HIV infection burden and planning for prevention and care on a population level, not as a basis for clinical decisions for individual patients.

A confirmed case can be classified in one of five HIV infection stages (0, 1, 2, 3, or unknown):

If there was a negative HIV test within 6 months of the first HIV infection diagnosis, the stage is 0, and remains 0 until 6 months after diagnosis.

- Otherwise, if a stage-3-defining opportunistic illness has been diagnosed, the stage is 3.
- Otherwise, the stage is determined by the CD4 test immunologic criteria shown in the following table:

HIV infection stage, based on age-specific CD4+ T-lymphocyte count or CD4+ T-lymphocyte percentage of total lymphocytes*

Stage*	Age on date of CD4 T-lymphocyte test					
	<1 year		1—5 years		6 years through adult	
	Cells/μL	%	Cells/μL	%	Cells/μL	%
1	≥1,500	≥34	≥1,000	≥30	≥500	≥26
2	750—1,499	26—33	500—999	22—29	200—499	14—25
3 (AIDS)	<750	<26	<500	<22	<200	<14

*The stage is based primarily on the CD4+ T-lymphocyte count; the CD4+ T-lymphocyte count takes precedence over the CD4 T-lymphocyte percentage, and the percentage is considered only if the count is missing.

If none of the above apply (e.g., because of missing information on CD4 test results), the stage is U (unknown).

CASE RESIDENCY AND DEPLICATION EFFORTS

AIDS and HIV Case Reporting

All states and U.S. territories have some form of HIV/AIDS reporting that incorporates reporting by individual medical care providers and/or laboratories conducting HIV related tests. This national effort enables public health surveillance staff to track the scope of the AIDS epidemic. It also allows the federal government to allocate funds equitably to the states for the care of people with HIV and AIDS who cannot pay for all or part of their treatment.

All states and areas have been reporting AIDS cases since 1986. Because of advances in treatment that have extended the time between HIV infection and a diagnosis of AIDS, states began instituting HIV reporting in 1985 as a way of understanding how the epidemic has changed.

Potential for Duplication

The potential for duplication has become more of an issue because of the mobility of our society and also because of the success of treatment for HIV and AIDS. Persons with HIV or AIDS may move for reasons related to their infection, for example, to be near family or friends, to seek social support services, to seek more knowledgeable physicians, to seek experimental drug programs, or because of inability to work due to HIV disease. With the advent and success of highly active antiretroviral therapy (HAART), those persons living relatively healthy lives may move for reasons unrelated to HIV or AIDS – to seek out new job opportunities or simply to fulfill a dream of living in a different place. This mobility increases the challenge of avoiding duplication in counting persons with AIDS across different jurisdictions throughout the US.

To counter the potential problem of duplication, CDC initiated the Routine Interstate Duplicate Review (RIDR). This annual effort compares patient records in the national database across states in order to identify potential duplicate cases. The following process is used.

1. CDC reviews the national case reports sent to CDC for duplications. Because CDC does not receive names of patients, a match of information consisting of soundex (which is a code for the last name), date of birth, and gender help to identify potential duplications.
2. CDC provides states with a listing of all cases that are potential duplicates from other states. States contact each other to compare their patient profiles along with additional information available at the state level that is not reported to CDC.
3. Based on their discussions, the states decide whether the cases represent the same person. If they do, the states determine the state of residency at the date of diagnosis. The Surveillance systems of both states are updated with the information.

South Carolina Public Health Regions

