



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/30/14 SC Dam Inventory Number D 4490 County: Fairfield

Dam Name: Weeden Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): James Leapart

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 517

City: Winnabow State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 980 Bundrick Rd

Latitude: 34° 16' 50" N Longitude: -81° 07' 02" W Tax map # (list all): 121-00-03-039-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

5/30/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/14 SC Dam Inventory Number D 4484 County: FAIRFIELD

Dam Name: Cedar Lakes Investment Dam #2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Roger Wright

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 137 Mary Charles Ct

City: Winnsboro SC State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 137 Mary Charles Ct

Latitude: 34° 15' 12" N Longitude: -91° 05' 00" W Tax map # (list all): 199-00-02-114-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson
Printed Name of Regional Inspector

John Anson
Signature

6/11/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 6-11-14 SC Dam Inventory Number D 4462 County: Fairfield

Dam Name: George Coleman Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Erington Coleman

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 125 S. Garden St.

City: Winnabur State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): State Hwy 215 and Paradise Rd Blain

Latitude: 34° 22' 49" N Longitude: -91° 17' 04" W Tax map # (list all): 120-00-02-010-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

6/11/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/14 SC Dam Inventory Number D 4417 County: Fairfield

Dam Name: Clinch Belsor Dam

I. Dam Owner Information

Has ownership changed? [X] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): FAIRVIEW FARMING COMPANY

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 1901 MAIN ST Ste 1550

City: Columbia State: SC Zip: 29201

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Hwy 321 and Brown Mill Rd

Latitude: 34° 15' 19" N Longitude: -91° 03' 36" W Tax map # (list all): 260-00-00-060-000

B. Is there any evidence of new development below the dam? [] Yes [X] No

C. Do you think the hazard classification should be upgraded? [] Yes [X] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansey Printed Name of Regional Inspector

John Ansey Signature

6/11/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4406 County: Fairfield

Dam Name: Cedar Lakes Investments Dam #1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Gregory Noctor

Phone: _____ Email: _____

Mailing Address: 721 Cedar Lake Dr.

City: Blythe wood State: SC Zip: 29026

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 721 Cedar Lake Dr Blythe wood

Latitude: 34° 14' 54" N Longitude: -81° 05' 19" W Tax map # (list all): 215 00 00 011 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arred
Printed Name of Regional Inspector

[Signature]
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4338 County: Fairfield

Dam Name: Jackson Mill Creek Dam #8

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joann Mc Masters Family LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1422 Thomwell Ave

City: Rock Hill State: SC Zip: 29732

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Kinvaide Bridge Rd / Juby Dr

Latitude: 34° 23' 24" N Longitude: -91° 08' 36" W Tax map # (list all): 106 00 01 011 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector


John A
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4337 County: Fairfield

Dam Name: Jackson Mill Creek WCD DAM #1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Carolyn Green

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 192 Pineview Church Rd

City: Blythewood State: SC Zip: 29016

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1177 Old Airport Rd

Latitude: 34° 23' 24" N Longitude: -81° 11' 03" W Tax map # (list all): 104 00 02 096 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/18/14 SC Dam Inventory Number D 4328 County: FAIRFIELD

Dam Name: Randy Thomas DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Willard Bailey

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 176 Ravens Pl.

City: Winnabur State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 108 Ravens Place, Winnabur

Latitude: 34° 17' 45" N Longitude: -81° 09' 55" W Tax map # (list all): 180-06-03-014-000

179-00-03-006-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Annu
Printed Name of Regional Inspector


John Annu
Signature

3/18/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4205 County: FAIRFIELD

Dam Name: WILLAMETTE INDUSTRIAL DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Watelee Holdings LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 15 Piedmont Center Suite 1250

City: Atlanta State: GA Zip: 30305

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Dartmouth # X91-79-054

Latitude: 34° 27.04' N Longitude: - 81° 06.25' W Tax map # (list all): 071 04 02 010 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John A
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4065 County: Franklin

Dam Name: Garners Columbia Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Grandpa G LLC

Contact Person (if owner is company): 1301 Main St Suite 802

Phone: _____ Email: _____

Mailing Address: Columbia 1301 Main St Suite 802

City: Columbia State: SC Zip: 29201

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 2038 Little Cedar Creek Rd

Latitude: 34° 14' 05" N Longitude: -81° 06' 25" W Tax map # (list all): 214 0000 091 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John A
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 4064 County: Fairfield

Dam Name: Brice Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mary Jane Wright

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 121 Eagle Dr

City: Winnsboro State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 121 Eagle Drive

Latitude: 34° 23' 48" N Longitude: -81° 03' 00" W Tax map # (list all): 108 00 00 029 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/14/14 SC Dam Inventory Number D 1673 County: Fairfield
Dam Name: Verona Leonard Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Coward Family LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 202 Plantation Rd.

City: Blythe wood State: SC Zip: 29016

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 280 Plantation Rd Blythe wood

Latitude: 34° 14' 194" N Longitude: -81° 04' 325" W Tax map # (list all): 215-00-00-097-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/17 SC Dam Inventory Number D 1572 County: FANNING

Dam Name: Denley Coughman Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Virginia Coughman

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 421 Coughman Rd

City: Wrensboro State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): SC 200 + I 77

Latitude: 34° 29' 33" N Longitude: - 80° 59' 27" W Tax map # (list all): 057-00-00-003-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

5/21/17
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/14/14 SC Dam Inventory Number D 1571 County: Fairfield

Dam Name: Eugene Erick Pond Dam

I. Dam Owner Information

Has ownership changed? [X] Yes ___ No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Covard Family B LLC

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 202 Plantation Rd.

City: Blythewood State: SC Zip: 29016

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 9341 Hwy 320 Blythewood SC 29014

Latitude: 34° 14' 03" N Longitude: -81° 04' 12" W Tax map # (list all): 215-00-00-099-000

B. Is there any evidence of new development below the dam? ___ Yes [X] No

C. Do you think the hazard classification should be upgraded? ___ Yes [X] No

D. If yes for item II.C, what is your opinion of what the new classification should be? ___ Class 1 (High Hazard) ___ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

J. Lu Ansel Printed Name of Regional Inspector

John A Signature

5/14/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/14/14 SC Dam Inventory Number D 1570 County: Fairfield

Dam Name: FRANCIS Taylor DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Michael, Darrell, and Jonathan Harbour

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 147 Stephanie DR.

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 183 Ibis Ln Winnsboro

Latitude: 34° 22' 11" N Longitude: -81° 06' 50" W Tax map # (list all): 071-04-02-015-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/22/14 SC Dam Inventory Number D 1569 County: Fairfield

Dam Name: DP Hawkins Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Veing Hawkins

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 737 Marsh Ln

City: Winnaburo State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 737 Marsh Ln

Latitude: 34° 13' 02" N Longitude: -81° 13' 38" W Tax map # (list all): 223 00 01 013 000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansed
Printed Name of Regional Inspector


John L
Signature

5/22/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/30/14 SC Dam Inventory Number D 1568 County: Fairfield

Dam Name: _____

I. Dam Owner Information

Has ownership changed? _____ Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 9126 State Hwy 215 Wimsboro

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 140-00-00-013-000

B. Is there any evidence of new development below the dam? _____ Yes No

C. Do you think the hazard classification should be upgraded? _____ Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? _____ Class 1 (High Hazard)
_____ Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arnold
Printed Name of Regional Inspector

[Signature]
Signature

5/30/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/12/14 SC Dam Inventory Number D 1624 County: Fairfield

Dam Name: _____

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): ERNEST FREDERICK

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2782 Mobley Hwy

City: Windsor State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 2782 Mobley Hwy

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): 072-00-00-011-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John
Signature

6/12/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/21/14 SC Dam Inventory Number D 539 County: Fairfield

Dam Name: Water Creek Dam #4

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): George Barron

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 222 College Ave

City: Rock Hill State: SC Zip: 29730

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Hwy 206 turn right 3560 PATRICK RD

Latitude: 34° 28' 49" N Longitude: -81° 03' 45" W Tax map # (list all): 050-00-00-006-000

Hwy 206

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/21/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/1/14 SC Dam Inventory Number D 0538 County: Fairfield

Dam Name: Water Creek Dam WCD #3

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Ellen Boyd ETAL d/o Louise Mynard

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 706 Brown Ave

City: Belton State: SC Zip: 29627

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Bull Run Rd Winnsboro, SC

Latitude: 34°30'22" N Longitude: 81°04'34" W Tax map # (list all): 038-00-00-004-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson
Printed Name of Regional Inspector

John An
Signature

4-1-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/1/14 SC Dam Inventory Number D 0537 County: Fairfield

Dam Name: Water Creek Dam #2

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Rosa Cannon

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 288 Cannon Rd

City: Windsboro State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Bull Run Rd Windsboro

Latitude: 34° 30' 56" N Longitude: -81° 06' 48" W Tax map # (list all): 037-00-00-010-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4/1/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/1/14 SC Dam Inventory Number D 0536 County: Fairfield

Dam Name: Wateren Creek WCD DAM #1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Bull Run Rd Wrensboro, SC

Latitude: 34°30'29" N Longitude: 81°07'07" W Tax map # (list all): 037-00-00-013-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-1-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-11-14 SC Dam Inventory Number D 535 County: FAIRFIELD
 Dam Name: Gaddy Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
 Contact Person (if owner is company): _____
 Phone: _____ Email: _____
 Mailing Address: _____
 City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): old Douglas Rd
 Latitude: 34° 27' 46" N Longitude: -81° 15' 30" W Tax map # (list all): 067-00-00-001-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>John Ansell</u> Printed Name of Regional Inspector	<u>John Ansell</u> Signature	_____ Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/12/14 SC Dam Inventory Number D 534 County: Fairfield

Dam Name: Evangelist Assn. Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Camp Kingsridge Corporation

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 220

City: Bridgeway State: SC Zip: 29130

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 34° 21' 02" N Longitude: -80° 51' 23" W Tax map # (list all): 152-00-00-022-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

3/12/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/18/14 SC Dam Inventory Number D 533 County: Fairfield
Dam Name: Palmer Pond Dam

I. Dam Owner Information

ADDRESS CHANGE

Has ownership changed? Yes No [X] (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address: PO Box 4

City: Ridgeway State: SC Zip: 29130

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Bell Oaks Rd + Longtown Rd Ridgeway

Latitude: 34° 19' 06" N Longitude: -80° 55' 30" W Tax map # (list all): 169-00-03-003-000

B. Is there any evidence of new development below the dam? Yes No [X]

C. Do you think the hazard classification should be upgraded? Yes No [X]

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arsool Printed Name of Regional Inspector

John Arsool Signature

3/18/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/11/19 SC Dam Inventory Number D 532 County: Fairfield
Dam Name: McMaster Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Camp Velfore Rd

Latitude: 34° 33' 46" N Longitude: -80° 58' 48" W Tax map # (list all): 058-00-00-001-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John An
Signature

6/11/19
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/30/14 SC Dam Inventory Number D 529 County: Fairfield

Dam Name: Loblolly Timberlands Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Avert Family Partnership

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 1365

City: Columbia State: SC Zip: 29202

II. Site Information

A. Site Location (street address, nearest intersection, etc.): E. Peach Rd & I77

Latitude: 34° 16' 11" N Longitude: -81° 00' 30" W Tax map # (list all): 201-00-01-051-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansey
Printed Name of Regional Inspector

John [Signature]
Signature

5/30/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/22/14 SC Dam Inventory Number D 528 County: Fairfield

Dam Name: Cathcart Pond Dam

I. Dam Owner Information

Has ownership changed? [checked] Yes [] No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Creighton Cathcart

Contact Person (if owner is company):

Phone: Email:

Mailing Address: 773 Kelly Miller Rd

City: Wainsboro State: SC Zip: 29180

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Kelly Miller Rd.

Latitude: 34° 18' 57" N Longitude: -81° 07' 01" W Tax map # (list all): 163 03 00 058 000

B. Is there any evidence of new development below the dam? [] Yes [checked] No

C. Do you think the hazard classification should be upgraded? [] Yes [checked] No

D. If yes for item II.C, what is your opinion of what the new classification should be? [] Class 1 (High Hazard) [] Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson

Printed Name of Regional Inspector

John An

Signature

5/22/14

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/25/14 SC Dam Inventory Number D 527 County: FAIRFIELD
Dam Name: Martha Ladd Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Cobb Matthews Dr Wrensboro

Latitude: 34° 20' 13" N Longitude: -81° 05' 49" W Tax map # (list all): 145-03-01-003-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

4/25/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/16/14 SC Dam Inventory Number D 526 County: Fairfield
Dam Name: White Oak Conference Center Dam

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 3249 Mulkey Hwy, Winnsboro SC

Latitude: 34° 29' 34" N Longitude: -81° 06' 03" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

3/16/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/18/14 SC Dam Inventory Number D 0525 County: Fairfield

Dam Name: Estes Farm Dam

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

address change

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4323 St Hwy 269

City: Winnsboro State: SC Zip: 29180

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 1415 Welden Rd Winnsboro

Latitude: 34° 16' 41" N Longitude: -81° 08' 23" W Tax map # (list all): 1E0-00-03-140-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

3/18/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-3-14 SC Dam Inventory Number D 522 County: Fairfield Co

Dam Name: Town of Winnsboro Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 499 Old Reservoir Rd, Winnsboro

Latitude: 34° 20' 54" N Longitude: -81° 09' 09" W Tax map # (list all): 143-00-00-040-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-3-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-3-14 SC Dam Inventory Number D 520 County: Fairfield

Dam Name: Martha Westbrook Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Lennie Stevenson

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 8806 Newberry Rd.

City: Winnsboro State: SC Zip: 29186

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Hwy 34 + Old Harder Rd. Winnsboro

Latitude: 34° 24' 46" N Longitude: -81° 19' 10" W Tax map # (list all): 085-00-00-023-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-3-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-3-14 SC Dam Inventory Number D 438 County: Fairfield

Dam Name: James Mason Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Juanita Trent Life Estate

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: P.O. Box 122

City: Flag Pond State: TN Zip: 37657

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Gleams Bridge Rd + Landis Rd Kingsboro

Latitude: 34° 16' 14" N Longitude: -34° 16' 14" W Tax map # (list all): 196-00-01-001-000

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-3-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 15, 2013

Gerald Mead
1337 Woodtrail Dr.
Gaston, SC 29053

Dear Mr. Mead

On 03/05/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-5-13 SC Dam Inventory Number D 0927 County: Lexington

Dam Name: Hidden Valley Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Leonid + Elizabeth Mead

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1337 Woodtrail Dr

City: Caston State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Woodtrail Dr + Excelsior Ct

Latitude: 33° 50' 01" N Longitude: -81° 08' 10" W Tax map # (list all): 010000-02-124

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

3-5-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 15, 2013

James Bruner
226 Saluda Ave.
Columbia, SC 29205

Dear Mr. Bruner

On 04/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-12-13 SC Dam Inventory Number D 0943 County: Lexington
Dam Name: WW + Betty Bruner Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): James Bruner

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 226 Saluda Ave

City: Columbia State: SC Zip: 29205

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 180 Sarah Ann Rd Batesburg

Latitude: 33° 50' 27" N Longitude: - 81° 23' 41" W Tax map # (list all): 009500-02-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

4-12-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 3, 2013

Diamond Pointe II LLC
104 Ranger Lane # A
Great Falls, SC 29055

Dear Diamond Pointe II,

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D 0971 County: Lexington
Dam Name: Crystal Springs LAKE DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Diamond Pointe II LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 104 Ranger Ln #A

City: Great Falls State: SC Zip: 29655

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 489 Crystal Springs Dr.

Latitude: 33° 50' 37" N Longitude: -81° 14' 18" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Ms. Virginia Hall
1408 Saluda River Rd.
West Columbia, SC 29169

Dear Mr. Johnson,

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D 0984 County: Lexington
 Dam Name: Louis Sprath Dam

I. Dam Owner Information

Has ownership changed? Yes PARTIAL No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): John Johnson Tap map # 027 Virginia Hall map # 030

Contact Person (if owner is company): 1400 Cherokee Dr. (New Owner is Johnson)

Phone: _____ Email: _____

Mailing Address: W 1400 Cherokee Dr.

City: West Columbia State: SC Zip: 29169

II. Site Information

A. Site Location (street address, nearest intersection, etc.): NEAREST 1409 Saluda River Rd. West Columbia

Latitude: 34° 00' 45" N Longitude: -81° 05' 25" W Tax map # (list all): 003718-03-027

003718-03-030

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
 Printed Name of Regional Inspector

[Signature]
 Signature

5-8-13
 Date of Signature

 Printed Name of BOW Engineer

 Signature

 Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. Samuel Edwards
2715 Fairview Rd.
Leesville, SC 29070

Dear Mr. Edwards,

On 04/23/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.


If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-23-13 SC Dam Inventory Number D 1003 County: Lexington
Dam Name: George Sanders Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Samuel Edwards

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2715 Fairview Rd

City: Leesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1986 Charles Town Rd Batesburg

Latitude: 33° 44.99' N Longitude: -81° 20.837' W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

4-23-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

May 8, 2013

Mr. Michael Keisler
2124 Spring Hill Rd.
Gilbert, SC 29054

Dear Mr. Keisler,

On 04/24/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely



John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 1702 County: Lexington

Dam Name: Bessie Jumper Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Michael Keister

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2124 Spring Hill Rd

City: Gilbert State: SC Zip: 29054

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1742 Spring Hill Rd Gilbert

Latitude: 33° 57' 22" N Longitude: -81° 23' 06" W Tax map # (list all): 005100-02-013

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John
Signature

4-24-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. James Ramage
109 Kirby Rd.
Savannah, GA 31419

Dear Mr. Keisler,

On 04/24/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 1006 County: Lexington

Dam Name: James Ramase + Partnership DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JAMES RAMASE

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 109 Kirby Rd

City: Savannah State: GA Zip: 31419

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 604 Cannon Place Gilbert

Latitude: 33° 57' 16" N Longitude: - 81° 22' 41" W Tax map # (list all): 005100-02-022

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anwell
Printed Name of Regional Inspector

John A
Signature

4-24-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. Paschal Koon
1713 Devils Backbone Rd.
Leesville, SC 29070

Dear Mr. Koon,

On 04/24/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 042 10TT County: Lexington
 Dam Name: Carolyn Barr Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Paschal Kohn

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1713 Devils Backbone Rd

City: Lexville State: SC Zip: 25070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1671 Devils Backbone Rd

Latitude: 33° 58' 38" N Longitude: -81° 28' 44" W Tax map # (list all): 004900-02-004

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
 Printed Name of Regional Inspector

[Signature]
 Signature

4-24-13
 Date of Signature

 Printed Name of BOW Engineer

 Signature

 Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. John Thompson
PO Box 70
Gaston, SC 29053

Dear Mr. Thompson,

On 04/18/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-18-13 SC Dam Inventory Number D 0986 County: Lexington
Dam Name: Hutto Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 70

City: Gaston State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Franklin Rd + Pine Ridge Dr.

Latitude: 33° 52' 43" N Longitude: -91° 07' 25" W Tax map # (list all): 008900-01-031

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

4-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 9, 2013

Mr. Justin McLemore
2717 Maple St.
Cayce, SC 29033

Dear Mr. McLemore,

On 04/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.


If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-22-13 SC Dam Inventory Number D 0999 County: Lexington

Dam Name: Rolph Senterfiet Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Justin Mc Lemore

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2717 Maple St

City: Cayce State: SC Zip: 29033

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 414 Baggice Rd Batesburg

Latitude: 33° 50' 27" N Longitude: -81° 27' 76" W Tax map # (list all): 009400-02-007

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 9, 2013

Ms. Laura Walls
411 Laura Brodie Rd.
Leesville, SC 29070

Dear Ms. Walls,

On 04/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-22-13 SC Dam Inventory Number D 0998 County: Lexington

Dam Name: Lutheran Church Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Laura Walls

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 411 Laura Brodie Rd.

City: Leesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 383 Laura Brodie Rd Batesburg

Latitude: 33° 51' 42" N Longitude: -81° 26' 07" W Tax map # (list all): 008300-03-113

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

August 15, 2013

Ms. Margaret W. Corley
PO Box 1628.
Lexington, SC 29071

Dear Ms. Corley,

On 08/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-13-13 SC Dam Inventory Number D 0957 County: Lexington
Dam Name: Wilbur + Margaret Corley Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Margaret W. Corley

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 1628

City: Lexington State: SC Zip: 29071

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 505 Corley Mill Rd Lexington

Latitude: 34° 01' 07" N Longitude: -81° 09' 68" W Tax map # (list all): 003500-03-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

DAM partially disassembled, floodgate open

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

2/13/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

August 15, 2013

Ms. Martha Risinger
2726 Irvin Risinger Rd
Batesburg/Leesville, SC 29070

Dear Ms. Risinger,

On 08/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2/13/13 SC Dam Inventory Number D 1712 County: Lexington
Dam Name: Herbert Risinger DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Martha Risinger

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2724 Ervin Risinger Rd

City: Lexville State: SC Zip: 29670

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 117 Ranch Rd Batesburg

Latitude: 33° 49' 23" N Longitude: -81° 27' 41" W Tax map # (list all): 004900-02-030

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John
Signature

2/13/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

August 15, 2013

Mr. George Mathias ETALS
62 Rocky Creek Cove
Lexington, SC 29072

Dear Mr. Mathias,

On 08/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/13 SC Dam Inventory Number D 0949 County: Lexington
Dam Name: Clarks Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Geuse Mathias ETALS

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 62 Rocky Cove Rd

City: Lexington State: SC Zip: 29072

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 853 Kelly Day Rd. Gilbert

Latitude: 33° 49' 14" N Longitude: -81° 20' 93" W Tax map # (list all): 009600-01-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

8-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/22/13 SC Dam Inventory Number D 0951 County: Lexington
Dam Name: Benjamin Satcher Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Satcher Properties LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 888

City: Lexington State: SC Zip: 29071

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 191 Branham View Dr, Lexington

Latitude: 33° 59' 26" N Longitude: -81° 16' 18" W Tax map # (list all): 005300-01-014

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anselci
Printed Name of Regional Inspector

John A
Signature

7/22/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



CENTRAL MIDLANDS EQC DISTRICT

PO Box 156, Building #5

State Park, SC 29147

(803) 935-7015 Fax (803) 935-6724

December 29, 2000

J. R. Brittingham, Trustee
Lexington Acres
P.O. Box 5949
West Columbia, SC 29171

RE: D-0993
Lexington Acres Pond Dam
Lexington County

Dear Mr. Brittingham:

On December 28, 2000, this office conducted a routine classification check of your dam. Enclosed is a copy of the inspection report. The purpose of this inspection was to determine if the dam should be reclassified. Your dam is currently listed as a Class 3, or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days after transferring the title of the dam to someone else. The notification must include the name and address of the new owner. We are enclosing a blank form for your use in notifying us should the title of the dam be transferred. Failure to respond to this request may result in referral of the matter to the enforcement division of the Department for appropriate action.

Another classification check will be performed in approximately three years. If the address or any other information is incorrect, notify me immediately so I can update my records.

If you have any questions, please feel free to call me at (803) 896-0620.

Sincerely,

Kimberly Prickett
Central Midlands EQC District

**Class III
Low Hazard Dam Classification
Check**

Dam Number D - 0993

County LEXINGTON

Tax Map No. 009000-03-037

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Kimberly Puckett 12/29/00
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 1010 County: Lexington

Dam Name: Boice Poath Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 252 Caroline Hill Rd Lexington

Latitude: ____° ____' ____" N Longitude: - ____° ____' ____" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-24-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 0985 County: Lexington

Dam Name: Columbia Airport Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): John Hardee Exp + Hwy 302

Latitude: 33° 56' 71" N Longitude: -81° 06' 85" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John L
Signature

4-24-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

July 22, 2014

Daniel C Harmon
748 Ben Franklin Rd
Gilbert SC 29054

Certified Mail 91 7199 9991 7034 1866 4672

Subject: Hazard Classification Change for Harmon Pond Dam (D 1000)
Lexington County

Dear Mr. Harmon,

The South Carolina Department of Health and Environmental Control (Agency) has the responsibility and authority to regulate dams within South Carolina. The Agency assigns hazard classifications to regulated dams based on section 72-2.C of the Dams and Reservoirs Safety Act Regulations. The hazard classifications assigned to dams are based on the potential loss of human life or property damage that is likely to occur in the event of failure or improper operation of the dam, not the actual condition of the structure.

Due to recent findings, the Agency is considering a change to the hazard classification for this dam based on the guidance within the regulations cited above. According to the Agency's records, the current hazard classification assigned is Low Hazard (Class Three). However, it appears that a classification of High Hazard (Class One) better fits the risks posed by this dam to its surroundings. There is a dwelling located just downstream of your dam that could be flooded if your dam was to fail or be improperly operated. Please submit any inundation studies or other pertinent information you may have that can assist Agency staff in the review of this dam's hazard classification.

Please be aware that a hazard reclassification for this dam is scheduled to occur on August 22, 2014, and any information you believe should be included for consideration in the decision making process must be provided to the Agency before this date.

Please don't hesitate to contact me if you have any questions or comments regarding this possible change in hazard classification. I can be contacted by phone at 803-898-1767 or by email at fordrj@dhec.sc.gov.

Sincerely,

James Ford
Dams and Reservoirs Safety Program
Bureau of Water
SCDHEC

RECEIVED

AUG 04 2014

COLUMBIA EQC OFFICE

cc: Steve Hauptmann, Midlands EQC, 8500 Farrow Rd, Columbia SC 29203



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-22-13 SC Dam Inventory Number D 1000 County: Lexington

Dam Name: Hamm Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 786 Ben Franklin Rd. Liberty

Latitude: 33° 49.71" N Longitude: -81° 21.49" W Tax map # (list all): 009600-01-023

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

New residence @ 815 Ben Franklin Rd Class 2 (Significant Hazard)
next to dam

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-18-13 SC Dam Inventory Number D 1711 County: Lexington

Dam Name: Donald CLAMP DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Karr Ct Lexington

Latitude: 33° 58' 02" N Longitude: -81° 18' 05" W Tax map # (list all): 005300-06-007

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

6-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-26-13 SC Dam Inventory Number D 0995 County: Lexington

Dam Name: Huckabee's Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Katie Weismaker ETAL

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 99

City: Coker State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1608 Pine Plain Rd Sumner

Latitude: 33° 47' 59" N Longitude: -81° 02' 31" W Tax map # (list all): 011200 - 01-017

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

1505 Pine Plain Acres
St. from Dam
Bakers Mill Sid
2500' Downs from

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

6-27-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Ms. Jeralyn Fallaw
17643 Hwy 151
McBee, SC 29101

Dear Ms Fallaw,

On 07/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 7/22/13 SC Dam Inventory Number D 0935 County: Lexington
Dam Name: McCollum Fallow DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Jeralyn Fallow

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 17643 Hwy 151

City: McColl State: SC Zip: 29101

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Dans Kite Pl + Green Gold Dr.

Latitude: 33° 52.51" N Longitude: -81° 26.21" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

7/22/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Mr. Herbert Risinger
2726 Irvin Risinger Rd.
Leesville, SC 29070

Dear Mr. Risinger,

On 06/25/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-25-13 SC Dam Inventory Number D 1714 County: Lexington
Dam Name: Watson Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Herbert Rasmussen

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2724 Ervin Rasmussen Rd.

City: Lexington State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1801 Dog Leg Rd. Lexington

Latitude: 33° 56' 53" N Longitude: -81° 29' 21" W Tax map # (list all): 004900-02-030

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

6-27-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Mr. Douglas Kinard & Ms. Sarah Black
121 S. Chateau Dr.
West Columbia, SC 29170

Mr. Kinard,

On 08/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-12-13 SC Dam Inventory Number D 1566 County: Lexington

Dam Name: Lake Princeton Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Douglas Kinard + Sarah Black

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 121 S. Chateau Dr.

City: West Columbia State: SC Zip: 29170

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 192 High Meadow Ln West Columbia

Latitude: 33° 53' 43" N Longitude: 81° 08' 32" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John C
Signature

8-12-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Trans Tel Inc.
1058 Mulberry St.
Pelion, SC 29123

To Whom It May Concern:

On 08/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-13-13 SC Dam Inventory Number D 0955 County: Lexington
Dam Name: LUCAS Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): TRAW TEL INC.

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1058 Mulberry ST.

City: Pelion State: SC Zip: 29123

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 360 Noah Lucas DR. Lexington

Latitude: 33° 50' 14" N Longitude: -81° 15' 03" W Tax map # (list all): 009800-03-024

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Avey
Printed Name of Regional Inspector

John A
Signature

8-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/12/13 SC Dam Inventory Number D 1009 County: Lexington

Dam Name: Thelma + John Culler DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joe Phillips

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1130 Sox St.

City: West Columbia State: SC Zip: 29169

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3rd Branch Rd + Calhoun Rd

Latitude: 33° 43' 12" N Longitude: -81° 02' 29" W Tax map # (list all): 013100-04-003

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansey
Printed Name of Regional Inspector

John Ansey
Signature

9/12/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 28, 2013

Mr. William Hutto
7818 Jeanette Dr.
Columbia, SC 29223

Dear Mr. Hutto,

On 05/28/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-28-13 SC Dam Inventory Number D 1008 County: Lexington

Dam Name: WD Corley Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Calvary Church Rd + Chaplin Rd

Latitude: 33° 43' 52" N Longitude: -81° 02' 04" W Tax map # (list all): 013100-02-023

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/28/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/12/13 SC Dam Inventory Number D 3282 County: Lexington
Dam Name: Carolina Living DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Carolina Living Inc.

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 805 MARK Edisto Rd.

City: SWANSEA State: SC Zip: 29160

2nd Owner: Roy Cartin 1330 Fallow Rd. Gaston SC 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1371 Fallow Rd. Gaston

Latitude: 33° 46' 65" N Longitude: -81° 08' 10" W Tax map # (list all): 011919-03-007
011919-03-019

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

9/12/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. Wayne Tindal
1949 Samaria Highway
Leesville, SC 29070

Dear Mr. Tindal,

On 04/23/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-23-13 SC Dam Inventory Number D 1002 County: Lexington

Dam Name: Sybil Berry Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): MR. WAYNE TRINDAL

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1949 SAMARIA HWY

City: LEESVILLE State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1691 SAMARIA HIGHWAY BATESBURG

Latitude: 33° 48' 60" N Longitude: -81° 27' 57" W Tax map # (list all): 010400-05-018

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-23-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/12/13 SC Dam Inventory Number D 4497 County: Lexington

Dam Name: Farming Creek Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Farming Creek Home owners Ass. Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4910 Trenholm Rd Ste C

City: Columbia State: SC Zip: 29206

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 188 Dewees Ct Lexington

Latitude: 34° 10' 55" N Longitude: -81° 18' 38" W Tax map # (list all): 003353-03-044

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John C
Signature

9/12/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4/22/13 SC Dam Inventory Number D 0966 County: Lexington

Dam Name: Jeff Hunt Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Indian River Development Co. Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 268 Ashton Cir.

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 214 Rambler Rd West Columbia

Latitude: 33° 54' 59" N Longitude: -81° 09' 89" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 9, 2013

Tiger Forestry LLC
PO Box 1409
Lexington, SC 29071

To Whom It May Concern:

On 04/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-22-13 SC Dam Inventory Number D 0997 County: Lexington
Dam Name: FRICK Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Tiger Forrestry LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO BOX 1409

City: Lexington State: SC Zip: 29071

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 379 Ben Kyrer Rd Gilbert

Latitude: 33° 53' 00" N Longitude: -81° 23' 46" W Tax map # (list all): 007300-05-040

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 9, 2013

Ms. Frances Shirley
PO Box 3614
Leesville, SC 29070

Dear Ms. Shirley

On 04/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-22-13 SC Dam Inventory Number D 1001 County: Lexington

Dam Name: Wood - Berry Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Frances Shirley

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: P O Box 3614

City: Leesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1961 Samaria Highway

Latitude: 33° 47' 59" N Longitude: - 81° 27' 59" W Tax map # (list all): 010400-07-004

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John
Signature

4-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-13-12 SC Dam Inventory Number D 1715 County: Lexington

Dam Name: Bignon Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): DOAN, WILLIAM ETALS

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 229 Redhawk DR

City: Cokesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Charleston Ko + Hartley Quarry Rd
Charles Towne Rd + William Knotts Rd

Latitude: ~~33 44 46~~ " N Longitude: ~~-81 19 39~~ " W Tax map # (list all): ~~011 022 025~~
33 44 15 81 18 31

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

8/13/12
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/22/13 SC Dam Inventory Number D 1706 County: Lexington

Dam Name: Charles Kizer Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Southerwoode Horizontal Property Regime

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 111 Generations Blvd.

City: Batesburg State: SC Zip: 29006

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Stone Wall Ct + Woulbright Ln Chapin

Latitude: 34° 09' 45" N Longitude: -81° 20' 10" W Tax map # (list all): 007 000700-03-125

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel

Printed Name of Regional Inspector

John C

Signature

7/22/13

Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

June 27, 2013

Ms. Jeannette Adcock
6561 Platt Springs Rd.
Lexington, SC 29073

Dear Ms. Watson,

On 06/25/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-25-13 SC Dam Inventory Number D 1708 County: Lexington

Dam Name: Adcock Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Jeanne He Adcock

Phone: _____ Email: _____

Mailing Address: 6561 Platt Springs Rd

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Platt Springs Rd + Mc Carthe Rd

Latitude: _____° _____' _____" N Longitude: - _____° _____' _____" W Tax map # (list all): 008600-62-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson
Printed Name of Regional Inspector

John Anson
Signature

6-25-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mr. Walter Shealy
122 East Columbia Ave.
Leesville, SC 29070

Dear Mr. Shealy

On 01/07/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-7-13 SC Dam Inventory Number D-0930 County: Lexington

Dam Name: Shealy Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Walter C. Shealy

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 122 East Columbia Ave.

City: Lexington State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Intersection of Shealy Rd + Henry St, Lexington

Latitude: 33° 54' 23" N Longitude: -081° 31' 35" W Tax map # (list all): 007100-07-041

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Ms. Suzette Scaturro & Mr. John Cubelic
1842 Wintersgate Way.
Dunwoody, GA 30338

Dear Ms. Scaturro

On 01/07/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-7-13 SC Dam Inventory Number D -0934 County: Lexington
Dam Name: Cheryl Templeton Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Suzette Scaturro + John Cubelic

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1842 Wintersate Way

City: Dunwoody State: GA Zip: 30338

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 757 NW Lawman Rd. Batesville

Latitude: 33° 51' 57" N Longitude: -081° 31' 26" W Tax map # (list all): 008200-07-013

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Angel
Printed Name of Regional Inspector

John A
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Ms. Kimberlie Scott, Et al
PO Box 535.
Allendale, SC 29810

Dear Ms. Scott

On 01/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-22-13 SC Dam Inventory Number D 0941 County: Lexington
Dam Name: Collum Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Kimberlie C. Etals Scott Trustees

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: Po Box 535

City: Allendale State: SC Zip: 29810

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1679 Martin Smith Rd

Latitude: 33° 50' 76" N Longitude: -081° 23' 966" W Tax map # (list all): 008400-05-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arvey
Printed Name of Regional Inspector

[Signature]
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Ms. Mary Alice Taylor, et al
509 E. Butler St.
Lexington, SC 29072

Dear Ms. Taylor

On 01/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 22 1-08-13 SC Dam Inventory Number D 0939 County: Lexington

Dam Name: Taylor Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Mary Anne Taylor Stals

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 509 E. Butler St

City: Lexington State: SC Zip: 29072

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 541 Hayes Crossing Rd

Latitude: 33° 56' 194" N Longitude: -081° 22' 388" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 29, 2013

Mr. Harvy Cook
146 Oak Valley Dr.
Gaston, SC 29053

Dear Mr. Cook

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D 0975 County: Lexington

Dam Name: Feagles Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): HARVY and KATHI LUCK

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 146 OAK VALLEY DR.

City: Gaston State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Gator Rd / Jagues Haven Rd

Latitude: 33° 52.07" N Longitude: -81° 09.25" W Tax map # (list all): 008 800 -01 -011

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

3-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Mr. James Rast
PO Box 424
Pelion, SC 29123

Dear Mr. Rast,

On 04/09/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-9-13 SC Dam Inventory Number D 0973 County: Lexington
 Dam Name: Ross Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Elkie Sutherland Ross Trust c/o James Ross

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 424

City: Pelion State: SC Zip: 29123

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1402 Pine St Pelion 29123

Latitude: 33° 45' 18" N Longitude: 81° 15' 18" W Tax map # (list all): 011700-06-016

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

4-11-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Moragne Lake Association Inc.
926 Bluefield Rd.
Lexington, SC 29073

Dear Moragne Lake Association,

On 04/09 /2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-9-13 SC Dam Inventory Number D 0969 County: Lexington

Dam Name: Moragne Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Moragne Lake Association Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 926 Bluefield Rd

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 955 Bluefield Dr Lexington 29073

Latitude: 33° 52' 48" N Longitude: 81° 14' 68" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John A
Signature

4-9-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Jody A. Miller
298 Old Church Rd.
Lexington, SC 29072

Dear Ms. Miller,

On 04/09 /2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-9-13 SC Dam Inventory Number D 0946 County: Lexington
Dam Name: Miller Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Jody A. Miller

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 298 Old Church Rd

City: Lexington State: SC Zip: 29072

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1043 Oscar Price Rd Lexington

Latitude: 33° 58' 32" N Longitude: - 81° 20' 07" W Tax map # (list all): 007400-02-008

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansen
Printed Name of Regional Inspector

John A.
Signature

4-9-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

KRE Holdings LLC
219 Tiger Circle.
Gilbert, SC 29054

Dear KRE Holdings,

On 01/28 /2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-28-13 SC Dam Inventory Number D 0940 County: Leanington

Dam Name: Taylor Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): KRE Holdings LLC

Contact Person (if owner is company): _____

Phone: 219 Tiger Creek Email: _____

Mailing Address: _____

City: Colbert State: SC Zip: 29054

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Intersection of Two Notch Rd + Ben Kyzer Dr.

Latitude: 33° 54' 29" N Longitude: -81° 23' 39" W Tax map # (list all): 007300-05-003

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

1-28-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Pennsylvania Sand Glass Corp.
5263 Edmund Hwy.
West Columbia, SC 29170

Dear Pennsylvania Sand Glass Corp.,

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D 0967 County: Lexington
Dam Name: Pennsylvania Sand Glass Co. DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Pennsylvania Sand Glass Corp.

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 5263 Edmund Hwy

City: West Columbia State: SC Zip: 29170

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Cayton Rd / Oak Valley Dr. West Columbia SC

Latitude: 33° 52' 49" N Longitude: -81° 09' 47" W Tax map # (list all): 007799-03-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

3-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mr. Dwight Davis, Mr. Jeffrey Davis and Mr. Harold Davis
824 Willis St.
Batesburg, SC 29006

Dear Mr. Davis

On 01/07/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-7-13 SC Dam Inventory Number D-0932 County: Lexington

Dam Name: Davis Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Dwight, Jeffrey and Harold Davis

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 824 Willis St.

City: Batesburg State: SC Zip: 29606

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 824 Willis St. Batesburg, SC 29606

Latitude: 33° 52' 19.9" N Longitude: -081° 32' 47" W Tax map # (list all): 008100-04-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/11/13 SC Dam Inventory Number D 1701 County: Lexington
Dam Name: Roy Williams DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Donnie Williams ETALS

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 229 Red Hawk Dr.

City: Leesville State: SC Zip: 29020

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Charleston Rd + William Rawls Rd

Latitude: 33° 44' 40" N Longitude: 81° 19' 39" W Tax map # (list all): 011500-03-025

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

9/11/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

September 10, 2013

Scott Woodlands LLC
PO Box 535
Allendale, SC 29810

To Whom It May Concern:,

On 09/10/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/10/13 SC Dam Inventory Number D 4074 County: Lexington
Dam Name: Hollow Creek Watershed Dam 1

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Scott Woodlands LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 535

City: Attendale State: SC Zip: 29810

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 2131 Devils Beckline Rd.

Latitude: 33° 58' 10" N Longitude: -81° 29' 52" W Tax map # (list all): 004900-03-023

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

9/10/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

September 10, 2013

Golden Hills Inc.
100 Scotland Drive
Lexington, SC 29072

RE: Covington Lakes S/D Dam, Upper Golden Hills Dam

To Whom It May Concern:,

On 09/10/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/10/13 SC Dam Inventory Number D 4341 County: Lexington
Dam Name: Upper Golden Hills DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 158 Scotland Drive Lexington

Latitude: 33° 59' 79" N Longitude: -81° 12' 78" W Tax map # (list all): 604356-01-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John A
Signature

9/10/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

September 10, 2013

Golden Hills Inc.
100 Scotland Drive
Lexington, SC 29072

RE: Covington Lakes S/D Dam, Upper Golden Hills Dam

To Whom It May Concern:,

On 09/10/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/10/13 SC Dam Inventory Number D 4062 County: Lexington
Dam Name: Covington Lakes 510 Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 162 Gleneagle Crossing

Latitude: 33° 59' 53" N Longitude: -81° 12' 34" W Tax map # (list all): 004356-01-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

9/10/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

June 19, 2013

Fred Specht
7825 Northern Ave.
Glenn Dale Md. 20769

Dear Mr. Specht,

On 06/17/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-18-13 SC Dam Inventory Number D 1713 County: Lexington
Dam Name: Sara Bigbee Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Fred Specht

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 7625 Northern Ave.

City: Glenn Dale State: MD Zip: 20769

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Pioneer Dr + Bridge water Rd Batesburg

Latitude: 33° 53' 00" N Longitude: -81° 29' 50" W Tax map # (list all): 007100-04-021

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

6-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 28, 2013

Mr. Joe Jeffcoat
6154 Hampton Ridge Rd.
Columbia, SC 29209

Dear Mr. Jeffcoat,

On 05/28/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/28/13 SC Dam Inventory Number D 1005 County: Lexington

Dam Name: NF JEFFCAT DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): FRANCIS + JOE JEFFCAT

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 6154 Hampton Ridge Rd

City: Columbia State: SC Zip: 29209

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Forts Pond Rd + Podes Mill Rd

Latitude: 33° 43' 10" N Longitude: -81° 10' 24" W Tax map # (list all): 012800-03-01

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

5/28/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

June 19, 2013

Ann Keisler
211 Golden Jubilee Rd.
Gilbert, SC 29054

Dear Ms. Keisler,

On 06/17/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6-18-13 SC Dam Inventory Number D 1709 County: Lexington
Dam Name: LL Richard Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): Ann Krister

Phone: _____ Email: _____

Mailing Address: 211 Golden Jubilee Rd.

City: Gilbert State: SC Zip: 29054

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Golden Jubilee Rd + Windy Rd Gilbert

Latitude: 33° 57' 34" N Longitude: -81° 21' 26" W Tax map # (list all): 005200-04-106

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

6-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 28, 2013

Daniel Poole Life Estate
4120 Pooles Valley Rd.
Swansea, SC 29160

To Whom It May Concern:

On 05/28/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/28/13 SC Dam Inventory Number D 1004 County: Lexington

Dam Name: Daniel Pools Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Daniel Pools Life Estate

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4120 Pools Valley Rd

City: Swainsboro State: SC Zip: 29160

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 4178 Pools Valley Rd

Latitude: 33° 42' 45" N Longitude: 81° 10' 762" W Tax map # (list all): 013600-01-034

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

(Pond currently drained)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

5/28/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

J & J Tapp LLC
1730 Carl Rd.
Columbia, SC 29210

To Whom It May Concern:

On 08/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-12-11 SC Dam Inventory Number D 0992 County: Lexington

Dam Name: State Record Dam

I. Dam Owner Information

Has ownership changed? Yes No X (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): End of State Pond Rd. behind gate

Latitude: 33° 56' 47" N Longitude: -81° 03' 46" W Tax map # (list all): 009000-03-030

B. Is there any evidence of new development below the dam? Yes No X

C. Do you think the hazard classification should be upgraded? Yes No X

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell Printed Name of Regional Inspector

John Ansell Signature

8-12-11 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 20, 2013

Mr. Harold Koon
1110 Juniper Springs Rd.
Gilbert, SC 29054

Dear Mr. Koon,

On 05/20/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/20/13 SC Dam Inventory Number D 1703 County: Lexington

Dam Name: Koons Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1105 Juniper Springs Rd, Gilbert

Latitude: 33° 53' 53" N Longitude: - 81° 22' 06" W Tax map # (list all): 007300-04-018

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/20/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 20, 2013

Ms. Lucille Cunningham
561 Boiling Springs Rd.
Lexington, SC 29073

Dear Ms. Cunningham,

On 05/20/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

A handwritten signature in black ink that appears to read 'John Ansell'.

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-20-13 SC Dam Inventory Number D 1707 County: Lexington

Dam Name: Lutheran Church DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Address Change

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 561 Boiling Springs Rd

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 6729 Plck Springs Rd Lexington

Latitude: 33° 52' 23" N Longitude: -81° 16' 92" W Tax map # (list all): 008600-02-037

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John
Signature

5/20/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mrs. Marie Hydrick
740 Blackville Rd.
Gaston, SC 29053

Dear Mrs. Hydrick

On 03/05/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3/5/13 SC Dam Inventory Number D 0978 County: Lexington

Dam Name: _____

I. Dam Owner Information

Address Change

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 740 Blackville Rd

City: Caston State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): _____

Latitude: 33° 47.183" N Longitude: -081° 08.645" W Tax map # (list all): _____

814 Blackville Rd Caston

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anzic
Printed Name of Regional Inspector

John Anzic
Signature

3-5-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mr. John Holler
3100 Hayward St.
Columbia, SC 29205

Dear Mr. Holler

On 01/17/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

A visual inspection of your dam did reveal a small hole likely caused by animals that opened up significantly underground near the middle of the dam. This type hole has been known previously in other dams to cause leakage and structural concerns.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-17-13 SC Dam Inventory Number D 0936 County: Lexington

Dam Name: Abels Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

Address Change

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 3100 Hayward St

City: Columbia State: SC Zip: 29205

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 399 Abels Mill Rd.

Latitude: 33° 52' 253" N Longitude: -081° 27' 521" W Tax map # (list all): 008300-06-016

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John C Ansell
Printed Name of Regional Inspector

John C Ansell
Signature

1-17-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5-20-13 SC Dam Inventory Number D 1011 County: Lexington

Dam Name: Carl + Beulah Hanson Dr.

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Fred Specht

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 7825 Northern Ave.

City: Glenn Dale State: MD Zip: 20769

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 229 Pioneer Dr Leesville

Latitude: 33° 53' 13" N Longitude: -81° 29' 45" W Tax map # (list all): 007 100 - 04 - 020

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

5/20/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 20, 2013

Mr. David Vance
989 Boiling Springs Rd.
Lexington, SC 29073

Dear Mr. Vance

On 05/20/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 5/20/13 SC Dam Inventory Number D 1704 County: Lexington

Dam Name: Robert Ni Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): David Vance

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 989 Bowling Springs Rd

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 128 Merion Dr Lexington

Latitude: 33° 52' 09" N Longitude: -81° 15' 30" W Tax map # (list all): 008730-01-015

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

5/20/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 19, 2013

Mr. Roy Frick
1012 Parrish Rd.
Leesville, SC 29070

Dear Mr. Frick

On 01/28/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-28-13 SC Dam Inventory Number D 6936 County: Lexington

Dam Name: Steedman Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Roy D + Lavonia Fulk Trustees

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 1012 Perry Rd

City: Leesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 649 Steedman Rd. Batesburg

Latitude: 33° 47' 05" N Longitude: -81° 26' 18" W Tax map # (list all): 010400-02-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-28-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Richland/Lexington Airport District
Columbia Metropolitan Airport
3000 Aviation Way
West Columbia, SC 29169

To Whom It May Concern:

On 08/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-12-13 SC Dam Inventory Number D 1719 County: Lexington
Dam Name: Pitts Lake Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): W. Dunbar Rd + E. Steele Rd.

Latitude: 33° 54' 02" N Longitude: -81° 07' 38" W Tax map # (list all): 006796-03-001

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

8/12/13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



CENTRAL MIDLANDS EQC DISTRICT

PO Box 156, Building #5
State Park, SC 29147
(803) 935-7015 Fax (803) 935-6724

December 29, 2000

H. A. Dixon
130 Dixon Road
Gaston, SC 29053

RE: D-0996
Dixon Pond Dam
Lexington County

Dear Mr. Dixon:

On December 28, 2000, this office conducted a routine classification check of your dam. Enclosed is a copy of the inspection report. The purpose of this inspection was to determine if the dam should be reclassified. Your dam is currently listed as a Class 3, or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days after transferring the title of the dam to someone else. The notification must include the name and address of the new owner. We are enclosing a blank form for your use in notifying us should the title of the dam be transferred. Failure to respond to this request may result in referral of the matter to the enforcement division of the Department for appropriate action.

Another classification check will be performed in approximately three years. If the address or any other information is incorrect, notify me immediately so I can update my records.

If you have any questions, please feel free to call me at (803) 896-0620.

Sincerely,

Kimberly Prickett
Central Midlands EQC District

Enclosures

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-0996

County LEXINGTON

Tax Map No. 010200-01-001

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?
_____ yes _____ no

If yes, do you think the classification should be upgraded?
_____ yes _____ no

What is your opinion of what the new classification should be?
_____ Class I (High hazard)

_____ Class II (Significant hazard)
Kimberly Puckett 12/29/00
Signature and Date

Recheck by District Engineer

- _____ Leave as low hazard.
- _____ Reclassify to high hazard. (Schedule for inspection.)
- _____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Clear Lake Limited Partnership
560 Meeting St.
West Columbia, SC 29169

To Whom It May Concern:

On 07/23/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/23/13 SC Dam Inventory Number D 0950 County: Lexington

Dam Name: Oswald Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 150 Lexington Pine Trail, Lexington

Latitude: 33° 58' 63" N Longitude: - 81° 16' 89" W Tax map # (list all): 004200-04-018

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

7-23-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mr. Douglas Cooper
4721 Fairview Rd.
Leesville, SC 29070

Dear Mr. Cooper

On 01/17/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-17-13 SC Dam Inventory Number D 0937 County: Lexington

Dam Name: Old Rowe Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 4803 FAIRVIEW RD Batesburg/Leesville

Latitude: 33° 46' 05" N Longitude: -081° 26' 00" W Tax map # (list all): 010460-03-036

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John C Ansell
Printed Name of Regional Inspector

John C Ansell
Signature

1-17-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

March 25, 2013

Mr. Walter Shealy
122 East Columbia Ave.
Leesville, SC 29070

Dear Mr. Shealy

On 01/07/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 1-7-13 SC Dam Inventory Number D 0931 County: Lexington

Dam Name: Walter and Susan Shealy DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

Address Change

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 122 E. Columbia Ave.

City: Leesville State: SC Zip: 29070

II. Site Information

A. Site Location (street address, nearest intersection, etc.): West W Lowman Rd

Latitude: 33° 51' 57" N Longitude: -081° 31' 26" W Tax map # (list all): 007100-02-037

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

1-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Mr. Richard Bailey
933 Forts Pond Trail
Pelion, SC 29123

Dear Mr. Bailey,

On 04/09 /2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-9-13 SC Dam Inventory Number D 0972 County: Leeington

Dam Name: FT Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 136 Foote Pond Rd Pelham 29123

Latitude: 33° 45' 46" N Longitude: -81° 14' 51" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

4-10-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-12-14 SC Dam Inventory Number D 4510 County: Lexington
Dam Name: Basil Mack Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Marshall Moore

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 199 Bowstring Ct

City: Lexington State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 198 Bowstring Ct Lexington

Latitude: 33° 48' 00" N Longitude: -81° 04' 06" W Tax map # (list all): 011100-02-061

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arved
Printed Name of Regional Inspector

John Arved
Signature

4/12/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Mr. Harvey Cook
146 Oak Valley Dr.
Gaston, SC 29053

Dear Mr. Cook,

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D 0974 County: Lexington

Dam Name: LOUIS GUION DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Cator Rd West Columbia

Latitude: 33° 52' 07" N Longitude: - 81° 09' 25" W Tax map # (list all): 008800-01-011

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

3-13-13 John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

3-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 10, 2013

Elzene Poole Corbett
PO Box 422
Sally, SC 29137

Dear Ms. Corbett

On 03/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 3-13-13 SC Dam Inventory Number D -0980 County: Lexington

Dam Name: Pooles Upper Mill Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Nearest 166 Johnson King Rd. Swainsboro

Latitude: 33° 41' 600" N Longitude: -81° 10' 932" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John
Signature

3-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 15, 2013

Larry C. Smith
436 Bouknight Rd.
Gilbert, SC 29054

Dear Mr. Smith,

On 04/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-12-13 SC Dam Inventory Number D 0942 County: Lexington

Dam Name: Bouknight Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Neely Wingard Rd + Hayride Rd

Latitude: 33° 50' 02" N Longitude: -81° 22' 51" W Tax map # (list all): 009500-01-027

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

4-12-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

April 15, 2013

Dorus G. Smith
505 Smith Pond Rd.
Lexington, SC 29072

Dear Ms. Smith,

On 04/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely



John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-12-13 SC Dam Inventory Number D 0944 County: Lexington

Dam Name: Smith Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 538 Smith Pond Rd Lexington SC 28072

Latitude: 33° 56' 86" N Longitude: -71° 18' 97" W Tax map # (list all): 005200-02-039

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John C
Signature

4-12-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Bethel Christian Camp & Conference Center
750 Boy Scout Rd.
Gaston, SC 29053

To Whom It May Concern:

On 04/18/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-18-13 SC Dam Inventory Number D 0989 County: Lexington

Dam Name: URghart Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Bethel Christian Camp & Conf. Center

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 750 Boy Scout Rd

City: Caston State: SC Zip: 29053

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 750 Boy Scout Rd Caston

Latitude: 33° 51' 00" N Longitude: -81° 07' 19" W Tax map # (list all): 008900 - 01 - 113

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Arsen
Printed Name of Regional Inspector

John C
Signature

4-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. WS Reamer
4840 Reamer Ave.
Columbia, SC 29206

Mr. Reamer,

On 04/18/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-18-13 SC Dam Inventory Number D 0987 County: Lexington
Dam Name: Sweet Bay Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Wire Rd + Glenn Rd

Latitude: 33° 52' 34" N Longitude: -81° 03' 12" W Tax map # (list all): 007999-03-006

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John C Ansovu
Printed Name of Regional Inspector

[Signature]
Signature

4-18-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 9, 2013

Mr. Robert Livingston
1248 Glenn St.
West Columbia, SC 29169

Mr. Livingston,

On 04/24/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-24-13 SC Dam Inventory Number D 0991 County: Lexington
Dam Name: Wicker Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
Contact Person (if owner is company): _____
Phone: _____ Email: _____
Mailing Address: _____
City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Old Wic Rd + Vining Ln Gaston
Latitude: 32° 52' 19" N Longitude: -81° 03' 43" W Tax map # (list all): 009000-03-145

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John L
Signature

4-24-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

June 26, 2013

Mr. Michael Watson
PO Box 1217
Lexington, SC 29071

Dear Mr. Watson,

On 06/26/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 6-26-13 SC Dam Inventory Number D 1710 County: Lexington

Dam Name: Troy + Beverly Gunter Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 197 Ricky Hoffman Rd. Swansea

Latitude: 33° 41' 98" N Longitude: -81° 05' 03" W Tax map # (list all): 013800-01-028

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansey
Printed Name of Regional Inspector

John Ansey
Signature

6-26-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

August 15, 2013

Misty Lake Association Inc.
PO Box 85362
Lexington, SC 29073

To Whom It May Concern:

On 07/22/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7-22-13 SC Dam Inventory Number D 0963 County: Lexington

Dam Name: Misty Lakes Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Bluefield Rd + M Lee Rd Lexington

Latitude: 33° 53' 01" N Longitude: -81° 14' 57" W Tax map # (list all): 007600-03-202

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anelli
Printed Name of Regional Inspector

John Anelli
Signature

7-22-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



CENTRAL MIDLANDS EQC DISTRICT
PO Box 156, Building #5
State Park, SC 29147
(803) 935-7015 Fax (803) 935-6724

December 20, 2000

Ben F. Paxton, St. EST
1329 Pond Branch Road
Gilbert, SC 29054

RE: D-0948
Paxton Millpond Dam
Lexington County

Dear Mr. Paxton:

On December 20, 2000, this office conducted a routine classification check of your dam. Enclosed is a copy of the inspection report. The purpose of this inspection was to determine if the dam should be reclassified. Your dam is currently listed as a Class 3, or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days after transferring the title of the dam to someone else. The notification must include the name and address of the new owner. We are enclosing a blank form for your use in notifying us should the title of the dam be transferred. Failure to respond to this request may result in referral of the matter to the enforcement division of the Department for appropriate action.

Another classification check will be performed in approximately three years. If the address or any other information is incorrect, notify me immediately so I can update my records.

If you have any questions, please feel free to call me at (803) 896-0620.

Sincerely,

Kimberly Prickett
Central Midlands EQC District

Enclosures

Class III
Low Hazard Dam Classification
Check

Dam Number D-0948

County LEXINGTON

Tax Map No. 008500-04-043

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Kimberly Pickett 12/20/00
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

April 15, 2013

James C. Hall
228 Deer Springs Trail
Lexington, SC 29073

Dear Mr. Hall

On 04/12/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-12-13 SC Dam Inventory Number D 0945 County: Lexington
Dam Name: Crout Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): JAMES C. Hallman

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 228 Deer Springs Trail

City: Lexington State: SC Zip: 29073

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 769 Drawnail Rd Gilbert SC 29054

Latitude: 33° 56' 13" N Longitude: -81° 21' 13" W Tax map # (list all): 006300-08-002

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anzell
Printed Name of Regional Inspector

John C
Signature

4-2-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

August 15, 2013

Ms. Lillian Arrants
1600 S. Lake Dr.
Lexington, SC 29073

Dear Ms Arrants,

On 08/13/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties

Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-13-13 SC Dam Inventory Number D 0912 County: Lexington

Dam Name: Arrows Pond Dam

I. **Dam Owner Information**

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. **Site Information**

A. Site Location (street address, nearest intersection, etc.): 1592 S. Lake Dr Lexington

Latitude: 33° 55' 45" N Longitude: -81° 14' 06" W Tax map # (list all): 006500-04-009

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. **Signature**

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

8-13-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment.

May 8, 2013

Mr. Simpson Zimmerman
758 Poinsetta St.
Columbia, SC 29205

Dear Mr. Zimmerman,

On 04/17/2013, the Midlands Region of the Bureau of Environmental and Health Services conducted a routine classification check of your dam. Your dam is currently listed as a Class 3 or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or if an existing road downstream has increasingly more traffic, then you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days if the deeded property is transferred to someone else. The notification must include the name and address of the new owner. Failure to respond to this request may result in a referral of the matter to the enforcement division of the Department for appropriate actions.

If the names or addresses in this letter are incorrect, please notify me with the information provided below so I can maintain the most accurate records possible.

If you have any questions, please contact me at 803-896-0620.

Sincerely

John Ansell
SC DHEC
BEHS Midlands Region
803-896-0620 (office)
803-896-0617 (fax)
8500 Farrow Rd, State Park, SC, 29147 (physical location)
PO Box 156, State Park, SC, 29147 (mailing address)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Region 3

Serving Chester, Fairfield, Lancaster, Lexington, Newberry, Richland and York Counties
Columbia EQC Office • PO Box 156 • State Park, SC 29147 • Phone: (803) 896-0620 • Fax: (803) 896-0617 • www.scdhec.gov

D H E C



PROTECT PROTECT PROTECT
South Carolina Department of Health
and Environmental Control

Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 4-17-13 SC Dam Inventory Number D 0947 County: Lexington

Dam Name: Zimmerman Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 212 MARTIN SMITH DR. GILBERT 29054

Latitude: 33° 52' 85" N Longitude: -81° 21' 02" W Tax map # (list all): 007400-05-005

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

4-17-13
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

**Class III
Low Hazard Dam Classification
Check**

Dam Number D 1476

County NEWBERRY

Tax Map No. 300-1

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

Class II (Significant hazard)

Kimberly Paulott 2-7-02
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-4485

County Newberry Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

*couldnt access dam,
appears to be nothing
between discharge
& creek.*

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Kimberly Kunkelt *10-14-01*
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-4479

County NEW

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam? couldn't access dam. No apparent problems downstream
_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

Class II (Significant hazard)

Kimberly Puckett 11-6-01
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-4429

County NEWBERRY

Tax Map No. 328-1

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

Kimberly Puckett 1-7-2002
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-4431

County NEWBERRY

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

~~_____ Class II (Significant hazard)~~

Kimberly Puckett 1-7-2002
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D 4197

County Newberry

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes _____ no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

Class II (Significant hazard)

Kristine C. Hoskins 5/4/99

Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

**Class III
Low Hazard Dam Classification
Check**

Dam Number D-4420

County Newberry

Tax Map No. 353-8

Has ownership changed? _____ yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

 Class II (Significant hazard)

Kimberly Puckett 10-11-01
Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-19-19 SC Dam Inventory Number D 4368 County: Newberry

Dam Name: Bedenbaugh (Beiser) Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Robert Eckstein

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 2022 Old Whitmore Hwy

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 2022 Old Whitmore Hwy

Latitude: 34° 20' 12" N Longitude: -91° 37' 24" W Tax map # (list all): 335-66

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anzell
Printed Name of Regional Inspector

John Anzell
Signature


8-19-19
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

D H E C



PROMOTE PROTECT & PROSPER
South Carolina Department of Health
and Environmental Control

Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/9/14 SC Dam Inventory Number D 4318 County: Newberry

Dam Name: JT Feiker Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): John Chappell

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 543A Old Whitmire Hwy

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 442 Feiker Setzler Rd

Latitude: 34° 20' 12" N Longitude: -81° 40' 06" W Tax map # (list all): 330-20

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

9/10/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/14/14 SC Dam Inventory Number D4307 County: Newberry

Dam Name: Kester Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Kester Rd

Latitude: 34° 10' 30" N Longitude: -81° 40' 30" W Tax map # (list all): 250-2

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

8/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2/14/14 SC Dam Inventory Number D 4306 County: Newberry
 Dam Name: James and John Henderson Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____
 Contact Person (if owner is company): _____
 Phone: _____ Email: _____
 Mailing Address: _____
 City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Odell Roll Rd
 Latitude: 34° 11' 46" N Longitude: -81° 39' 30" W Tax map # (list all): 299-14


B. Is there any evidence of new development below the dam? Yes No
 C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>John Ansell</u> Printed Name of Regional Inspector	<u>John Ansell</u> Signature	<u>2/14/14</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams

Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/14/14 SC Dam Inventory Number D 4305 County: Newberry
Dam Name: John FRAZER Pond DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Joe Jeffcoat
Contact Person (if owner is company): _____
Phone: _____ Email: _____
Mailing Address: 340 Long Pond Rd DR.
City: Prosperity State: SC Zip: 29127

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 340 Long Pond DR
Latitude: 34° 12' 18" N Longitude: -81° 30' 18" W Tax map # (list all): 620-14

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

<u>John Andru</u> Printed Name of Regional Inspector	<u>[Signature]</u> Signature	<u>8/14/14</u> Date of Signature
_____ Printed Name of BOW Engineer	_____ Signature	_____ Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/14/14 SC Dam Inventory Number D 4304 County: Newberry

Dam Name: Betty Shealy Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Louis Caldwell

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 525 S Main St.

City: Prosperity State: SC Zip: 29127

II. Site Information

A. Site Location (street address, nearest intersection, etc.): End McFall Dr.

Latitude: 34° 13' 00" N Longitude: -91° 31' 36" W Tax map # (list all): 519-22

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

8/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

D H E C



South Carolina Department of Health and Environmental Control

Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2-14-14 SC Dam Inventory Number D 4303 County: Newberry

Dam Name: W O DOMINICK Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (checked) (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 232 Moore Rd

Latitude: 34° 06' 46" N Longitude: -81° 30' 18" W Tax map # (list all): 534-5

B. Is there any evidence of new development below the dam? Yes No (checked)

C. Do you think the hazard classification should be upgraded? Yes No (checked)

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anzell Printed Name of Regional Inspector

[Signature] Signature

2/14/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/23/14 SC Dam Inventory Number D 4301 County: Newberry

Dam Name: John Long DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 1127 Herman Wise Rd.

Latitude: 34° 18' 54" N Longitude: -81° 40' 18" W Tax map # (list all): 230-2

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anzu
Printed Name of Regional Inspector

John A
Signature

7/23/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2/13/14 SC Dam Inventory Number D 4243 County: Newberry

Dam Name: J E Grant Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Baker Enterprises LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 611 E. Henrietta Ave

City: Greenwood State: SC Zip: 29645

II. Site Information

A. Site Location (street address, nearest intersection, etc.): E. of Hwy 576

Latitude: 34° 16' 00" N Longitude: -91° 47' 06" W Tax map # (list all): 10572

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansey
Printed Name of Regional Inspector

John Ansey
Signature

2/13/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/13/14 SC Dam Inventory Number D 4242 County: Newberry

Dam Name: John Hancock Mutual Life Dam

I. Dam Owner Information

Has ownership changed? Yes No (checked) (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person):

Contact Person (if owner is company):

Phone: Email:

Mailing Address:

City: State: Zip:

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 275 Cherryville Rd

Latitude: 34° 21' 24" N Longitude: -81° 49' 46" W Tax map # (list all): 133-1

B. Is there any evidence of new development below the dam? Yes No (checked)

C. Do you think the hazard classification should be upgraded? Yes No (checked)

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard) Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell Printed Name of Regional Inspector

[Signature] Signature

8/13/14 Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of inspection: 8-19-14 SC Dam Inventory Number D 4241 County: Newberry
Dam Name: Pauline Singley DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Russel Franklin

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 148^{old} Whitaker Hwy

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 148 Old Whitaker Hwy

Latitude: 34° 19' 16" N Longitude: -81° 36' 54" W Tax map # (list all): 337-2-30

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John An
Signature

8-19-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/9/14 SC Dam Inventory Number D 4202 County: Newberry

Dam Name: Bedenbaugh Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Murray Pines Development Property Company Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 244

City: Prosperity State: SC Zip: 29127

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 502 outback DR

Latitude: 34° 06' 24" N Longitude: -81° 33' 30" W Tax map # (list all): 475-1

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

9/18/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/23/14 SC Dam Inventory Number D 4079 County: Newberry

Dam Name: Parr Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Headspring Farm LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 728

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 21547 HERMAN WISE Rd, Newberry

Latitude: 34° 19' 00" N Longitude: - 81° 40' 30" W Tax map # (list all): 2816

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansen
Printed Name of Regional Inspector

John C
Signature

7/23/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/23/14 SC Dam Inventory Number D 4078 County: Newberry

Dam Name: James L Brawel Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): South Side Hwy 76

Latitude: 34° 19' 18" N Longitude: -81° 40' 24" W Tax map # (list all): 228-15

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John C
Signature

7/23/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8-19-14 SC Dam Inventory Number D 4077 County: Newberry

Dam Name: MID CAROLINA GOLF CLUB DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3593 Kiblers Bridge Rd

Latitude: 34° 14' 18" N Longitude: -81° 27' 12" W Tax map # (list all): 576-5

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson
Printed Name of Regional Inspector

John Anson
Signature

8/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 01/31/14 SC Dam Inventory Number D 1648 County: Newberry

Dam Name: Helen O Smith DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Michael Wise

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 622 Beisel Rd

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 138 J.B. Fulmer Ct

Latitude: 34° 21' 18" N Longitude: 91° 47' 12" W Tax map # (list all): 393-33

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

01/31/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/19/14 SC Dam Inventory Number D 1474 County: Newberry

Dam Name: DAVID WALDRUP DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Spearman Rd + Hudson Place Rd.

Latitude: 34° 13' 54" N Longitude: -81° 42' 06" W Tax map # (list all): 190-10

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John A
Signature

6/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 9/9/14 SC Dam Inventory Number D 1473 County: Newberry
Dam Name: Henry Parr Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Headspring Farm LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: Po Box 728

City: Greenville State: SC Zip: 29607

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 278 Headspring Rd

Latitude: 34° 20' 12" N Longitude: -91° 40' 06" W Tax map # (list all): 291-26

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Anson
Printed Name of Regional Inspector

John Anson
Signature

9/9/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10/19/14 SC Dam Inventory Number D 1472 County: Newberry

Dam Name: Mary Ann Dennis DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Dr Dennis, David Glenn

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 4105 Belfast Rd

City: Newberry State: SC Zip: 2968

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Belfast Rd + Stony Battery Rd

Latitude: 34° 16' 30" N Longitude: -81° 42' 24" W Tax map # (list all): 186-35

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

10/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/19/14 SC Dam Inventory Number D 1471 County: Newberry
Dam Name: Donald Brown DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Trinity Church + Green Trees Rd

Latitude: 34° 15' 42" N Longitude: -81° 44' 48" W Tax map # (list all): 148-8

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

John Ansel
Signature

6/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/19/14 SC Dam Inventory Number D 1470 County: Newberry

Dam Name: Francis Long Neel DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): Fulmer, Shelby Jean

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 5265 Belfast Rd

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Belfast Rd + Blue Ivy Rd

Latitude: 34° 16' 54" N Longitude: -81° 44' 06" W Tax map # (list all): 123-4

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ance
Printed Name of Regional Inspector

John An
Signature

6/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 8/19/14 SC Dam Inventory Number D 1671 County: Newberry

Dam Name: George Caldwell DAM

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): LUCIA CALDWELL

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 525 S. MAIN ST

City: Prosperity State: SC Zip: 29127

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 621 South Main St

Latitude: 34° 12' 18" N Longitude: -81° 31' 24" W Tax map # (list all): 519-14

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John Ansell
Signature

8/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 2/14/14 SC Dam Inventory Number D 1670 County: Newberry
Dam Name: Greenlades Pond Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): 219 Development Group LLC

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: PO Box 734

City: Newberry State: SC Zip: 29108

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Landworks Avenue

Latitude: 34° 14' 46" N Longitude: -81° 33' 30" W Tax map # (list all): _____

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

[Signature]
Signature

2/14/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 7/23/14 SC Dam Inventory Number D 1669 County: Newberry

Dam Name: Henry Parr Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): 76 Holsteins Inc

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: 968 Sparman Rd

City: Newberry State: SC Zip: 29168

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Hwy 76

Latitude: 34° 19' 12" N Longitude: -81° 29' 18" W Tax map # (list all): 281-25

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansell
Printed Name of Regional Inspector

John A
Signature

7/23/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature



Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 6/19/14 SC Dam Inventory Number D 1467 County: NEWBURY

Dam Name: Stanley Baker Dam

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): _____

Contact Person (if owner is company): _____

Phone: _____ Email: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

II. Site Information

A. Site Location (street address, nearest intersection, etc.): Belfast + Floyd Rd

Latitude: 34° 16' 54" N Longitude: -81° 46' 48" W Tax map # (list all): 104-1

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)

Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtained from Bureau of Water staff members, they will also need to complete this portion of the form.

John Ansel
Printed Name of Regional Inspector

[Signature]
Signature

6/19/14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

Dam Number D 4457

County: Richland

Tax Map No. Col. North Quad

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 4/18/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 4419

County: Richland

Tax Map No. _____

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Handwritten Signature]

3/10/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0600

County: Richland

Tax Map No. 27200 -01-01

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)



Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D-4234

County Richland

Tax Map No. 07600-02-09

Has ownership changed? yes no

If yes, new owner and address

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Recheck by District Engineer

J. B. ...

11/10/99

Signature and Date

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 4030

County: Richland

Tax Map No. _____

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

J. Bet

3/10/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 1592

County Richland

Tax Map No. 17900-01-03

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 11/15/79

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number: D 1591

County: Richland

Tax Map No. 18100-02-04

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 11/15/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 1590

County Richland

Tax Map No. 15382-01-47

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

W BR 11/2/97
Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0601

County Richland

Tax Map No. 34500-01-04

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 3/13/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0576

County Richland

Tax Map No. 16314-03-004

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

W. B. Both 12/10/97

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0598

County Richland

Tax Map No. 39300-01-01

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 3/10/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0597

County: Richland

Tax Map No. 39500-01-01

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

J. B. H. 12-10-99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0596

County: Richland

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

[Signature] 3/10/00

Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0592

County: Richland

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes

no

If yes, do you think the classification should be upgraded?

_____ yes

_____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

J. Butler

3/15/00

Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0591

County Richland

Tax Map No. 30700-01-01

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Jf Bk

12-10-99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



CENTRAL MIDLANDS EQC DISTRICT
PO Box 156, Building #5
State Park, SC 29147
(803) 935-7015 Fax (803) 935-6724

March 13, 2000

Dr. William Weston
3321 Medical Park Road #110
Columbia, SC 29203

RE: D-0593
Weston's Pond Dam
Richland County

Dear Mr. Weston:

On March 10, 2000, this office conducted a routine classification check of your dam. Enclosed is a copy of the inspection report. The purpose of this inspection was to determine if the dam should be reclassified. Your dam is currently listed as a Class 3, or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or an existing road has an increased traffic flow in the area which is downstream, you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days after transferring the title of the dam to someone else. The notification must include the name and address of the new owner. We are enclosing a blank form for your use in notifying us should the title of the dam be transferred. Failure to respond to this request may result in referral of the matter to the enforcement division of the Department for appropriate action.

Another classification check will be performed in approximately three years. If the address or any other information is incorrect, notify me immediately so I can update my records.

If you have any questions, please feel free to call me at (803) 896-0620.

Sincerely,

Jennifer Bethea
Central Midlands EQC District

Enclosures

Class III
Low Hazard Dam Classification
Check

Dam Number D 0593

County Richland

Tax Map No. _____

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

J. B. Bate 3/10/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0590

County: Richland

Tax Map No. 27800-03-30

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Handwritten Signature]

12/20/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

D H E C



CENTRAL MIDLANDS EQC DISTRICT

PO Box 156, Building #5
State Park, SC 29147
(803) 935-7015 Fax (803) 935-6724

March 13, 2000

Elizabeth Darling, et al
1301 Whittaker Drive
Columbia, SC 29206

RE: D-0599
Clarkson Pond Dam
Richland County

Dear Ms. Darling:

On March 13, 2000, this office conducted a routine classification check of your dam. Enclosed is a copy of the inspection report. The purpose of this inspection was to determine if the dam should be reclassified. Your dam is currently listed as a Class 3, or low hazard. In order for your dam to be reclassified to a Class 1 (high hazard) or Class 2 (significant hazard), new development or a high traffic road must be present downstream. For example, if a new home is built or an existing road has an increased traffic flow in the area which is downstream, you must notify our office so a reclassification check can be performed on your dam.

Please be advised that as a result of the current inspection, your dam will remain a Class 3 structure.

Provisions in the S.C. Dams and Reservoirs Safety Act require the owner to notify us within 30 days after transferring the title of the dam to someone else. The notification must include the name and address of the new owner. We are enclosing a blank form for your use in notifying us should the title of the dam be transferred. Failure to respond to this request may result in referral of the matter to the enforcement division of the Department for appropriate action.

Another classification check will be performed in approximately three years. If the address or any other information is incorrect, notify me immediately so I can update my records.

If you have any questions, please feel free to call me at (803) 896-0620.

Sincerely,

Jennifer Bethea
Central Midlands EQC District

Enclosures

Class III
Low Hazard Dam Classification
Check

Dam Number D-0599

County: Richland

Tax Map No. 27400-02-09

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 3/13/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0586

County: Richland

Tax Map No. 27900-01-24

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

J. B. ... 12-10-77

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0585

County: Richland

Tax Map No. 28000-01-07

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

W. Bith 12-10-97

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0583

County Richland

Tax Map No. 24700-02-001

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

W. W. Bitt 12-10-97

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0555

County Richland

Tax Map No. 17200 - 02 - 011

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

W. BA 11/2/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 055.1

County: Richland

Tax Map No. F.J. North Quad

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 4/15/00

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D - 0544

County Richland

Tax Map No. 09514-01-03

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Jf. Ba 11/10/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0542

County Richland

Tax Map No. 06200 - 03 - 02

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)



11/10/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 1541

County Richland

Tax Map No. 12500 - 02-05

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 11/15/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date



**Low Hazard Dam Classification Inspection Form for South Carolina
Regulated Dams
Dams and Reservoirs Safety Act Regulations 72-1 through 72-9**

Note: This form is only for use on current low hazard (class three) dams regulated by the Department of Health and Environmental Control in the State of South Carolina. The primary user of this form is for the use of Department staff members actively involved in reclassification inspections. The current policy is to evaluate the hazard potential of low hazard dams at least once every five years.

Date of Inspection: 10-7-14 SC Dam Inventory Number D 0392 County: RICHLAND

Dam Name: Barnnetes Pond Dam (aka The Lake at Columbia Dam)

I. Dam Owner Information

Has ownership changed? Yes No (If yes, enter the new owners and their contact information below)

A. Owner/ Operator (Company or person): TALISMA HOLDINGS INC

Contact Person (if owner is company): David L. Ewing, Esquire

Phone: n/a Email: n/a

Mailing Address: P.O. Box 1390

City: Columbia State: SC Zip: 29202

II. Site Information

A. Site Location (street address, nearest intersection, etc.): 3 Lower Glen Ct

Latitude: 34 ° 11 ' 22 " N Longitude: -80 ° 57 ' 15 " W Tax map # (list all): R17700-01-15

B. Is there any evidence of new development below the dam? Yes No

C. Do you think the hazard classification should be upgraded? Yes No

D. If yes for item II.C, what is your opinion of what the new classification should be? Class 1 (High Hazard)
 Class 2 (Significant Hazard)

III. Signature

Please print your name, sign, and date on the lines below once the inspection and form have been completed. If assistance with determining the hazard classification was obtaining from Bureau of Water staff members, they will also need to complete this portion of the form.

Steven Hauptmann
Printed Name of Regional Inspector

Steven Hauptmann
Signature

10-7-14
Date of Signature

Printed Name of BOW Engineer

Signature

Date of Signature

Class III
Low Hazard Dam Classification
Check

Dam Number D 0273

County Richland

Tax Map No. 9-800-06-03

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change, even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 11/15/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0211

County: Richland

Tax Map No. 10000-01-04

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes

no

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

JF BR

11/15/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0966

County Lexington

Tax Map No. 607796-01-001

Has ownership changed? yes no

If yes, new owner and address Indian River Development Co. Inc.

(Record any address change,
even if owner has not changed)

260 Ashton Circle
Lex., SC. 29073

Is there any evidence of new development below the dam?

yes

no

Increased traffic

If yes, do you think the classification should be upgraded?

yes

no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

Kristine C. Hopkins 10/23/97

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

Kendall 12/10/97

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D: 0110

County: Richland

Tax Map No. _____

Has ownership changed? _____ yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

_____ yes no

If yes, do you think the classification should be upgraded?

_____ yes _____ no

What is your opinion of what the new classification should be?

_____ Class I (High hazard)

_____ Class II (Significant hazard)

[Signature] 3/10/00

Signature and Date

Recheck by District Engineer

_____ Leave as low hazard.

_____ Reclassify to high hazard. (Schedule for inspection.)

_____ Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0397

County Richland

Tax Map No. 23400-05-05

Has ownership changed? yes no

If yes, new owner and address: _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

one house

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

JJ Btz 11/15/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class 3
Low Hazard Dam Classification Check

Dam Number D ~~00501~~ 0574

County Richland Tax Map No. ~~209~~ 28909-01-05

Has Ownership Changed? yes no

If yes, new owner and address
(Record any address change, even if same owner.)

Is there any evidence of new development below the dam?
 yes no

If yes, do you think the classification should be upgraded?
 yes no

What is your opinion of what the new classification should be?
 Class I (High Hazard)

Class II (Significant Hazard)

Kristine Glassey 9/30/96
Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D0554

County Richland

Tax Map No. 28909-01-05

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

*Should have been
re-classed -
per Steve Bradley*

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] *11/2/77*

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0411

County Richland

Tax Map No. 22908-01-49 + 22908-01-50

Has ownership changed? yes no

If yes, new owner and address Wood Duck Pond Assoc.

(Record any address change,
even if owner has not changed)

5217 N. Trenholm Road
Columbia, SC 29206

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)
 Class II (Significant hazard)

[Signature] 11/2/99

Signature and Date

Recheck by District Engineer

- Leave as low hazard.
- Reclassify to high hazard. (Schedule for inspection.)
- Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0550

County Richland

Tax Map No. 23005-09-0107

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed) _____

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

[Signature] 11/2/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date

Class III
Low Hazard Dam Classification
Check

Dam Number D 0413

County Richland

Tax Map No. 17300-05-01

Has ownership changed? yes no

If yes, new owner and address _____

(Record any address change,
even if owner has not changed)

Is there any evidence of new development below the dam?

yes no

If yes, do you think the classification should be upgraded?

yes no

What is your opinion of what the new classification should be?

Class I (High hazard)

Class II (Significant hazard)

- new development is currently
being constructed downstream

[Signature] 11/10/99

Signature and Date

Recheck by District Engineer

Leave as low hazard.

Reclassify to high hazard. (Schedule for inspection.)

Reclassify to significant hazard. (Schedule for inspection.)

District Engineer's Signature and Date