509416

A45

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
** 1,1,1-Trichloroethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	110	--	--	ND	0.03
05/03/88	--	--	--	--	ND	--	ND	ND	--	3.0
06/17/88	ND	ND	ND	ND	ND	170	ND	100	ND	0.03
06/17/88	--	--	--	--	--	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	--	7.5
06/17/88	--	--	--	--	--	--	--	--	--	30
** 1,1,2,2-Tetrachloroethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	1200*	--	--	ND	0.03
05/03/88	--	--	--	--	ND	--	ND	ND	--	3.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03
06/17/88	--	--	--	--	--	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	--	7.5
06/17/88	--	--	--	--	--	--	--	--	--	30
** 1,1,2-Trichloro-thane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.02
05/03/88	--	--	--	--	ND	--	ND	ND	--	2.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
06/17/88	--	--	--	--	--	--	--	--	--	0.5
06/17/88	--	--	--	--	--	--	--	--	--	5.0
06/17/88	--	--	--	--	--	--	--	--	--	20
** 1,1-Dichloroethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	6.4	--	--	ND	0.07
05/03/88	--	--	--	--	ND	--	ND	ND	--	7.0
06/17/88	ND	ND	ND	ND	17.	ND	ND	18.	ND	0.07
06/17/88	--	--	--	--	--	--	--	--	--	1.8
06/17/88	--	--	--	--	--	--	--	--	--	18.
06/17/88	--	--	--	--	--	--	--	--	--	70
** 1,1-Dichloroethene (ug/l)										
05/03/88	ND	ND	ND	ND	--	15.	--	--	ND	0.13
05/03/88	--	--	--	--	52.	--	ND	ND	--	13.
06/17/88	ND	ND	ND	ND	44.	86.	ND	41.	ND	0.13
06/17/88	--	--	--	--	--	--	--	--	--	3.2
06/17/88	--	--	--	--	--	--	--	--	--	32.
06/17/88	--	--	--	--	--	--	--	--	--	130
** 1,2-Dichlorobenzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.15
05/03/88	--	--	--	--	ND	--	ND	ND	--	15.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15
06/17/88										

SCANNED

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
** 1,1,1-Trichloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	13.	2500	0.03
05/03/88	--	510	690	33000*	290	--	--	--	--	3.0
06/17/88	ND	--	--	--	--	ND	ND	12.	--	0.03
06/17/88	--	350	820	--	200	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	1600	7.5
06/17/88	--	--	--	16000	--	--	--	--	--	30
** 1,1,2,2-Tetrachloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.03
05/03/88	--	ND	ND	ND	ND	--	--	--	--	3.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.03
06/17/88	--	ND	ND	--	ND	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	ND	7.5
06/17/88	--	--	--	ND	--	--	--	--	--	30
** 1,1,2-Trichloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.02
05/03/88	--	ND	ND	ND	ND	--	--	--	--	2.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.02
06/17/88	--	ND	ND	--	ND	--	--	--	--	0.5
06/17/88	--	--	--	--	--	--	--	--	ND	5.0
06/17/88	--	--	--	ND	--	--	--	--	--	20
** 1,1-Dichloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	10	ND	0.07
05/03/88	--	380	410	3400	890	--	--	--	--	7.0
06/17/88	ND	--	--	--	--	ND	ND	9.6	--	0.07
06/17/88	--	330	510	--	1200	--	--	--	--	1.8
06/17/88	--	--	--	--	--	--	--	--	140	18.
06/17/88	--	--	--	4200	--	--	--	--	--	70
** 1,1-Dichloroethene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	12.	230*	0.13
05/03/88	--	680	410	9400*	27.	--	--	--	--	13.
06/17/88	ND	--	--	--	--	ND	ND	15.	--	0.13
06/17/88	--	850	850	--	ND	--	--	--	--	3.2
06/17/88	--	--	--	--	--	--	--	--	93.	32.
06/17/88	--	--	--	5600	--	--	--	--	--	130
** 1,2-Dichlorobenzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.15
05/03/88	--	ND	ND	ND	ND	--	--	--	--	15.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.15
06/17/88	--	ND	ND	--	ND	--	--	--	--	3.8

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
06/17/88	--	--	--	--	--	--	--	--	--	38.
06/17/88	--	--	--	--	--	--	--	--	--	150
** 1,2-Dichloroethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.03
05/03/88	--	--	--	--	ND	--	ND	ND	--	3.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03
06/17/88	--	--	--	--	--	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	--	7.5
06/17/88	--	--	--	--	--	--	--	--	--	30
** 1,2-Dichloropropane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.04
05/03/88	--	--	--	--	ND	--	ND	ND	--	4.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04
06/17/88	--	--	--	--	--	--	--	--	--	1.0
06/17/88	--	--	--	--	--	--	--	--	--	10
06/17/88	--	--	--	--	--	--	--	--	--	40
** 1,3-Dichlorobenzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.32
05/03/88	--	--	--	--	ND	--	ND	ND	--	32.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.32
06/17/88	--	--	--	--	--	--	--	--	--	8.0
06/17/88	--	--	--	--	--	--	--	--	--	80
06/17/88	--	--	--	--	--	--	--	--	--	320
** 1,4-Dichlorobenzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.24
05/03/88	--	--	--	--	ND	--	ND	ND	--	24.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24
06/17/88	--	--	--	--	--	--	--	--	--	6.0
06/17/88	--	--	--	--	--	--	--	--	--	60
06/17/88	--	--	--	--	--	--	--	--	--	240
** 2-Chloroethylvinyl ether (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.13
05/03/88	--	--	--	--	ND	--	ND	ND	--	13.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13
06/17/88	--	--	--	--	--	--	--	--	--	3.2
06/17/88	--	--	--	--	--	--	--	--	--	32.
06/17/88	--	--	--	--	--	--	--	--	--	130
** Arsenic, Total (mg/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	--	--	[illegible]

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
06/17/88	--	--	--	--	--	--	--	--	ND	38.
06/17/88	--	--	--	ND	--	--	--	--	--	150
** 1,2-Dichloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	3.9	ND	0.03
05/03/88	--	ND	ND	ND	ND	--	--	--	--	3.0
06/17/88	ND	--	--	--	--	ND	ND	4.6	--	0.03
06/17/88	--	ND	ND	--	ND	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	ND	7.5
06/17/88	--	--	--	ND	--	--	--	--	--	30
** 1,2-Dichloropropane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.04
05/03/88	--	ND	ND	ND	ND	--	--	--	--	4.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.04
06/17/88	--	ND	ND	--	ND	--	--	--	--	1.0
06/17/88	--	--	--	--	--	--	--	--	ND	10
06/17/88	--	--	--	ND	--	--	--	--	--	40
** 1,3-Dichlorobenzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.32
05/03/88	--	ND	ND	ND	ND	--	--	--	--	32.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.32
06/17/88	--	ND	ND	--	ND	--	--	--	--	8.0
06/17/88	--	--	--	--	--	--	--	--	ND	80
06/17/88	--	--	--	ND	--	--	--	--	--	320
** 1,4-Dichlorobenzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.24
05/03/88	--	ND	ND	ND	ND	--	--	--	--	24.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.24
06/17/88	--	ND	ND	--	ND	--	--	--	--	6.0
06/17/88	--	--	--	--	--	--	--	--	ND	60
06/17/88	--	--	--	ND	--	--	--	--	--	240
** 2-Chloroethylvinyl ether (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.13
05/03/88	--	ND	ND	ND	ND	--	--	--	--	13.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.13
06/17/88	--	ND	ND	--	ND	--	--	--	--	3.2
06/17/88	--	--	--	--	--	--	--	--	ND	32.
06/17/88	--	--	--	ND	--	--	--	--	--	130
** Arsenic, Total (mg/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
** Barium, Total (mg/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3
** Benzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.
05/03/88	--	--	--	--	ND	--	140	ND	--	100
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	250
06/17/88	--	--	--	--	--	--	--	--	--	1000
** Bromoform (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.20
05/03/88	--	--	--	--	ND	--	ND	ND	--	20
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.20
06/17/88	--	--	--	--	--	--	--	--	--	5.0
06/17/88	--	--	--	--	--	--	--	--	--	50
06/17/88	--	--	--	--	--	--	--	--	--	200
** Bromomethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.2
05/03/88	--	--	--	--	ND	--	ND	ND	--	120
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2
06/17/88	--	--	--	--	--	--	--	--	--	30
06/17/88	--	--	--	--	--	--	--	--	--	300
06/17/88	--	--	--	--	--	--	--	--	--	1200
** Carbon Tetrachloride (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.12
05/03/88	--	--	--	--	ND	--	ND	ND	--	12.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12
06/17/88	--	--	--	--	--	--	--	--	--	3.0
06/17/88	--	--	--	--	--	--	--	--	--	30
06/17/88	--	--	--	--	--	--	--	--	--	120
** Chlorobenzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.25
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.
05/03/88	--	--	--	--	ND	--	ND	ND	--	25.
05/03/88	--	--	--	--	ND	--	ND	ND	--	100
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.
06/17/88	--	--	--	--	--	--	--	--	--	6.2

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
** Barium, Total (mg/l)										
05/03/88	ND	ND	ND	0.6	ND	ND	ND	ND	ND	0.3
** Benzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	2.8	5.1	1.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	100
06/17/88	ND	--	--	--	--	ND	ND	2.0	--	1.
06/17/88	--	ND	ND	--	ND	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	ND	250
06/17/88	--	--	--	ND	--	--	--	--	--	1000
** Bromoform (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.20
05/03/88	--	ND	ND	ND	ND	--	--	--	--	20
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.20
06/17/88	--	ND	ND	--	ND	--	--	--	--	5.0
06/17/88	--	--	--	--	--	--	--	--	ND	50
06/17/88	--	--	--	ND	--	--	--	--	--	200
** Bromomethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	1.2
05/03/88	--	ND	ND	ND	ND	--	--	--	--	120
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.2
06/17/88	--	ND	ND	--	ND	--	--	--	--	30
06/17/88	--	--	--	--	--	--	--	--	ND	300
06/17/88	--	--	--	ND	--	--	--	--	--	1200
** Carbon Tetrachloride (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.12
05/03/88	--	ND	ND	ND	ND	--	--	--	--	12.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.12
06/17/88	--	ND	ND	--	ND	--	--	--	--	3.0
06/17/88	--	--	--	--	--	--	--	--	ND	30
06/17/88	--	--	--	ND	--	--	--	--	--	120
** Chlorobenzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.25
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	1.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	25.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	100
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.25
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.
06/17/88	--	ND	ND	--	ND	--	--	--	--	6.2
06/17/88	--	ND	ND	--	ND	--	--	--	--	25.

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
06/17/88	--	--	--	--	--	--	--	--	--	62.
06/17/88	--	--	--	--	--	--	--	--	--	250
06/17/88	--	--	--	--	--	--	--	--	--	1000
** Chloroethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.52
05/03/88	--	--	--	--	ND	--	ND	ND	--	52.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.52
06/17/88	--	--	--	--	--	--	--	--	--	13.
06/17/88	--	--	--	--	--	--	--	--	--	130
06/17/88	--	--	--	--	--	--	--	--	--	520
** Chloroform (ug/l)										
05/03/88	ND	0.12	ND	ND	--	5.7	--	--	ND	0.05
05/03/88	--	--	--	--	ND	--	ND	ND	--	5.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05
06/17/88	--	--	--	--	--	--	--	--	--	1.2
06/17/88	--	--	--	--	--	--	--	--	--	12.
06/17/88	--	--	--	--	--	--	--	--	--	50
** Chloromethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.08
05/03/88	--	--	--	--	ND	--	ND	ND	--	8.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.08
06/17/88	--	--	--	--	--	--	--	--	--	2.0
06/17/88	--	--	--	--	--	--	--	--	--	20
06/17/88	--	--	--	--	--	--	--	--	--	80
** Dibromochloromethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.09
05/03/88	--	--	--	--	ND	--	ND	ND	--	9.0
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.09
06/17/88	--	--	--	--	--	--	--	--	--	2.2
06/17/88	--	--	--	--	--	--	--	--	--	22.
06/17/88	--	--	--	--	--	--	--	--	--	90
** Dichlorobromomethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.10
05/03/88	--	--	--	--	ND	--	ND	ND	--	10
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10
06/17/88	--	--	--	--	--	--	--	--	--	2.5
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	100

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
06/17/88	--	--	--	--	--	--	--	--	ND	62.
06/17/88	--	--	--	ND	--	--	--	--	ND	250
06/17/88	--	--	--	ND	--	--	--	--	--	1000
** Chloroethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.52
05/03/88	--	ND	ND	ND	ND	--	--	--	--	52.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.52
06/17/88	--	ND	ND	--	ND	--	--	--	--	13.
06/17/88	--	--	--	--	--	--	--	--	ND	130
06/17/88	--	--	--	ND	--	--	--	--	--	520
** Chloroform (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.05
05/03/88	--	ND	ND	ND	ND	--	--	--	--	5.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.05
06/17/88	--	ND	ND	--	ND	--	--	--	--	1.2
06/17/88	--	--	--	--	--	--	--	--	ND	12.
06/17/88	--	--	--	ND	--	--	--	--	--	50
** Chloromethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.08
05/03/88	--	ND	ND	ND	ND	--	--	--	--	8.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.08
06/17/88	--	ND	ND	--	ND	--	--	--	--	2.0
06/17/88	--	--	--	--	--	--	--	--	ND	20
06/17/88	--	--	--	ND	--	--	--	--	--	80
** Dibromochloromethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.09
05/03/88	--	ND	ND	ND	ND	--	--	--	--	9.0
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.09
06/17/88	--	ND	ND	--	ND	--	--	--	--	2.2
06/17/88	--	--	--	--	--	--	--	--	ND	22.
06/17/88	--	--	--	ND	--	--	--	--	--	90
** Dichlorobromomethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.10
05/03/88	--	ND	ND	ND	ND	--	--	--	--	10
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.10
06/17/88	--	ND	ND	--	ND	--	--	--	--	2.5
06/17/88	--	--	--	--	--	--	--	--	ND	25.
06/17/88	--	--	--	ND	--	--	--	--	--	100

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
** Dichlorodifluoromethane (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.8
05/03/88	--	--	--	--	ND	--	ND	ND	--	180
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.8
06/17/88	--	--	--	--	--	--	--	--	--	45.
06/17/88	--	--	--	--	--	--	--	--	--	450
06/17/88	--	--	--	--	--	--	--	--	--	1800
** Ethylbenzene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.
05/03/88	--	--	--	--	ND	--	ND	ND	--	100
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	250
06/17/88	--	--	--	--	--	--	--	--	--	1000
** Lead, Total (mg/l)										
05/03/88	ND	ND	ND	ND	ND	ND	0.02	ND	ND	0.02
** Methyl-tertiary-butyl ether (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	2.
05/03/88	--	--	--	--	ND	--	ND	ND	--	200
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.
06/17/88	--	--	--	--	--	--	--	--	--	50
06/17/88	--	--	--	--	--	--	--	--	--	500
06/17/88	--	--	--	--	--	--	--	--	--	2000
** Methylene Chloride (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.25
05/03/88	--	--	--	--	ND	--	ND	ND	--	25.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25
06/17/88	--	--	--	--	--	--	--	--	--	6.2
06/17/88	--	--	--	--	--	--	--	--	--	62.
06/17/88	--	--	--	--	--	--	--	--	--	250
** Tetrachloroethene (ug/l)										
05/03/88	ND	ND	ND	ND	--	4700*	--	--	ND	0.03
05/03/88	--	--	--	--	ND	--	8900*	430	--	3.0
06/17/88	ND	ND	ND	ND	13.	2000	7900	360	ND	0.03
06/17/88	--	--	--	--	--	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	--	7.5
06/17/88	--	--	--	--	--	--	--	--	--	30
** Toluene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--		ND	

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
** Dichlorodifluoromethane (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	1.8
05/03/88	--	ND	ND	ND	ND	--	--	--	--	180
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.8
06/17/88	--	ND	ND	--	ND	--	--	--	--	45.
06/17/88	--	--	--	--	--	--	--	--	ND	450
06/17/88	--	--	--	ND	--	--	--	--	--	1800
** Ethylbenzene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	1.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	100
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.
06/17/88	--	ND	ND	--	ND	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	ND	250
06/17/88	--	--	--	ND	--	--	--	--	--	1000
** Lead, Total (mg/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
** Methyl-tertiary-butyl ether (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	2.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	200
06/17/88	ND	--	--	--	--	ND	ND	ND	--	2.
06/17/88	--	ND	ND	--	ND	--	--	--	--	50
06/17/88	--	--	--	--	--	--	--	--	ND	500
06/17/88	--	--	--	ND	--	--	--	--	--	2000
** Methylene Chloride (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.25
05/03/88	--	ND	67.	ND	ND	--	--	--	--	25.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.25
06/17/88	--	ND	ND	--	8.4	--	--	--	--	6.2
06/17/88	--	--	--	--	--	--	--	--	200	62.
06/17/88	--	--	--	ND	--	--	--	--	--	250
** Tetrachloroethene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	1.8	7500	0.03
05/03/88	--	360	ND	58.	ND	--	--	--	--	3.0
06/17/88	4.8	--	--	--	--	0.11	ND	ND	--	0.03
06/17/88	--	270	3.8	--	ND	--	--	--	--	0.75
06/17/88	--	--	--	--	--	--	--	--	8100	7.5
06/17/88	--	--	--	ND	--	--	--	--	--	30
** Toluene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	31.	1.

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
05/03/88	--	--	--	--	ND	--	ND	ND	--	100
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	250
06/17/88	--	--	--	--	--	--	--	--	--	1000
** Trichloroethene (ug/l)										
05/03/88	4.9	ND	11.	6.4	--	45.	--	--	ND	0.12
05/03/88	--	--	--	--	88.	--	1000	121.	--	12.
06/17/88	ND	ND	ND	ND	4.3	26.	900	190	ND	0.12
06/17/88	--	--	--	--	--	--	--	--	--	3.0
06/17/88	--	--	--	--	--	--	--	--	--	30
06/17/88	--	--	--	--	--	--	--	--	--	120
** Trichlorofluoromethane (ug/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	nd
06/17/88	ND	ND	ND	ND	36.	ND	ND	41.	ND	ND
** Vinyl chloride (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.18
05/03/88	--	--	--	--	ND	--	ND	ND	--	18.
06/17/88	ND	ND	ND	ND	4.9	ND	ND	110	ND	0.18
06/17/88	--	--	--	--	--	--	--	--	--	4.5
06/17/88	--	--	--	--	--	--	--	--	--	45.
06/17/88	--	--	--	--	--	--	--	--	--	180
** Xylenes (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	1.
05/03/88	--	--	--	--	ND	--	ND	ND	--	100
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	250
06/17/88	--	--	--	--	--	--	--	--	--	1000
** cis-1,3-Dichloropropene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.34
05/03/88	--	--	--	--	ND	--	ND	ND	--	34.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34
06/17/88	--	--	--	--	--	--	--	--	--	8.5
06/17/88	--	--	--	--	--	--	--	--	--	85.
06/17/88	--	--	--	--	--	--	--	--	--	340
** trans-1,2-Dichloroethene (ug/l)										
05/03/88	ND	ND	ND	ND	--	29.	--	--	ND	0.10
05/03/88	--	--	--	--	ND	--	ND	ND	--	10

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
05/03/88	--	ND	ND	630	ND	--	--	--	--	100
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.
06/17/88	--	ND	ND	--	ND	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	ND	250
06/17/88	--	--	--	ND	--	--	--	--	--	1000
** Trichloroethene (ug/l)										
05/03/88	0.79	--	--	--	--	ND	ND	15.	330	0.12
05/03/88	--	61.	ND	80	26.	--	--	--	--	12.
06/17/88	0.30	--	--	--	--	ND	ND	15.	--	0.12
06/17/88	--	17.	32.	--	ND	--	--	--	--	3.0
06/17/88	--	--	--	--	--	--	--	--	380	30
06/17/88	--	--	--	ND	--	--	--	--	--	120
** Trichlorofluoromethane (ug/l)										
05/03/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	nd
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
** Vinyl chloride (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.18
05/03/88	--	ND	ND	ND	ND	--	--	--	--	18.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.18
06/17/88	--	ND	ND	--	ND	--	--	--	--	4.5
06/17/88	--	--	--	--	--	--	--	--	ND	45.
06/17/88	--	--	--	ND	--	--	--	--	--	180
** Xylenes (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	1.
05/03/88	--	ND	ND	ND	ND	--	--	--	--	100
06/17/88	ND	--	--	--	--	ND	ND	ND	--	1.
06/17/88	--	ND	ND	--	ND	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	ND	250
06/17/88	--	--	--	ND	--	--	--	--	--	1000
** cis-1,3-Dichloropropene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.34
05/03/88	--	ND	ND	ND	ND	--	--	--	--	34.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.34
06/17/88	--	ND	ND	--	ND	--	--	--	--	8.5
06/17/88	--	--	--	--	--	--	--	--	ND	85.
06/17/88	--	--	--	ND	--	--	--	--	--	340
** trans-1,2-Dichloroethene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.10
05/03/88	--	ND	ND	ND	ND	--	--	--	--	10

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	DETECTION LIMIT
06/17/88	ND	ND	ND	ND	ND	ND	ND	19.	ND	0.10
06/17/88	--	--	--	--	--	--	--	--	--	2.5
06/17/88	--	--	--	--	--	--	--	--	--	25.
06/17/88	--	--	--	--	--	--	--	--	--	100
** trans-1,3-Dichloropropene (ug/l)										
05/03/88	ND	ND	ND	ND	--	ND	--	--	ND	0.34
05/03/88	--	--	--	--	ND	--	ND	ND	--	34.
06/17/88	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.34
06/17/88	--	--	--	--	--	--	--	--	--	8.5
06/17/88	--	--	--	--	--	--	--	--	--	85.
06/17/88	--	--	--	--	--	--	--	--	--	340

TABLE 6
GROUND-WATER QUALITY DATA SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

SAMPLING DATE	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	DETECTION LIMIT
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.10
06/17/88	--	ND	ND	--	ND	--	--	--	--	2.5
06/17/88	--	--	--	--	--	--	--	--	ND	25.
06/17/88	--	--	--	ND	--	--	--	--	--	100
** trans-1,3-Dichloropropene (ug/l)										
05/03/88	ND	--	--	--	--	ND	ND	ND	ND	0.34
05/03/88	--	ND	ND	ND	ND	--	--	--	--	34.
06/17/88	ND	--	--	--	--	ND	ND	ND	--	0.34
06/17/88	--	ND	ND	--	ND	--	--	--	--	8.5
06/17/88	--	--	--	--	--	--	--	--	ND	85.
06/17/88	--	--	--	ND	--	--	--	--	--	340

TABLE 7
SOIL QUALITY SUMMARY
GENRAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

PARAMETER	BORINGS 1.1A	1.2A	1.3A	1.4A	1.5A	1.6A	2.1A	2.2A	2.3A
Barium, Total (mg/kg)	ND	ND	ND	ND	ND	ND	560	530	ND
Arsenic, Total (mg/kg)	1.3	0.7	0.7	1.2	ND	0.9	1.7	0.9	1.2
Lead, Total (mg/kg)	14	ND	ND	ND	ND	ND	23	21	ND
Bromomethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	0.63	ND
Dibromochloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	0.61	ND
trans-1,2-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane (ug/kg)	ND	0.16	0.25	2.5	3.0	1.3	1.1	4.4	0.63
Tetrachloroethene (ug/kg)	ND	ND	ND	4.2	6.0	1.7	ND	17	5.8
1,1,1-Trichloroethane (ug/kg)	ND	1.0	0.66	3.8	22	2.2	1.1	17	3.4
1,1,2-Trichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene (ug/kg)	ND	ND	ND	0.43	1.6	0.33	ND	ND	ND
Trichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene (ug/kg)	ND	ND	ND	ND	ND	ND	1.5	130	3.8
Chlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	970*	26
Toluene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	45	2.4
Xylenes (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloroethylvinyl ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tertiary-butyl-ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND

NOTES:
1. ND: Not Detected
2. * : Estimated values; values are approximately correct. But may contain small errors due to large dilution required in these analyses.
3. Analyses performed by Law Environmental National Laboratory, Kennesaw, Georgia.

TABLE 7
SOIL QUALITY SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

PARAMETER	BORINGS 2.4A	3.1A	3.2A	3.3A	3.4A	3.5A	3.6A	3.7A	3.8A
Barium, Total (mg/kg)	310	ND	49	88	ND	ND	ND	ND	140
Arsenic, Total (mg/kg)	2.3	1.0	1.5	1.0	3.3	4.4	4.9	0.7	0.5
Lead, Total (mg/kg)	20	ND	ND	ND	ND	11	ND	ND	ND
Bromomethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane (ug/kg)	ND	0.42	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene (ug/kg)	74	0.82	ND	0.34	ND	ND	ND	ND	ND
1,1,1-Trichloroethane (ug/kg)	3.4	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloroethylvinyl ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tertiary-butyl-ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND

NOTES:
1. ND: Not Detected
2. * : Estimated values; values are approximately correct. But may contain small errors due to large dilution required in these analyses.
3. Analyses performed by Law Environmental National Laboratory, Kennesaw, Georgia.

TABLE 7
SOIL QUALITY SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

PARAMETER	BORINGS 3.9A	3.10A	3.11A	3.12A	3.13A	3.14A	3.15A	3.16A	4.1A
Barium, Total (mg/kg)	ND	ND	87	ND	ND	ND	ND	ND	ND
Arsenic, Total (mg/kg)	2.8	3.0	3.7	2.1	4.1	6.0	2.0	2.6	1.6
Lead, Total (mg/kg)	ND	ND	17	ND	ND	ND	33	14	10
Bromomethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane (ug/kg)	ND	0.34	ND	ND	ND	ND	ND	ND	2.5
Tetrachloroethene (ug/kg)	ND	ND	0.13	0.15	ND	ND	ND	ND	3.0
1,1,1-Trichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloroethylvinyl ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tertiary-butyl-ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND

NOTES:
1. ND: Not Detected
2. * : Estimated values; values are approximately correct. But may contain small errors due to large dilution required in these analyses.
3. Analyses performed by Law Environmental National Laboratory, Kennesaw, Georgia.

TABLE 7
SOIL QUALITY SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

PARAMETER	BORINGS 4.2A	4.3A	4.4A	4.5A	4.6A	4.7A	4.8A	4.9A	5.1A,5.2A,5.3A COMPOSITE
Barium, Total (mg/kg)	ND	ND	ND	ND	220	ND	ND	ND	72
Arsenic, Total (mg/kg)	1.3	4.0	1.7	0.9	2.4	1.9	1.7	1.8	3.4
Lead, Total (mg/kg)	11	19	ND	ND	14	ND	20	ND	48
Bromomethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	1.2	ND
Dibromochloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane (ug/kg)	ND	ND	ND	ND	0.59	ND	ND	ND	ND
1,1-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene (ug/kg)	ND	ND	ND	ND	0.50	ND	ND	ND	ND
Methylene Chloride (ug/kg)	4.2	ND	ND	ND	2.4	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane (ug/kg)	3.1	27	8.8	ND	ND	ND	ND	ND	ND
Tetrachloroethene (ug/kg)	6.3	63	16	1.44	42	140*	230	190	ND
1,1,1-Trichloroethane (ug/kg)	1.4	4.8	ND	ND	14.5	ND	ND	ND	ND
1,1,2-Trichloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	0.53
Trichloroethene (ug/kg)	0.51	2.2	2.3	ND	28	12	18	10	ND
Trichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloroethylvinyl ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tertiary-butyl-ether (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND

NOTES:
1. ND: Not Detected
2. * : Estimated values; values are approximately correct. But may contain small errors due to large dilution required in these analyses.
3. Analyses performed by Law Environmental National Laboratory, Kennesaw, Georgia.

TABLE 7
SOIL QUALITY SUMMARY
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

PARAMETER	BORINGS 6.1A	6.2A	7.1A	7.2A	7.3A	STB-1 (1-2.5 ft)	STB-1 (9-10.5 ft)	STB-2 (1-2.5 ft)	STB-2 (9-10.5 ft)
Barium, Total (mg/kg)	260	69	9300	81	9500	20	ND	34	37
Arsenic, Total (mg/kg)	2.4	2.3	ND	ND	0.5	2.4	ND	1.4	ND
Lead, Total (mg/kg)	13	25	120	ND	24	ND	15	16	34
Bromomethane (ug/kg)	ND	ND	ND	ND	1.2	--	--	--	--
Chloroform (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Dibromochloromethane (ug/kg)	1.3	ND	ND	ND	ND	--	--	--	--
1,1-Dichloroethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,1-Dichloroethene (ug/kg)	0.79	ND	ND	ND	ND	--	--	--	--
trans-1,2-Dichloroethene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Methylene Chloride (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,1,2,2-Tetrachloroethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Tetrachloroethene (ug/kg)	ND	0.3	ND	ND	ND	--	--	--	--
1,1,1-Trichloroethane (ug/kg)	81*	4.2	ND	ND	ND	--	--	--	--
1,1,2-Trichloroethane (ug/kg)	2.2	ND	ND	ND	ND	--	--	--	--
Trichloroethene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Trichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Vinyl Chloride (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Benzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Chlorobenzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Ethylbenzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Toluene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Xylenes (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Bromoform (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Carbon tetrachloride (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Chloroethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
2-Chloroethylvinyl ether (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Chloromethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,2-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,3-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,4-Dichlorobenzene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Dichlorofluoromethane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,2-Dichloropropane (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
cis-1,3-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Methyl-tertiary-butyl-ether (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
1,2-Dichloropropene (ug/kg)	ND	ND	ND	ND	ND	--	--	--	--
Trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	--	--	--	--

NOTES:
1. ND: Not Detected
2. * : Estimated values; values are approximately correct. But may contain small errors due to large dilution required in these analyses.
3. Analyses performed by Law Environmental National Laboratory, Kennesaw, Georgia.

TABLE 8
MAXIMUM ALLOWABLE CONCENTRATION LIMITS
GENERAL ELECTRIC COMPANY - LAURENS, SOUTH CAROLINA
JOB NO. 55-857903

COMPOUND	CALCULATED MAXIMUM ALLOWABLE CONTAMINANT LEVEL (MACL) IN SOIL (ug/kg)	MAXIMUM CONCENTRATION IN SOIL SAMPLES (ug/kg)	USEPA MAXIMUM CONTAMINANT LEVEL (MCL) IN WATER (ug/l)	MAXIMUM CONCENTRATION IN WATER SAMPLES (ug/l)	SOLUBILITY (mg/l @ 20 C) **
BENZENE	54	130	5	140	1780
1,1-DICHLOROETHENE	78	0.79	7	9400	2250
1,2-DICHLOROETHANE	23	0.50	5	3.9	8520
ETHYLBENZENE	290,000	970	*680	NOT DETECTED	152
TOLUENE	740,000	45	*2000	630	535
TRICHLOROETHENE	71	28	5	1000	1100
1,1,1-TRICHLOROETHANE	14,000	81	200	33,000	1500

NOTE: MACL's FOR SOILS CALCULATED USING THE ORGANIC LEACHATE MODEL (OLM) AS DESCRIBED IN THE FEDERAL REGISTER (51:41082)

* EPA RECOMMENDED MAXIMUM CONTAMINANT LEVEL (RMCL) FEDERAL REGISTER 51:4618

** SOURCE OF SOLUBILITIES: SUPERFUND PUBLIC HEALTH EVALUATION MANUAL