Initial Notification

National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations 40 CFR 63 subpart WWWWWW

Section 1. Facility Information

| Yes, I am subject to 40 CFR Part 63 subpart WWWWWW, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations | | | |
|---|--|--|--|
| Compliance Date: | | | |
| ☐ No, I am NOT subject to 40 CFR Part 63 subpart WWWWWW. Reason not applicable: | | | |
| If you checked the "No" box above, please complete this Section 1 and then proceed directly to Section 3 of this form (skip Section 2). | | | |
| Company name | | | |
| Facility name (if different): | | | |
| Facility (physical location) address: | | | |
| Owner name/title: | | | |
| Owner/company address: | | | |
| Owner telephone number | | | |
| Owner email address (if available): | | | |
| Is the Operator the same person as the Owner? If the Operator information is different from the Owner, please provide the following: Operator name/title: Operator telephone number: | | | |
| Operator email address (if available): | | | |

^a This is an example of the type of information that must be submitted to fulfill the Initial Notification requirement of 40 CFR 63, subpart WWWWWW. You may submit the information in another form or format, or you may use this form.

Section 2. Identification of Affected Operations

| (1) | The following are the operations at this that apply): ^b | facility subject to subpart WWWWWW (check all |
|-----|--|---|
| | Electroplating (noncyanide) | |
| | Continuous electroplating (noncyanide) | |
| | Short-term electroplating (noncyanide) | |
| | Electropolishing | |
| | Electroforming | |
| | Electroplating (cyanide) | |
| | Electroless nickel | |
| | Chrome conversion coating | |
| | Other electroless plating/coating/dipping | |
| | Thermal spraying (permanent line) | |
| | Thermal spraying (temporary, in-situ) | |
| | Dry mechanical polishing | |

b Important Note: These operations are affected sources under subpart WWWWW only if/when they use materials that contain or have the potential to emit Plating and Polishing metal HAP. Plating and Polishing HAP containing/potential is defined to be when the compounds of cadmium, chromium, lead, manganese, and nickel, or any of these metals in the elemental form with the exception of lead, are used or have the potential to be emitted in quantities of 0.1 percent or more, or 1.0 percent or more for elemental or compounds of manganese.

(2) The following table lists the compliance methods used on each affected tank process at this facility, noted previously in item (1) in Section 2:

| | HAP | Compliance Method(s) |
|---------------------------------|----------------------|--|
| Tank Process Description/ID No. | Emitted or Used | (Check all that apply) |
| · | (Cd, Cr, Pb, Mn, Ni) | (Oneon all that apply) |
| | | |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | |
| | | |
| | | Vented to a control device |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | ☐ Management practices |
| | | |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | | |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | Time limit (short-term plating only) |
| | | ☐ Management practices |
| | | Wetting agent/fume suppressant |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | | Wetting agent/fume suppressant |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | | Wetting agent/fume suppressant |
| | | Vented to a control device; |
| | | describe: |
| | | Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | • | |

Example

| | HAP | Compliance Method(s) |
|---------------------------------|----------------------|--|
| Tank Process Description/ID No. | Emitted or Used | (Check all that apply) |
| | (Cd, Cr, Pb, Mn, Ni) | (Crieck all triat apply) |
| | (continued) | |
| | | |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | |
| | | |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | |
| | | |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | |
| | | |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Tank cover |
| | | ☐ Time limit (short-term plating only) |
| | | |
| | | Wetting agent/fume suppressant |
| | | Vented to a control device; |
| | | _describe: |
| | | Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | | Wetting agent/fume suppressant |
| | | Vented to a control device; |
| | | _describe: |
| | | Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |
| | | Wetting agent/fume suppressant |
| | | Vented to a control device; |
| | | describe: |
| | | Tank cover |
| | | Time limit (short-term plating only) |
| | | Management practices |

(3) The following table lists each affected thermal spraying booths/lines (temporary and permanent), and dry mechanical polishing processes subject to subpart WWWWWW, noted previously in item (1) in Section 2:

| Thermal Spray Booth/Line or | HAP | Compliance Mathed(a) |
|-----------------------------|----------------------|-----------------------------------|
| Dry Mechanical Polishing | Emitted or Used | Compliance Method(s) |
| Description/ID No. | (Cd, Cr, Pb, Mn, Ni) | (Check all that apply) |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | Management practices (temporary) |
| | | |
| | | thermal spraying only) |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | ☐ Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device: |
| | | describe: |
| | | Management practices (temporary) |
| | | |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | _describe: |
| | | Management practices (temporary |
| | | thermal spraying only) |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | |
| | | thermal spraying only) |
| | | ☐ Vented to a control device; |
| | | describe: |
| | | Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | · |
| | | describe: |
| | | Management practices (temporary |
| | | thermal spraying only) |
| | | Vented to a control device; |
| | | describe: |
| | | ☐ Management practices (temporary |
| | | thermal spraying only) |

Example

| (၁) | The following applicable management practices are used at this facility, as practicable: |
|-----|--|
| | Minimize bath agitation when removing any parts processed in the tank, as practicable except when necessary to meet part quality requirements. |
| | Maximize the draining of bath solution back into the tank, as practicable, by extending drip time when removing parts from the tank; using drain boards (also known as drip shields); or withdrawing parts slowly from the tank, as practicable. |
| | Optimize the design of barrels, racks, and parts to minimize dragout of bath solution (such as by using slotted barrels and tilted racks, or by designing parts with flow-through holes to allow the tank solution to drip back into the tank), as practicable. |
| | Use tank covers, if already owned and available at the facility, whenever practicable. |
| | Minimize or reduce heating of process tanks, as practicable (e.g., when doing so would not interrupt production or adversely affect part quality). |
| | Perform regular repair, maintenance, and preventive maintenance of racks, barrels, and other equipment associated with affected sources, as practicable. |
| | Minimize bath contamination, such as through the prevention or quick recovery of dropped parts, use of distilled/de-ionized water, water filtration, pre-cleaning of parts to be plated, and thorough rinsing of pre-treated parts to be plated, as practicable. |
| | Maintain quality control of chemicals, and chemical and other bath ingredient concentrations in the tanks, as practicable. |
| | Perform general good housekeeping, such as regular sweeping or vacuuming, if needed, and periodic washdowns, as practicable. |
| | Minimize spills and overflow of tanks, as practicable. |
| | Use squeegee rolls in continuous or reel-to-reel plating tanks, as practicable. |
| | Perform regular inspections to identify leaks and other opportunities for pollution prevention. |

Example

Section 3. Certification

| I hereby certify that the information presented herein is correct to the best of my know | | |
|--|-----------------|--|
| (Signature) | (Date) | |
| | () | |
| (Name/title) | (Telephone No.) | |

Section 4. Submittal

Submit the Initial Notification to one of the following offices, as appropriate:

a. If your State has been delegated the authority for this regulation under section 112(I) of the Clean Air Act, submit the notification to your State agency found at the following link: http://www.epa.gov/ttn/atw/area/table_state_contacts.doc

If your state/local contact is not listed at the above link, use this link: http://www.4cleanair.org/contactUsaLevel.asp

- b. If your EPA Region has assumed the authority for this rule, submit the notification to your Regional Office of the EPA, from list below:
- EPA Region I (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) 5 Post Office Square, Suite 100, Mail code: OES04-2, Boston MA 02109-3912 Attention: Air Clerk
- EPA Region II (New Jersey, New York, Puerto Rico, Virgin Islands), Director, Division of Enforcement and Compliance Assistance 290 Broadway, New York, NY 10007-1866
- EPA Region III (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia, West Virginia)
 Director, Air Protection Division, 1650 Arch Street, Philadelphia, PA 19103
- EPA Region IV (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)
 Director, Air, Pesticides and Toxics Management Division
 Atlanta Federal Center, 61 Forsyth Street, Atlanta, GA 30303–3104
- EPA Region V (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)
 Director, Air and Radiation Division, 77 West Jackson Blvd., Chicago, IL 60604–3507
- EPA Region VI (Arkansas, Louisiana, New Mexico, Oklahoma, Texas)
 Director, Air, Pesticides and Toxics, 1445 Ross Avenue, Dallas, TX 75202–2733
- EPA Region VII (Iowa, Kansas, Missouri, Nebraska)
 Director, Air and Waste Management Division, U.S. Environmental Protection Agency 901 N. 5th Street, Kansas City, KS 66101
- EPA Region VIII (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

 Director, Air and Toxics Technical Enforcement Program, Office of Enforcement, Compliance and Environmental Justice, 1595 Wynkoop Street, Denver, CO 80202-1129
- EPA Region IX (Arizona, California, Hawaii, Nevada, American Samoa, Guam)
 Director, Air and Toxics Division, 75 Hawthorne Street, San Francisco, CA 94105
- EPA Region X (Alaska, Idaho, Oregon, Washington)
 Director, Office of Air, Waste and Toxics, 1200 6th Ave., Suite 900, AWT-107, Seattle, WA 98101